

Practical Computing



80p August 1983

Volume 6 Issue 8

Reviews:

Apple Lisa

IBM PC XT

Spectrum games

Portable Tandy 100

BBC Buggy and Wordwise WP chip

*Special feature on printers and plotters—
how to get hard copy from your micro*

**NEW
MODEL**

**LOWER
COST**



Cromemco System One

MicroCentre introduce Cromemco's new System One computer, available with an integral 5 megabyte Winchester hard disk, at a new low price.

The System One supports the full range of Cromemco interface cards, including high resolution colour graphics, and software packages. The choice of operating systems includes CDOS, CP/M and CROMIX—Cromemco's answer to Unix.

Call MicroCentre for  Cromemco

MicroCentre Ltd
(Complete Micro Systems)

• Circle No. 101

**Britain's independent
Cromemco importer**

**30 Dundas Street
Edinburgh EH3 6JN
Tel: 031-556 7354**

LIST

PRACTICAL COMPUTING

AUGUST 1983

>NEWS

15 HARDWARE NEWS
Four new Atari computers shown in Chicago, plus several new developments among British micros.

21 SOFTWARE NEWS
Smalltalk — the cult language reaches the Apple market, and software publishing meets the record business.

129 IBM PC NEWS
Big Blue brings 11 enhancements to the PC, from APL to maze games.

30 COMPUTER FAIR SPECIAL REPORT
Bill Bennett braved the Earls Court crush to find the new micros, new games and interesting add-ons.

>REVIEWS

92 LISA
After introducing Apple's new micro in our March issue, Ian Stobie reports on how usable it is in practice.

96 PORTABLE TANDY 100
Tandy's handy new machine will compete with the Epson HX-20. Which is best?

***100 BBC BUGGY**
David Watt tries a three-wheeled "turtle" designed to be controlled by the BBC Micro.

***102 HOME WP — PART 5 BBC WORDWISE**
A word processor on a chip to rival Acorn's View, reviewed by Neville Maude.

118 SPECTRUM GAMES
Bill Bennett tackles Football Manager and other new Spectrum games.

130 IBM PC XT DESK-TOP TEST
Part 1: living with the new hard-disc version of the PC, with MS-DOS 2.

132 TK!SOLVER
The writers of VisiCalc now solve more of your problems.

***165 BBC BOOKS**
Simon Beesley reviews a selection of books about the BBC Micro.

CORVUS CONCEPT: The review of this 16-bit micro has been held over for next month.

>FEATURES

104 TWO IMAGES FOR THREE DIMENSIONS
Stereoscopic slicing — a fascinating graphics technique described by Dave Watson, with a listing in Basic.

108 SOFTWARE AND THE LAW
Anne Staines explains the current state of the law on copyrighting programs.



110 FICTION
Jack is on the lookout for the perfect partner in Martin Foreman's *Autodate*.

112 FORMCALC ON THE ZX-81
Brian Law describes how to use his spreadsheet program, listed last month.

***122 FLOATING-POINT NUMBERS**
All you need to know about binary computation but were afraid to ask.

>REGULARS

5 EDITORIAL — DEATH OF 1,000 CUTS
With Texas Instruments heading for a \$100m loss, do we really need a price war?

7 FEEDBACK YOUR LETTERS
The column that airs your views.

***29 RANDOM ACCESS**
Boris Allan turns his attention to the fifth generation and beyond.

35 CHIP-CHAT
Can Zilog mount a second attack on the 16-bit market?

137 OPEN FILE 153.
Free programs for the BBC, Commodore, Tandy, Sinclair, Atari, Apple and other micros.

173 LAST WORD
Chris Bidmead reports on the war between Digital Research and Microsoft.

>PRINTERS AND PLOTTERS

62 PRINTERS FOR BEGINNERS
Buying a printer can be confusing. Jack Schofield explains what the terms mean, and lists some of the models available.

70 OLIVETTI'S JP-101 SPARK-JET PRINTER
Chris Bidmead tests an innovative printer that Olivetti plans to sell to lots of BBC Micro owners.

***77 EPSON'S FX-80 DOT MATRIX**
Chris Roper reviews Epson's replacement for the best-selling MX-80.

***80 FIRST STEPS IN PLOTTERS**
Bill Bennett takes a selection of plotters spanning the price range to see what they can do.

84 THE BENEFITS OF BUFFERS
Free your micro from slavery by fitting a print buffer. Paul Sutcliffe explains.

***86 CONNECTIONS — THE RS-232 INTERFACE**
How to hook up your printer: Mark Shepperd takes apart the most common microcomputer interface.

Sirton
computer systems

THE SPECIALISTS IN S100 SYSTEMS

NOW IS THE TIME YOU SHOULD BE USING THE S100 FOR:

UPGRADABILITY
MODULARITY
HIGH RELIABILITY
UNMATCHED VERSATILITY
AND AN INTERNATIONAL STANDARD

OUR BRITISH BUILT MIDAS S100

SYSTEMS OFFER ALL THESE
ADVANTAGES TOGETHER WITH

CP/M 2 CP/M 86

**** AND NOW CP/M PLUS ****

5 $\frac{1}{4}$ " and 8" FLOPPIES

SINGLE OR MULTIPLE USERS

FIXED AND REMOVABLE HARD DISCS




CP/M + S100 = TOTAL SYSTEM FLEXIBILITY

BOARDS

We stock over 50 different S100 Boards all from quality manufacturers. Advanced Micro Digital, Godbout, SSM, Micromation, Dual, CCS, Sirton, Morrow, Pickles & Trout etc.

S100 CPU CARDS



No 1 of a Series

- * Z80A or B SBC, 64K RAM, 2S + 2P, FDC, 2K EPROM, CTC.
- * Z80A Slave 64K or 128K RAM, 2S + 2P, 2K EPROM.
- * Z80A 2/4 MHz, 2/4K EPROM 16/24 bit add, IEEE696.
- * Z80A or B, 8K EPROM/RAM, 16/24 bit add, Int Cont, IEEE696.
- * Z80A, Serial I/O, 2K Monitor
- * 8085 + 8088 dual CPU Card, IEEE696.
- * 8086 + 8013C, 16 bit CPU + space for 8087, IEEE696.
- * 6800 + MMU, 8K ROM.
- * 16032 + space for 32K ROM + 16082, 16201, 16081.

We are pleased to discuss your requirements and will advise you as to whether your needs can be met with one of our computers.

All of our systems are specials as they are configured to suit your specification, thus ensuring that you get what you want rather than what happens to be available.

Write or phone for a catalogue.

Unit 14, 29 Willow Lane, Mitcham, Surrey
Telephone: 01-640 6931/2/3

Sirton
computer systems

Editor
Jack Schofield
Deputy Editor
Bill Bennett
Assistant Editor
Ian Stobie

Art Editor
Steve Miller
Production Editor
John Liebmann

Sub-editor
Sally Clark
Editorial Secretary
Julie Milligan
Consultants
Chris Bidmead
Peter Laurie

ADVERTISING 01-661 3612
Advertisement Manager
Ian Carter 01-661 3021
Assistant Advertisement
Manager
Kenneth Walford 01-661 3139
Advertisement Executives
Lynne Brennan 01-661 3468
Robert Payne 01-661 8425
David Honeyman 01-661 8626

Advertisement Secretary
Janet Thorpe
Midlands office:
David Harvett 021-356 4838
Northern office:
Geoff Aikin 061-872 8861
PUBLISHING DIRECTOR
Chris Hipwell

Published by Electrical Electronic
Press, Quadrant House, The Quadrant,
Sutton, Surrey SM25AS. Tel: 01-661
3500. Telex/grams 892084 BISPRS G.

Distributed by Business Press
International Ltd, Quadrant House,
The Quadrant, Sutton, Surrey SM2
5AS.

Subscriptions: U.K. £12 per annum; Overseas £18 per annum; selling price in Eire subject to currency exchange fluctuations and VAT; airmail rates available on application to Subscription Manager, Business Press International Ltd, Oakfield House, Perrymount Road, Haywards Heath, Sussex RH16 3DH. Tel: 0444 459188

Printed in Great Britain for the
proprietors Business Press
International Ltd by Eden Fisher
(Southend) Ltd, Southend-on-Sea.
Typeset by Centrepont Typesetters,
London EC1.

© Business Press International Ltd
1983.

Would-be authors are welcome to send articles to the Editor but *PC* cannot undertake to return them. Payment is at £30 per published page. Submissions should be typed or computer-printed and should include a tape or disc of any program. Hand-written material is liable to delay and error.

Every effort is made to check articles and listings but *PC* cannot guarantee that programs will run and can accept no responsibility for any errors.

The death of 1,000 cuts

Four major manufacturers are involved: Sinclair, Commodore, Atari and Texas Instruments. They are, between them, already responsible for the vast majority of world microcomputer sales — not by value, perhaps, but by volume.

A glance at the prices of these machines shows why. The 16K Atari 400 and 16K TI-99/4a are now around £150. The Commodore 64 and Atari 800, which are both comparable in power and facilities to the Acorn BBC Micro, are a touch under £300. In the pocket-money market, both the 16K Sinclair Spectrum and Vic-20 can be bought for under £100 — allowing for a package deal on the Vic.

Current American prices do not show the price-cutting storm subsiding. The American package-deal price puts the Vic-20 at under \$100 — around £65. Texas Instruments is giving a \$100 “rebate” or money-back offer on the TI-99/4a which brings the price down to \$159.95 — around £100.

As in the U.K. so in the U.S. The Sinclair micros are undercutting everything. With a \$15 rebate, the price of a Timex 1000 — known here as the ZX-81 — is only \$44.95, which at today's exchange rate is only £29.

How can a machine for which Texas once wanted £1,000 now cost \$150? The answer is only partly to do with volume. As a veteran of the pocket-calculator wars, Texas knows it has to stay in the market. The name of the game is market share.

Other factors are, of course, involved. Most of the companies have new machines on the

way. Commodore always has several, and Atari is about to launch four new micros. Even the current models, including the 99/4a and Commodore 64, are being heavily redesigned to use fewer chips, which will enable them to be made even cheaper.

Then there are numerous new machines lining up for the Christmas market. Many will offer 16-bit processors, including the powerful Motorola 68000. Last but not least, the two major microcomputer manufacturers — by value if not by volume — are threatening to launch new machines. Apple has a “mini Lisa”, called the Macintosh, currently out with software houses. IBM is rumoured to be about to enter the small-micro market with the Peanut.

So far none of these developments has had much significance for the serious business market. The manufacturers mentioned have not reduced the prices of their peripherals and software by comparable amounts. Maybe you could expand, say, a Vic-20 or TI-99/4a to the capability of an Osborne 2 or Morrow Microdecision, but if you cost the exercise you will find them poor value in comparison. In many cases, too, neither the peripherals nor the business software exists.

But this could change. Forthcoming Atari, Commodore and even Sinclair micros could soon be offering business capabilities, including CP/M, at close to home-micro prices. Both IBM and Apple have the manufacturing capability and the high profit margins which would enable them to engage in a price war. Of course they don't want to, but they may not have a choice.

Meanwhile, the Japanese are still waiting in the wings. The price war is not ending, it is just starting. Next it is likely to move from the home to the business market. A lot of companies are already lined up to die the death of a thousand price-cuts.

5 Years ago ...

[illegible]

NEW FLOPPY SYSTEMS

Research Machines of Oxford has introduced new floppy disc systems for its 380Z computer.

A mini-floppy system is offered with one or two drives, each drive of 70K byte capacity. Also available is a dual double-sided, standard drive system with a capacity of 500K bytes per drive giving a total of one megabyte of on-line storage; this system can produce IBM 3740 compatible discs.

At a later date a new disc controller card will be offered which will allow existing standard drive users to upgrade to IBM

standard double density recording, doubling the capacity to one megabyte per drive.

BASF drives are used throughout and the prices of both the mini and standard disc systems include the Digital Research CP/M disc operating system which is rapidly becoming the industry standard for microcomputers.

The price of the 380Z with 32K RAM is £1,158; the dual mini-floppy disc system, MDS-2, is £895; and the dual standard system, FDS-2 is £1,695.

Practical Computing, Volume 1 Issue 3.

[illegible]

WATFORD ELECTRONICS

33 (PC) Cardiff Road, Watford, Herts, England
Tel Watford (0923) 40588. Telex: 8956095

ALL DEVICES FULLY GUARANTEED. Send Cheque, P.O.s, Cash, Bank Draft with Orders. ACCESS/MASTER CHARGE Accepted. GOVERNMENT & EDUCATIONAL ESTABLISHMENTS OFFICIAL ORDERS WELCOME. P&P Add 60p to all Cash Orders. OVERSEAS Orders postage at cost.

VAT ALL PRICES ARE EXCLUSIVE OF VAT. PLEASE ADD 15% TO THE TOTAL COST INCLUDING P&P. SHOP HOURS: 9.00am-6.00pm MONDAY TO SATURDAY. AMPLE FREE CAR PARKING SPACE AVAILABLE. FOR QUANTITY PRICES PHONE WATFORD (0923) 40588

Computer IC's

Computer IC's	75 Series	CMOS	4069	13	4511	46
DS8830	110	75107	95	4070	13	4519
DS8831	125	75108	100	4071	13	4520
DS8832	250	75109	105	4072	13	4521
DS8833	375	75110	110	4073	13	4522
DS8834	500	75111	115	4074	13	4523
DS8835	625	75112	120	4075	13	4524
DS8836	750	75113	125	4076	13	4525
DS8837	875	75114	130	4077	13	4526
DS8838	1000	75115	135	4078	13	4527
DS8839	1125	75116	140	4079	13	4528
DS8840	1250	75117	145	4080	13	4529
DS8841	1375	75118	150	4081	13	4530
DS8842	1500	75119	155	4082	13	4531
DS8843	1625	75120	160	4083	13	4532
DS8844	1750	75121	165	4084	13	4533
DS8845	1875	75122	170	4085	13	4534
DS8846	2000	75123	175	4086	13	4535
DS8847	2125	75124	180	4087	13	4536
DS8848	2250	75125	185	4088	13	4537
DS8849	2375	75126	190	4089	13	4538
DS8850	2500	75127	195	4090	13	4539
DS8851	2625	75128	200	4091	13	4540
DS8852	2750	75129	205	4092	13	4541
DS8853	2875	75130	210	4093	13	4542
DS8854	3000	75131	215	4094	13	4543
DS8855	3125	75132	220	4095	13	4544
DS8856	3250	75133	225	4096	13	4545
DS8857	3375	75134	230	4097	13	4546
DS8858	3500	75135	235	4098	13	4547
DS8859	3625	75136	240	4099	13	4548
DS8860	3750	75137	245	4100	13	4549
DS8861	3875	75138	250	4101	13	4550
DS8862	4000	75139	255	4102	13	4551
DS8863	4125	75140	260	4103	13	4552
DS8864	4250	75141	265	4104	13	4553
DS8865	4375	75142	270	4105	13	4554
DS8866	4500	75143	275	4106	13	4555
DS8867	4625	75144	280	4107	13	4556
DS8868	4750	75145	285	4108	13	4557
DS8869	4875	75146	290	4109	13	4558
DS8870	5000	75147	295	4110	13	4559
DS8871	5125	75148	300	4111	13	4560
DS8872	5250	75149	305	4112	13	4561
DS8873	5375	75150	310	4113	13	4562
DS8874	5500	75151	315	4114	13	4563
DS8875	5625	75152	320	4115	13	4564
DS8876	5750	75153	325	4116	13	4565
DS8877	5875	75154	330	4117	13	4566
DS8878	6000	75155	335	4118	13	4567
DS8879	6125	75156	340	4119	13	4568
DS8880	6250	75157	345	4120	13	4569
DS8881	6375	75158	350	4121	13	4570
DS8882	6500	75159	355	4122	13	4571
DS8883	6625	75160	360	4123	13	4572
DS8884	6750	75161	365	4124	13	4573
DS8885	6875	75162	370	4125	13	4574
DS8886	7000	75163	375	4126	13	4575
DS8887	7125	75164	380	4127	13	4576
DS8888	7250	75165	385	4128	13	4577
DS8889	7375	75166	390	4129	13	4578
DS8890	7500	75167	395	4130	13	4579
DS8891	7625	75168	400	4131	13	4580
DS8892	7750	75169	405	4132	13	4581
DS8893	7875	75170	410	4133	13	4582
DS8894	8000	75171	415	4134	13	4583
DS8895	8125	75172	420	4135	13	4584
DS8896	8250	75173	425	4136	13	4585
DS8897	8375	75174	430	4137	13	4586
DS8898	8500	75175	435	4138	13	4587
DS8899	8625	75176	440	4139	13	4588
DS8900	8750	75177	445	4140	13	4589
DS8901	8875	75178	450	4141	13	4590
DS8902	9000	75179	455	4142	13	4591
DS8903	9125	75180	460	4143	13	4592
DS8904	9250	75181	465	4144	13	4593
DS8905	9375	75182	470	4145	13	4594
DS8906	9500	75183	475	4146	13	4595
DS8907	9625	75184	480	4147	13	4596
DS8908	9750	75185	485	4148	13	4597
DS8909	9875	75186	490	4149	13	4598
DS8910	10000	75187	495	4150	13	4599
DS8911	10125	75188	500	4151	13	4600
DS8912	10250	75189	505	4152	13	4601
DS8913	10375	75190	510	4153	13	4602
DS8914	10500	75191	515	4154	13	4603
DS8915	10625	75192	520	4155	13	4604
DS8916	10750	75193	525	4156	13	4605
DS8917	10875	75194	530	4157	13	4606
DS8918	11000	75195	535	4158	13	4607
DS8919	11125	75196	540	4159	13	4608
DS8920	11250	75197	545	4160	13	4609
DS8921	11375	75198	550	4161	13	4610
DS8922	11500	75199	555	4162	13	4611
DS8923	11625	75200	560	4163	13	4612
DS8924	11750	75201	565	4164	13	4613
DS8925	11875	75202	570	4165	13	4614
DS8926	12000	75203	575	4166	13	4615
DS8927	12125	75204	580	4167	13	4616
DS8928	12250	75205	585	4168	13	4617
DS8929	12375	75206	590	4169	13	4618
DS8930	12500	75207	595	4170	13	4619
DS8931	12625	75208	600	4171	13	4620
DS8932	12750	75209	605	4172	13	4621
DS8933	12875	75210	610	4173	13	4622
DS8934	13000	75211	615	4174	13	4623
DS8935	13125	75212	620	4175	13	4624
DS8936	13250	75213	625	4176	13	4625
DS8937	13375	75214	630	4177	13	4626
DS8938	13500	75215	635	4178	13	4627
DS8939	13625	75216	640	4179	13	4628
DS8940	13750	75217	645	4180	13	4629
DS8941	13875	75218	650	4181	13	4630
DS8942	14000	75219	655	4182	13	4631
DS8943	14125	75220	660	4183	13	4632
DS8944	14250	75221	665	4184	13	4633
DS8945	14375	75222	670	4185	13	4634
DS8946	14500	75223	675	4186	13	4635
DS8947	14625	75224	680	4187	13	4636
DS8948	14750	75225	685	4188	13	4637
DS8949	14875	75226	690	4189	13	4638
DS8950	15000	75227	695	4190	13	4639
DS8951	15125	75228	700	4191	13	4640
DS8952	15250	75229	705	4192	13	4641
DS8953	15375	75230	710	4193	13	4642
DS8954	15500	75231	715	4194	13	4643
DS8955	15625	75232	720	4195	13	4644
DS8956	15750	75233	725	4196	13	4645
DS8957	15875	75234	730	4197	13	4646
DS8958	16000	75235	735	4198	13	4647
DS8959	16125	75236	740	4199	13	4648
DS8960	16250	75237	745	4200	13	4649
DS8961	16375	75238	750	4201	13	4650
DS8962	16500	75239	755	4202	13	4651
DS8963	16625	75240	760	4203	13	4652
DS8964	16750	75241	765	4204	13	4653
DS8965	16875	75242	770	4205	13	4654
DS8966	17000	75243	775	4206	13	4655
DS8967	17125	75244	780	4207	13	4656
DS8968	17250	75245	785	4208	13	4657
DS8969	17375	75246	790	4209	13	4658
DS8970	17500	75247	795	4210	13	4659
DS8971	17625	75248	800	4211	13	4660
DS8972	17750	75249	805	4212	13	4661
DS8973	17875	75250	810	4213	13	4662
DS8974	18000	75251	815	4214	13	4663
DS8975	18125	75252	820	4215	13	4664
DS8976	18250	75253	825	4216	13	4665
DS8977	18375	75254	830	4217	13	4666
DS8978	18500	75255	835	4218	13	4667
DS8979	18625	75256	840	4219	13	4668
DS8980	18750	75257	845	4220	13	4669
DS8981	18875	75258	850	4221	13	4670
DS8982	19000	75259	855	4222	13	4671
DS8983	19125	75260	860	4223	13	4672
DS8984	19250	75261	865	4224	13	4673
DS8985	19375	75262	870	4225	13	4674
DS8986	19500	75263	875	4226	13	4675
DS8987	19625	75264	880	4227	13	4676
DS8988	19750	75265	885	4228	13	4677
DS8989	19875	75266	890	4229	13	4678
DS8990	20000	75267	895	4230	13	4679
DS8991	20125	75268	900	4231	13	4680
DS8992	20250	75269	905	4232	13	4681
DS8993	20375	75270	910	4233	13	4682
DS8994	20500	75271	915	4234	13	4683
DS8995	20625	75272	920	4235	13	4684
DS8996	20750	75273	925	4236	13	4685
DS8997	20875	75274	930	4237	13	4686
DS8998	21000	75275	935	4238	13	4687
DS8999	21125	75276	940	4239	13	4688
DS9000	21250	75277	945	4240	13	4689

74LS Series

74LS Series									
80	ZN424E	130	LS504	1	LS504	1	LS504	1	LS504
80	LS96	30	LS505	30	LS505	30	LS505	30	LS505
80	LS97	30	LS506	30	LS506	30	LS506	30	LS506
120	LS98	30	LS507	30	LS507	30	LS507	30	LS507
225	ZN427E	130	LS508	1	LS508	1	LS508	1	LS508
118	LS123	125	LS509	30	LS509	30	LS509	30	LS509
125	ZN430E	130	LS510	1	LS510	1	LS510	1	LS510
125	LS128	125	LS511	30	LS511	30	LS511	30	LS511
350	ZN429E	130	LS512	1	LS512	1	LS512	1	LS512
350	LS155	210	LS513	30	LS513	30	LS513	30	LS513
225	ZN431E	130	LS514	1	LS514	1	LS514	1	LS514
202	LS130AE	200	LS515	30	LS515	30	LS515	30	LS515
225	ZN104OE	655	LS516	30	LS516	30	LS516	30	LS516
225	ZN104OE	655	LS517	30	LS517	30	LS517	30	LS517
110	LS121E	125	LS518	30	LS518	30	LS518	30	LS518
125	LS156A	300	LS519	30	LS519	30	LS519	30	LS519
125	LS156A	300	LS520	30	LS520	30	LS520	30	LS520
300	LS156A	300	LS521	30	LS521	30	LS521	30	LS521
110	LS222E	225	LS522	30	LS522	30	LS522	30	LS522
225	LS222E	225	LS523	30	LS523	30	LS523	30	LS523
225	LS223	225	LS524	30	LS524	30	LS524	30	LS524
270	LS223	270	LS525	30	LS525	30	LS525	30	LS525
850	LS224	850	LS526	30	LS526	30	LS526	30	LS526
250	LS251	250	LS527	30	LS527	30	LS527	30	LS527
250	LS252	250	LS528	30	LS528	30	LS528	30	LS528
425	LS253	425	LS529	30	LS529	30	LS529	30	LS529
425	LS254	425	LS530	30	LS530	30	LS530	30	LS530
425	LS255	425	LS531	30	LS531	30	LS531	30	LS531
425	LS256A	425	LS532	30	LS532	30	LS532	30	LS532
425	LS257	425	LS533	30	LS533	30	LS533	30	LS533
395	LS259	395	LS534	30	LS534	30	LS534	30	LS534
395	LS260	395	LS535	30	LS535	30	LS535	30	LS535
395	LS261	395	LS536	30	LS536	30	LS536	30	LS536
395	LS262	395	LS537	30	LS537	30	LS537	30	LS537
395	LS263	395	LS538	30	LS538	30	LS538	30	LS538
450	LS264	450	LS539	30	LS539	30	LS539	30	LS539
450	LS265	450	LS540	30	LS540	30	LS540	30	LS540
450	LS266	450	LS541	30	LS541	30	LS541	30	LS541
450	LS267	450	LS542	30	LS542	30	LS542	30	LS542
450	LS268	450	LS543	30	LS543	30	LS543	30	LS543
450	LS269	450	LS544	30	LS544	30	LS544	30	LS544
450	LS270	450	LS545	30	LS545	30	LS545	30	LS545
450	LS271	450	LS546	30	LS546	30	LS546	30	LS546
450	LS272	450	LS547	30	LS547	30	LS547	30	LS547
450	LS273	450	LS548	30	LS548	30	LS548	30	LS548
450	LS274	450	LS549	30	LS549	30	LS549	30	LS549
450	LS275	450	LS550	30	LS550	30	LS550	30	LS550
450	LS276	450	LS551	30	LS551	30	LS551	30	LS551
450	LS277	450	LS552	30	LS552	30	LS552	30	LS552
450	LS278	450	LS553	30	LS553	30	LS553	30	LS553
450	LS279	450	LS554	30	LS554	30	LS554	30	LS554
450	LS280	450	LS555	30	LS555	30	LS555	30	LS555
450	LS281	450	LS556	30	LS556	30	LS556	30	LS556
450	LS282	450	LS557	30	LS557	30	LS557	30	LS557
450	LS283	450	LS558	30	LS558	30	LS558	30	LS558
450	LS284	450	LS559	30	LS559	30	LS559	30	LS559
450	LS285	450	LS560	30	LS560	30	LS560	30	LS560
450	LS286	450	LS561	30	LS561	30	LS561	30	LS561
450	LS287	450	LS562	30	LS562	30	LS562	30	LS562
450	LS288	450	LS563	30	LS563	30	LS563	30	LS563
450	LS289	450	LS564	30	LS564	30	LS564	30	LS564
450	LS290	450	LS565	30	LS565	30	LS565	30	LS565
450	LS291	450	LS566	30	LS566	30	LS566	30	LS566
450	LS292	450	LS567	30	LS567	30	LS567	30	LS567
450	LS293	450	LS568	30	LS568	30	LS568	30	LS568
450	LS294	450	LS569	30	LS569	30	LS569	30	LS569
450	LS295	450	LS570	30	LS570	30	LS570	30	LS570
450	LS296	450	LS571	30	LS571	30	LS571	30	LS571
450	LS297	450	LS572	30	LS572	30	LS572	30	LS572
450	LS298	450	LS573	30	LS573	30	LS573	30	LS573
450	LS299	450	LS574	30	LS574	30	LS574	30	LS574
450	LS300	450	LS575	30	LS575	30	LS575	30	LS575
450	LS301	450	LS576	30	LS576	30	LS576	30	LS576
450	LS302	450	LS577	30	LS577	30	LS577	30	LS577
450	LS303	450	LS578	30	LS578	30	LS578	30	LS578
450	LS304	450	LS579	30	LS579	30	LS579	30	LS579
450	LS305	450	LS580	30	LS580	30	LS580	30	LS580
450	LS306	450	LS581	30	LS581	30	LS581	30	LS581
450	LS307	450	LS582	30	LS582	30	LS582	30	LS582
450	LS308	450	LS583	30	LS583	30	LS583	30	LS583
450	LS309	450	LS584	30	LS584	30	LS584	30	LS584
450	LS310	450	LS585	30	LS585	30	LS585	30	LS585
450	LS311	450	LS586	30	LS586	30	LS586	30	LS586
450	LS312	450	LS587	30	LS587	30	LS587	30	LS587
450	LS313	450	LS588	30	LS588	30	LS588	30	LS588
450	LS314	450	LS589	30	LS589	30	LS589	30	LS589
450	LS315	450	LS590	30	LS590	30	LS590	30	LS590
450	LS316	450	LS591	30	LS591	30	LS591	30	LS591
450	LS317	450	LS592	30	LS592	30	LS592	30	LS592
450	LS318	450	LS593	30	LS593	30	LS593	30	LS593
450	LS319	450	LS594	30	LS594	30	LS594	30	LS594
450	LS320	450	LS595	30	LS595	30	LS595	30	LS595
450	LS321	450	LS596	30	LS596	30	LS596	30	LS596
450	LS322	450	LS597	30	LS597	30	LS597	30	LS597
450	LS323	450	LS598	30	LS598	30	LS598	30	LS598
450	LS324	450	LS599	30	LS599	30	LS599	30	LS599
450	LS325	450	LS600	30	LS600	30	LS600	30	LS600
450	LS326	450	LS601	30	LS601	30	LS601	30	LS601
450	LS327	450	LS602	30	LS602	30	LS602	30	LS602
450	LS328	450	LS603	30	LS603	30	LS603	30	LS603
450	LS329	450	LS604	30	LS604	30	LS604	30	LS604
450	LS330	450	LS605	30	LS605	30	LS605	30	LS605
450	LS331	450	LS606	30	LS606	30	LS606	30	LS606
450	LS332	450	LS607	30	LS607	30	LS607	30	LS607
450	LS333	450	LS608	30	LS608	30	LS608	30	LS608
450	LS334	450	LS609	30	LS609	30	LS609	30	LS609
450	LS335	450	LS610	30	LS610	30	LS610	30	LS610
450	LS336	450	LS611	30	LS611	30	LS611	30	LS611
450	LS337	450	LS612	30	LS612	30	LS612	30	LS612
450	LS338	450	LS613	30	LS613	30	LS613	30	LS613
450	LS339	450	LS614	30	LS614	30	LS614	30	LS614
450	LS340	450	LS615	30	LS615	30	LS615	30	LS615
450	LS341	450	LS616	30	LS616	30	LS616	30	LS616
450	LS342	450	LS617	30	LS617	30	LS617	30	LS617
450	LS343	450	LS618	30	LS618	30	LS618	30	LS618
450	LS344	450	LS619	30	LS619	30	LS619	30	LS619
450	LS345	450	LS620	30	LS620	30	LS620	30	LS620
450	LS346	450	LS621	30	LS621	30	LS621	30	LS621
450	LS347	450	LS622	30	LS622	30	LS622	30	LS622
450	LS348	450	LS623	30	LS623	30	LS623	30	LS623
450	LS349	450	LS624	30	LS624	30	LS624	30	LS624
450	LS350	450	LS625	30	LS625	30	LS625	30	LS625
450	LS351	450	LS626	30	LS626	30	LS626	30	LS626
450	LS352	450	LS627	30	LS627	30	LS627	30	LS627
450	LS353	450	LS628	30	LS628	30	LS628	30	LS628
450	LS354	450	LS629	30	LS629	30	LS629	30	LS629
450	LS355	450	LS630	30	LS630	30	LS630	30	LS630
450	LS356	450	LS631	30	LS631	30	LS631	30	LS631
450	LS357	450	LS632	30	LS632	30	LS632	30	LS632
450	LS358	450	LS633	30	LS633	30	LS633	30	LS633
450	LS359	450	LS634	30	LS634	30	LS634	30	LS634
450	LS360	450	LS635	30	LS635	30	LS635	30	LS635
450	LS361	450	LS636	30	LS636	30	LS636	30	LS636
450	LS362	450	LS637	30	LS637	30	LS637	30	LS637
450	LS363	450	LS638	30	LS638	30	LS638	30	LS638
450	LS364	450	LS639	30	LS639	30	LS639	30	LS639
450	LS365	450	LS640	30	LS640	30	LS640	30	LS640
450	LS366	450	LS641	30	LS641	30	LS641	30	LS641
450	LS367	450	LS642	30	LS642	30	LS642	30	LS642
450	LS368	450	LS643	30	LS643	30	LS643	30	LS643
450	LS369	450	LS644	30	LS644	30	LS644	30	LS644
450	LS370	450	LS645	30	LS645	30	LS645	30	LS645
450	LS371	450	LS646	30	LS646	30	LS646	30	LS646
450	LS372	450	LS647	30	LS647	30	LS647	30	

Software standards

THE FIELD OF SOFTWARE and the number of people who write and sell it grows by leaps and bounds. Inevitably there will be those whose level of service leaves much to be desired, and many will fail and leave the scene.

In the meanwhile the prospective purchaser falls victim. I'm sure thoughts similar to mine have already appeared in your columns. However, I think it worthwhile suggesting to software dealers three criteria required by any prospective purchaser of a package:

- That it is received promptly after being ordered.
- That it runs trouble-free when received and also meets advertised specifications and facilities.
- That it is accompanied by documentation which is accurate, clear and comprehensive. Brevity is not a prerequisite.

Am I unfortunate? I have a Sharp MZ-80B, previously I had a K, and to date I have never had all three of the above. Rarely have I had any two of them.

I have communicated with the U.K. headquarters of the Japanese manufacturer and have received no reply to two of the three letters about documentation and manuals. I have documentation and tapes outstanding from Sharp's largest international dealer from packages bought nine months ago, and cannot get any sense out of them. I have purchased packages from two Sharp software specialists who advertise in your columns, and have never had the above services. Indeed, I see a package still for sale which I returned because it does not meet the advertised specification.

Frequently I get no documentation. Often the documentation sent is for another machine or is incorrect or inadequate. How long shall we have to suffer such poor service? Or is this merely the signs of a growing infant, to have to stick with until it becomes a little more sophisticated and aware of what its market requires?

Needless to say I have no problems with my own software but unfortunately my level of expertise does not allow me to do without some of the packages available on the market. Am I expecting too much? Do other readers have the same problem? And what can be done about it?

G C Heaviside,
Bishops Itchington,
Leamington Spa.

Disabled aids

WE ARE IN the process of establishing the British Database on Research into Aids for the Disabled. The emphasis of the database is on research into aids, design of prototypes and one-offs, and at present we are collecting information on projects. We think the database will be of interest to you and your readers as potential users and/or contributors.

Jane Whiteley,
Handicapped Persons Research
Unit,
Newcastle upon Tyne
Polytechnic
1 Coach Lane,
Coach Lane Campus,
Newcastle upon Tyne
NE7 7TW.

Or and And

ONE OF THE limitations of the PFS database is that when retrieving forms the user has only logical And at his or her disposal. At least the manual does not give any hint that there was any possibility to use logical Or in searching specifications.

Suppose that you want to retrieve all the forms which have a given word — Pascal in this example — either in field 2, or in field 3, or in field 4. The problem is that the keyword Pascal may occur in all the fields 2 to 4 or only one or two of them. If you have only logical And at your disposal, the search will retrieve either a part of the forms you want or some forms several times. But there is a way

to have logical Or and the procedure is as follows:

- Make an extra back-up of the data diskette
- From menu choose 6, Remove
- Make the following retrieve spec:
Item 2: / .. Pascal ..
Item 3: / ..Pascal..
Item 4: / .. Pascal ..

in PFS "/" means "not".

After pressing Ctrl-C and waiting for a while you will have a diskette with only forms which have the word Pascal as a part of either field, or of field 3, or of field 4. This principle can be used with any database which does not have logical Or as a feature but which has a Not.

Pauli Heikkinen,
Liisank,
Pori 10,
Finland.

Reserved words?

THE APRIL edition of *Practical Computing* concerning languages omitted the only language known to all computer users: Profanity.

R J Dowling,
King's Lynn,
Norfolk.

If-Then-Else

I MUST CONGRATULATE you on the high standard of your languages section in the April issue, but I see the Pascal section has come under fire from Mr John Robinson, Feedback, May. John is not completely correct. Dr Allan says the statement

```
IF X = Y THEN
IF W = Z THEN A := 1
ELSE B := 1
```

has two possible meanings. The Else statement could correspond with either If, but then the syntax diagrams of Pascal state that an Else always refers to the last If. So in fact there is no ambiguity.

John Robinson implies that Dr Allan does not appreciate this fact, but page 119 has a syntax diagram of this compound If statement which clearly shows which If the Else refers to. John's code for version one is incorrect. Try it if you don't believe me; his

```
statement is
IF X = Y THEN
IF W = Z THEN A := 1
ELSE B := 1
```

It is elementary knowledge that the semicolon is the Pascal statement terminator, so the semicolon after A := 1 terminates both If statements since neither is a compound statement, no Begin and End. Therefore the Else has no If to correspond to, because the If statements are now terminated, and so will cause an error in compilation.

One way to code version 1 is to make the second If a compound statement forcing the Else to refer to the first If:
IF X = Y THEN
BEGIN

```
IF W = Z THEN A := 1
END
ELSE B := 1
```

Once again, well done on a great magazine.

David Miller,
London N3.

IF THE ELSE is to be associated with the first If, then alternatively the If statement could be rewritten as

```
IF X <> Y
THEN B := 1
ELSE IF W = Z
THEN A := 1;
```

I think this is a better solution. It is certainly an improvement on Mr Robinson's solution — it will compile.

Neil Jones,
Levenshulme,
Manchester.

Sticking up for Boris

MS JACKSON in the January 1983 issue is busy knocking Dr Allen's Tower of Hanoi program. I particularly liked the way in which Dr Allen gives a direct link between the move number and the required move — far nicer than the messy recursive method. Admittedly, I might be impressed by the fact that it runs easily and simply under Basic.

With proper structuring and comments, and a hi-res display the entire solution expands into a program occupying less than 2K on an RML-380Z. Mr Jackson makes the point that

(continued on next page)

Our Feedback columns offer readers the opportunity of bringing their computing experience and problems to the attention of others, as well as to seek our advice or to make suggestions, which we are always happy to receive. Make sure you use Feedback — it is your chance to keep in touch.

(continued from previous page)

Dr Allen's solution uses "bit twiddling" methods which is, to an extent, justified. However, Dr Allen did show how the same thing could be achieved fairly simply by repeated division by two. This method could work on any future computer, even if it functioned internally in decimal.

Next, Carl Zetie's letter in the same issue. In it, he affirms his belief that the trivial Basic program

```
10 A = 1
```

is correct. He correctly states that Sinclair Basic and Atom Basic are non-standard, and hence it does not matter if his program does not work under those versions of Basic. The implication is that, to be correct, a program must be written in a standard version of Basic, and the standard Basic in the U.K. is Microsoft.

I agreed with him on that line of thought, but taking the next logical step, he should have written his program in standard Microsoft Basic. The Microsoft assignment statement is Let. Thus, his line 10 should read

```
10 LET A = 1
```

Is this program correct now? No, a standard Microsoft program should have an End statement as the last line of the main program. Thus, there should be a line:

```
20 END
```

What I would like to ask Dr Allen is, given the alterations he and I both made to Mr Zetie's program, does he think that the altered form is correct now?

Dr Allen really cannot remain unscathed after Carl Zetie's rejection of mathematical induction, MI, in the May 1983 issue. Any mathematician should know that if $P(n)$ is a proposition operating over some range of the integers, then if P is true for the first value of the range and P being true for n

k implies P is true for $n = k + 1$, then $P(n)$ is true for all n in the range. This is in a very real sense a complete enumeration of instances.

The fundamental difference between MI and scientific induction, SI, is that MI only concerns abstract mathematical propositions such as does $1 + 2 + 3 + 4 + 5 + \dots + n$ equal $n(n + 1)/2$ for all natural, positive integer, n ? SI concerns real events, such as the sun has always risen before, therefore it will rise today, tomorrow and so on.

While SI may have been discredited and invalidated, MI remains an extremely useful abstract mathematical technique.

In the same issue, Carl Zetie contentedly blurbled on about axioms and what is obvious. He claims that $1 + 1 = 2$ is not obvious, pointing out that $1 \text{ XOR } 1$ is 0. To him I issue a challenge: find a small group of normal, not pedantic, people and ask them what they think $1 + 1$ is. If he finds any who naturally think in terms of XOR when $+$ is mentioned, he has found a very strange bunch of people.

I suggest to him that when $+$ is mentioned, the natural meaning is the addition of two elements taken from the set of real or integer numbers, not XOR.

On now to Euclidean geometry — the geometry of planes. Euclid's final axiom is a truism in a Euclidean space. Certainly in a non-Euclidean space, such as the surface of the Earth, any of the Euclidean axioms may fail. Thus Carl Zetie's comment that "what Boris Allen asserts to be a self-evident truth is, in fact, sometimes false" is extremely misleading, since it implies that Boris Allen has blundered. Yes his statement is correct in

Euclidean geometries, which was all he ever said.

Finally, however, Dr Allen was extremely naughty in one section of the article Mr Zetie was attacking, in it he asks "does 1 man + 1 woman = 1 child?" This is unforgivable coming from anyone who has any mathematical background — a number is totally dimensionless and abstract. To talk about 1 man + 1 woman is absolutely meaningless in mathematics. It is as bad as saying that a kilogram is the same as a litre — the units are completely different and incompatible, from a mathematical viewpoint.

Duncan White,
Little Chalfont,
Buckinghamshire.

● On that last point, we suspect Dr Allen of attempting humour though his arithmetic remains incorrect: 1 man + 1 woman = 2 and one to carry, as anyone knows.

Induction

IN HIS REPLY to my letter in the May issue of *Practical Computing*, Boris Allan challenges me to give a complete enumeration of an example of mathematical induction. I propose to do so, though I suspect that Dr Allan may not like the method.

First, take the so-called induction axiom, due to Peano: "Any property belonging to zero, and also to the immediate successor of every number that has the property belongs to all numbers." "Number" here means positive integer.

Now Dr Allan may wish to reject this axiom, but if he does so he is no longer dealing with the same concept of numbers as the rest of us, as this is one of the axioms that defines the arithmetic of numbers.

Secondly, a "complete

enumeration" simply means verifying the assertion for every single case. Scientific induction cannot do this because some cases lie in the future — we cannot be certain the sun will rise tomorrow until it actually does so.

Mathematical induction does this by showing that the property holds in one particular case such as zero, and that if it holds for one number, k , it holds for $k + 1$. The induction axiom then allows us to deduce that it holds for all numbers, that is it is completely enumerated.

Suppose we wish to prove that the sum of the first $k + 1$ integers is given by the formula

$$k + 1 \\ \sum_{n=1}^{k+1} n = \frac{1}{2}(k + 1)(k + 2)$$

Obviously, when $k = 0$ the sum is just 1 so the property holds. Now suppose that p is some number with the property:

$$p + 1 \\ \sum_{n=1}^{p+1} n = \frac{1}{2}(p + 1)(p + 2)$$

We wish to show that the property is as necessary consequence true for its successor, $p + 1$, so that:

$$p + 2 \\ \sum_{n=1}^{p+2} n = \frac{1}{2}((p + 1) + 1)((p + 1) + 2) \\ = \frac{1}{2}(p + 2)(p + 3)$$

That is, the same formula with $p + 1$ in place of p . To prove this we observe that:

$$p + 2 \quad p + 1 \\ \sum_{n=1}^{p+2} n = \sum_{n=1}^{p+1} n + (p + 2) \\ = \frac{1}{2}(p + 1)(p + 2) + (p + 2) \\ = \frac{1}{2}(p^2 + 3p + 2) + (p + 2) \\ = \frac{1}{2}(p^2 + 5p + 6) \\ = \frac{1}{2}(p + 2)(p + 3)$$

as required.

Hence, by the induction axiom, the property holds for all numbers; we have completely enumerated an example of mathematical induction. I trust this satisfies Boris Allan.

(continued on page 13)



COMPSOFT'S DMS – winner
of the 1982 **RITA** Awards,
'Software Product of the Year'.

Now Compsoft announce
Delta – the **very** powerful, **very**
friendly database* that the
world has been waiting for.

* For micro computers with CP/M, MP/M or MSDOS operating systems. Including IBM PC.

Compsoft Training Centre



If part of your microcomputer's job is to store information, you need Compsoft's software.

Compsoft DMS is already Britain's No. 1 record keeping program. And with 4000 users to our credit, we can honestly say we know more about information storage & retrieval than anyone else. We listen to your comments & requests and now we've produced a world first – the Delta – a true transactional database.

If you'd like to know more, we have general brochures, full technical specifications & free

guides to DMS handling a multitude of business situations from order processing, invoicing & stock recording, through to library, personnel & hospital record management.

Find out more about the database revolution. Either telephone the office or clip the coupon now.

Compsoft's Delta – taking microcomputers into the third dimension.

Compsoft Limited
Hallams Court
Shamley Green
Nr Guildford, Surrey
England GU4 8QZ
Telephone: Guildford (0483) 898545
Telex: 859210 CMPSFT



● Circle No. 104

Please send me further details

Company

Contact

Address

Tel No.

Designed to



The All-Purpose Computer

The MTX500

The MTX500 is a new departure in micro-computer technology. Whether your needs as a user are for personal programming, games playing, scientific or process control, educational or business use the MTX500 is already capable or very easily adaptable to almost every application. Glance through the standard features below - you'll see what we mean.

Software

The MTX500's 16k ROM contains several languages and routines which enable the novice or the experienced programmer to make full use of the machine. Standard languages are MTX BASIC, LOGO and NODDY. ROM routines include an ASSEMBLER/DISASSEMBLER with screen display of the Z80 CPU registers, memory and program which can be manipulated from the keyboard. Machine code programs can be stepped through one instruction at a time, and easily called from within BASIC

programs. A further feature is the Virtual Screen facility which enables the programmer to define sections of the screen to work independently whilst maintaining all full screen facilities. Pascal is available as an add-on ROM pack.

Hardware

As standard - 32k of user RAM expandable to 512k plus 16k of dedicated video RAM. Sixteen colours, 40 column text, 256 × 192 high resolution graphics with all sixteen colours available and easily moveable user defined graphics (Sprites) combine to make effective screen displays quick and simple to achieve. Standard outputs are centronics printer

Perform



port, two joystick ports, an uncommitted I/O port, 2400 Baud Cassette port, separate TV and Video Monitor ports, 3 voice sound with hifi output plus a dedicated games cartridge port. Other standard features include the Z80A processor running at 4MHz, real time clock, full moving key keyboard with 79 keys including eight function keys and separate numeric pad. Optional expansions include 80 column colour

video board, twin RS232 interfaces, 5¼ and 8 inch floppy disc interfaces to run CP/M, Node interface to enable ring system, plus an A/D and D/A convertors.

MEMOTECH
MTX500

For further information, please write to:
Sales Dept. Memotech Limited, Station Lane Industrial Estate,
Witney, Oxon. OX8 6BX. Telephone Witney (0993) 2977.

Computerise without compromise



The new All British QUANTUM 2000 computer system is outstanding among all the fine microcomputers now on the market. The explanation is simple. All microcomputer designers see Versatility on a high scale as their aim for the future. In the QUANTUM 2000 this ideal has actually been achieved, therefore it is demonstrably more advanced than any other.

QUANTUM 2000 offers every feature experts would look for in a new high technology 2.2 CP/M based microcomputer *plus* an

expansion potential which a few years ago would have required planning permission.

What QUANTUM means by Versatility:

1. Available with 1, 2 or 3 disk drives.
2. Disk drives can be 400K or 800K floppies OR
3. 5 or 10 meg. Winchester OR
4. A mixture of floppy and Winchester.
5. 192K of extra RAM can be added, in addition to the standard 64K.
6. If the standard Centronics plus RS232 ports are insufficient, just plugging in a board adds a few more.
7. IEEE 488? No problem! Plug in a card.
8. Other expansion cards available:
 1. REAL TIME CLOCK
 2. SPEECH SYNTHESIS
 3. NETWORKING (UP TO 32 TERMINALS)
 4. HIGH RES COLOUR
 5. A/D — D/A CONVERSION

Quantum QM 2000



(continued from page 8)

On the question of Gödel's proof, Gödel proved that: if axiomatic set theory is consistent, there exist theorems which can be neither proved nor disproved; and there is no constructive procedure which will prove axiomatic set theory to be consistent.

How Dr Allan construes this to mean that no program can ever be proved correct is beyond me. Presumably he believes that, as a corollary, no mathematical theorem can ever be proved correct, including Gödel's theorem.

Finally, the "Boris bashing" completed, may I thank K M Helme — May issue — for clearing up a point that had confused me as well as him. The missing step was in my original letter, but seems to have got lost somewhere between posting and printing.

**Carl Zetie,
Cambridge.**

● Boris Allan replies:

Carl and Boris were stranded on a desert island. They found a crate of baked beans. Boris suggested that they try to open the cans by battering the cans with rocks; he failed. Carl solved the problem quite simply: he said, "imagine one can opener."

I ask Carl Zetie to enumerate an inductive argument, and he cannot go through every example because he will not live that long. To prove enumerability he therefore assumes what he has to prove, that is he uses Peano's axiom of induction.

If we use Peano's axiom of cosmology — that is, the sun rose on the first day and the sun rose the day following every day that the sun rose, so *therefore* the sun will rise every day — then we have no problem with scientific induction.

Mr Zetie has not completely enumerated; he has assumed a rule. The concept of numbers, I would point out, existed long before mathematicians.

● This correspondence is now closed.

Unfair criticism

THANK YOU for your write-up in the June issue of your magazine, page 24, outlining the wide range of our application software. However, your assertion that "Superstar

is really just a good way of running some of Bromley's software" is, I think, misleading to your readers.

I would be pleased if you could point out to your readers that any CP/M compatible software can be run on the Superstar. Bromcom customers who have chosen to buy the Superstar and to use their own CP/M software include Philips, Marconi and Mount Vernon Hospital, Middlesex.

**B Bartlett,
Bromcom,
Bromley,
Kent.**

Calculating pi

IN THE Feedback column in May's issue S Mehew cites my March letter, but he is discussing a different topic. The topic of my letter was rational fractions which approximate to π .

The topic of his letter was getting values of π from an Apple II using as few keystrokes as possible. Only in this context can a single division be regarded as cumbersome — his word — compared with an evaluation of the inverse tangent.

**R A Fairthorne,
Farnborough,
Hampshire.**

APL neglected

IN RECENT ISSUES you have been pointing out the availability of different languages on micros. Could I point out that a reasonably cheap version of APL is available for the TRS-80 model 1 and 3 microcomputers?

APL-80 is available from Microcomputer Applications and costs just over £10 for cassette, or just over £30 for disc. The version is a substantial subset of APL and gets over the need for a special keyboard. It was written by Phelps Gates and offers insight into the language at a reasonable price.

A more comprehensive version of APL is available for the Model 3. It costs \$295 and can be obtained from STSC Inc., 2115 East Jefferson Street, Rockville, Md 20852. This version contains ROMs for generating the full APL character set.

APL is also available for the ZX-81 at a cost of \$295 from Telecompute Integrated Systems of 251 Spadina Avenue, Toronto, Ontario, Canada, M5T 2E2. I understand that the price includes a 64K memory

expansion and a 16K APL interpreter.

Details of the product were given in the June 1982 issue of the U.K. APL User Group Newsletter: "Pressure sensitive APL overlays cover the membrane keyboard. The package required to place APL on the ZX-81 includes a 64K and a 16K expansion memory and a 16K APL interpreter. The memory, called Tispac-64, sells for \$175 if purchased alone.

The interpreter, called APL-Powerpac, is priced at \$295, including Tispac-64 and the APL interpreter."

I don't know the current exchange rate, but it doesn't sound too bad. Most APL users do appear to belong to big companies. It would be nice for there to be a few more lesser mortals running it on micros. Anyone interested in APL can of course join the U.K. APL User Group by contacting Les Hollingbery, Membership Secretary, 9 Koh-I-Noor Avenue, Bushey, Hertfordshire WD2 3EJ.

I am sure that Les wouldn't mind a plug and I can guarantee that anyone writing to him will receive a friendly reply. APL does appear to be neglected because of its lack of cheap availability, but it is an incredible language to use.

**Norman Bailey,
Bracebridge Heath,
Lincolnshire.**

Stop ignoring Sharp

THERE IS UNDENIABLY some truth in the view that the MZ-80K and its marginally up-market version the MZ-80A were introduced too late to make serious inroads into the popularity of their close cousin the Pet. Nevertheless, some of the blame for the apparent lack of interest in these excellent Japanese machines can be laid firmly at the feet of the computing press.

In the article Music Micro Please in the June issue Bill Bennett deals with the sound-generating and specifically music-making capabilities of a wide range of current micros. He includes the ZX-81, which he himself says is normally "as silent as the grave", but overlooks the Sharp MZ-80K and A, both of which can make music in a rather limited but nevertheless easy-to-use way.

It is true that the Sharps have

only a single channel, and that only three octaves are available using the Music command. But what could be easier than setting the Tempo, to a value of 1 to 7, and then employing the command Music to play a string made up of the names of the notes, A to G with R for rest? A suffix number could indicate their length, 0 to 9, covering shorter than a demi-semi quaver up via various dotted notes to a breve, and a prefix character would indicate which of the three octaves they are in? And these strings, like any others, can be subjected to all the normal string manipulations.

Moreover, Poking the relevant locations, 4513, 4514, with a value from 1 to 255 and turning on the sound generator chip with USR(68) produces a continuous background noise variable in pitch over about six octaves even while the program is busy doing something else.

**J P L Hooper,
Colchester,
Essex.**

Bad handling

I AM GRATIFIED to note that your review of Apple Writer II, February 1983 issue, condemns the appalling cursor handling. I was beginning to wonder if I was the only person who had noticed. We use Apple Writer II, which I have modified for a Vision-80 card, and we actually like it.

In the course of modification I located and fixed the cursor handling by taking advantage of the fact that Apple Writer makes no use of 4K of bank-switched RAM on our 64K system. That I should have had to get involved in the grubby details of the machine code, including the disc copy-protection scheme, to fix this fundamental defect in the user interface is very sad. That the problem is repeated on the Apple Writer III, supposedly a full business word processor, and the New Apple Writer II for the Apple IIe is even sadder.

Incidentally, your reviewer's comment that the cursor vertical movement is arbitrary is wrong — it moves up and down lines by exactly 80 text characters, entirely oblivious to the word wrapping that is going on on the screen.

**M J A Hamel
Dunedin,
New Zealand.**

Shopping for a Micro — BUY AN APPLE!

The Personnel Solution

APPLE IIe

Apple IIe
Disk Drive
with controller
80 Col Card } £899

Apple IIe £645
Monitor £110
Colour Monitor £299
Disk Drive
Without £200
80 col + 64K £150
Applewriter £119
Quickfile £ 60
Multiplan £175
Microsoft CP/M £200

The Business Solution

APPLE III

Apple III 256K
Monitor III
SOS System Software
with Apple II emulation
built in disk drive } £1999

Apple III 256K
Computer as above
plus Profile 5mbyte
hard disk } £2800

Applewriter III £130
Visicalc III £170
Quickfile III £ 55
(All 3 packages for £295)

Complete range of invoicing, ledgers
and stock packages available.

Tomorrow's Solution Today

LISA

We are pleased to be able to
announce that we have been
appointed as a Lisa information
centre.

PRINTERS

EPSON FX80 £399
RX80 £280
NX100 £405

OKI 82A £329
92 £439

THE SUPPORT PACKAGE

- **Training** — free half day course to take you from an appreciation of the Apple IIe to an understanding of applications packages. Specialist courses are also available.
- **Installation** — on your premises for a small extra fee.
- **Ongoing Support** — handholding on both software and hardware.
- **One full year's guarantee** on all parts and labour.
- **On site maintenance contract** available.
- **Comprehensive range** of software, supplies, listing paper, diskettes.

ALL PRICES ARE EXCLUSIVE OF VAT

For computerized solutions to business problems contact

SIMMONS MAGEE COMPUTERS LTD

13 YORK STREET, TWICKENHAM, MIDDLESEX TW1 3JZ

01-891-4477

Four new Ataris announced in U.S.

ATARI PREVIEWED four new machines at the Consumer Electronics Show in Chicago in June. The most important thing about them is that they are software compatible with the existing 400/800 models, but all sport extra facilities and smart new cases.

The 600XL is the bottom of the new range, and features a proper keyboard and 16K of RAM for \$199. A 64K upgrade is on offer. For a change, the Basic is built in.

The 800XL will replace the current 800. Apart from the case, the major differences are that the XL has 64K built in, and only one cartridge slot.

The 1400XL and 1400XLD are replacements for the 1200, which will not now reach the U.K. They are deluxe models

with 64K of RAM plus built-in speech synthesis, Basic and V-24 Modem interface. In addition the XLD has a single disc drive which, under the upgraded DOS 3, offers 127K of storage per side, 254K in all. The XLD casing has room for a second drive to be inserted as an upgrade.

New accessories include a track-ball, "professional" joysticks, remote-control joysticks and light-pen, with a touch tablet to follow. There are also the 1010 cassette deck, 1020 printer/plotter, 1025 dot-matrix printer, 1027 letter-quality printer and 1050 double-density disc drive. Instead of the peripheral box Atari will offer a new expansion system providing eight expansion slots, two

RS-232 and a Centronics interface.

Finally, for CP/M there is the Atari CP/M Add-On. It has a Z-80 running at 4MHz plus 64K of RAM, and at under \$400 could well offer the cheapest way of running CP/M. Certainly it will undercut the current ATR-8000 CP/M maker for the Atari. As it runs on the serial interface bus, the CP/M Add-On will run with any Atari, including the current 400 model. Also, Atari will actively be promoting the conversion of standard CP/M software to its own disc format.

The new products will reach American shops between August and Christmas, but their appearance in the U.K.

will have to wait for conversion to Pal television. The launch has two interesting aspects. First, unlike many firms, Atari has decided to keep faith with existing users, instead of making their machines redundant. By offering Apple-style expansion slots the company has increased the flexibility of both new and existing products. Second, Atari has not launched a new touch-keyboard machine to compete at the bottom end of the market, where it has sold some 10,000,000 video games machines.

For further information contact Atari (U.K.) Ltd, Atari House, Railway Terrace, Slough, Berkshire SL2 5BZ. Telephone: (0753) 33344. □

Lynx expanded to 96K

A 96K VERSION of the Computers Lynx made its first appearance at the Earls Court Computer Fair and is now available from the existing Computers dealer network. Retailing at £299 including VAT the machine gives Basic programmers 37K to play with, and an extra 24K to machine-code programmers.

There is more to the machine than extra RAM alone. The 96K Lynx also includes a larger 20K ROM, which is 4K bigger than that included with the 48K Lynx. Extra commands provided in the ROM include a


number of pre-formatted sound effects and drivers for both parallel and serial printers. There are also commands to draw circles, and others that allow programmers to open up that 24K of machine-code RAM to use as a data store for Basic programs.

Existing Lynx users will be able to upgrade their machine for £89.95 by going through their dealer, who will send it back to Computers for alteration. Computers can be found at 33a Bridge Street, Cambridge CA3 4AB. Telephone: (0223) 315063. □

Unix in the Club

THE CIFER CLUB is a new Winchester hard-disc based micro that is available in both eight- and 16-bit versions. The 16-bit version uses the powerful Motorola MC-68000 microprocessor running at 8MHz. On the same board is a minimum of 256K of user RAM, together with memory management. The operating system used by the machine is Unix, which is rapidly gaining ground among 16-bit micros, especially those using the 68000.

The 16-bit board is available as an option for existing Cifer micro users, and as such costs £995. Adding it to the system



does not render existing CP/M software obsolete as the upgraded machine retains the Z-80 board as an I/O processor. This function can be switched off to reveal an ordinary CP/M micro. The Club, together with Unix, costs around £4,400. Details from Cifer Systems Ltd, Avro Way, Bowerhill, Melksham, Wiltshire SN12 6TP. Telephone: (0225) 706361. □

Oric picks a printer

ORIC PRODUCTS INTERNATIONAL has chosen a printer/plotter unit as the first peripheral to wear the Oric badge. The Oric printer plugs directly into the expansion port on either the 16K or 48K Oric. It requires no accessories other than the connecting lead which is supplied with it.

The Oric Colour Printer was shown for the first time at the Earls Court Computer Fair in London, and is currently available at Oric retail outlets nationwide. Also available at these outlets will be supplies of the plain paper rolls the device

uses, as well as the miniature ball-point pens.

Four colours are available on the printer — black, blue, red and green — which can be selected without any manual interference from the user. A standard Centronics interface means that the printer can be connected to a wide range of other microcomputers as well as the Oric 1.

The Oric printer retails for £169.95 and comes complete with a comprehensive manual which includes a number of example programs. □

(More news on next page)



The smallest possible disc system for the BBC Micro is based on 3in. Hitachi drive units. Cased in rigid steel, the drives come in single or double versions which cost £225 and £399 respectively. Included in that price are the relevant cables, manuals, disc utilities and EPROM as well as free discs. The discs are double sided, the "B-side" being accessed by flipping it over. Each side can hold 100K. The disc itself is completely enclosed in a plastic case, so it is secure. For details contact Advanced Memory Services Ltd, Woodside Technology Centre, Green Lane, Appleton, Warrington. Telephone: (0925) 62682. □

FINGERPRINT

Gives you fingertip control of your Epson Printer!



FINGERPRINT makes it easy to use all your Epson printer's capabilities.

Once installed simply tap your printer's panel buttons to instantly select:-

Double wide, Compressed, Emphasized, or Double strike modes, combinations of these, and other features.

FINGERPRINT is a plug in module which fits in your printer in minutes. -No soldering. It's compatible with all MX 80 & MX 100 printers - works with all computers, software, & interfaces.

£49.95 + VAT

R P Computer Products

40 Triton Square London NW1 3HG
Phone 01 387 4549

Dealer enquiries invited

● Circle No. 108

MAILING FLOPPY DISKS?

The Swan Disc Pack combines great strength with simplicity of use. Made from rigid white corrugated, it is a self assembly package providing high postal security at economical rates.

Free sample ring us on
01-607 9938



sizes:
6 x 6;
8.75 x 8.75

● Circle No. 185

Jupiter Ace now has 19K RAM

THE JUPITER ACE is now the Jupiter Ace 16+. The standard memory size of the only micro to use Forth as its native language has been boosted to 19K. The standard 3K of the original Ace has been augmented by a 16K RAM pack but the asking price for the micro is still £89.95.

The Ace 16+ is an ideal machine for users interested in control applications. To demonstrate this fact, the Jupiter Cantab stand at the Earls Court Computer Fair had a robot controlled by an Ace.

Jupiter Cantab has recently moved to a new suite of offices at Cheshunt Building, Bateman Street, Cambridge CB2 1LZ. Telephone: (0223) 313479.

NEC portable

IN JAPAN the Nippon Electric Company, NEC, has launched the PC-8021 portable micro. It appears to be almost identical to the Tandy Model 100 — reviewed on page 96 of this issue — and also features Microsoft software.

One difference is that the 16K of CMOS RAM in the NEC micro can be expanded to 64K internally. A number of other Japanese companies are rumoured to be about to enter this competitive field, which should result in prices coming down.

Contact NEC Business Systems, NEC House, 164/66 Drummond Street, London NW1 3HP. Telephone: 01-388 6100.

Process control with the BBC

BEEB-EX is an expansion system for the BBC Micro which will be of interest to those users not prepared to wait for the Tube. It is an interface card which attaches via a 34-way cable to the 1MHz bus port on the bottom of the micro. It allows BBC users access to the Cube range of Eurocards produced by Control Universal, of which there are over 300.

This system can be applied in the field of industrial control: users can develop controlling software using the BBC Micro and the relevant

board. Once it is fully debugged it can then be blown to PROM and incorporated in a stand-alone system. The BBC Micro is too big and bulky for this kind of application, but a version of BBC Basic on a Eurocard is currently under development.

There are two versions of the Beeb-ex. One is a stand-alone unit which holds up to four Eurocards and costs £49. The second is designed for bigger applications: it is a rack-mounted system consisting of an interface costing £41 and rack from £72.

Also available from Control Universal Ltd, supplier of the Beeb-ex and Cube cards, is the Cube modular computer system. This Eurorack computer leaves the user with infinite flexibility: it offers a choice of 6502 or 6809 processors in a number of configurations and is also compatible with Acorn Eurocards.

Control Universal can be found at Unit 2, Andersons Court, Newnham Road, Cambridge CB3 9EZ. Telephone: (0223) 358757.

Texas to go protectionist

TEXAS INSTRUMENTS plans to doctor the TI-99/4 machine in such a way that it will only run cartridge software if the cartridge contains a special chip. This will mean that TI — which makes the chip and steadfastly refuses to let anyone else make it — is the only company able to provide cartridge software for the machine.

Anyone else planning to release software for the TI-99/4 will have to go through TI. Authors will only receive a royalty. It seems that the 99/4 is being sold so cheaply that TI has had to look elsewhere to make a profit from the machine. After reporting a 77 percent drop in profits for the first quarter of 1983, TI is predicting a \$100,000,000 loss in the second quarter.

In many ways the move to protect its software represents an own goal by TI. A number of software houses have responded by pulling out of producing 99/4 software — and we all know that software sells micros.

A PERFORMANCE AND PRICE BREAKTHROUGH IN APPLE II[®] & IIe HARD DISC STORAGE



High Performance AID hard disc systems of 5-20 megabyte capacities, specifically designed for use with the Apple, are now available running under DOS, CP/M & Pascal. The units cold boot and throughput speeds are really impressive. If you want to leave others standing, try our fast DOS option!

The range features the 5+5 and 10+10 drives which enable you to configure half the drive as primary and half as secondary storage for ease of archiving.

The systems have been designed around the concepts of data reliability and convenience of operation.

They are simply the most competitive hard discs on the market. So why pay more for less.

interface **INTEC** technology

INTEC, 191 Clarence Gate Gardens, Glentworth Street, London NW1 6AR. 01-723 6305. Tlx: 8813271 GECOMS G

AID
LOW PRICE
5 Mb **£990**
10 Mb **£1270**
20 Mb **£1490**

All prices ex-VAT.
Apple is the registered
trade mark of Apple Inc.

**DEALER ENQUIRIES
WELCOME**

SIMPLY MORE

VHA
CO1, CO3 ICL Comms
0532-747475

MOM
Condor Database
0474-57746

Biodata
Microlink-Computer
Interface
061-236 1283

B&
Hous
07

Padmede
Nominal Ledger
02514-21892

Graffcom
IBSF-W
Business Controller
01-727 5561

Comshare
Microconnect
021-704 4151

Sosoft
Tomorrows Office
0202-735656

Millhouse Designs
Comms Processor
0420-84517

M.P.
BOS Mic
01-83

M.P.S.L.
BOS Autoclerk
01-831 8811

Sapphire Systems
Stock Control
Invoicing
01-554 0582

is
gement
unting
1 0585

Pulsar
Pulsar Range
021-454 8585

UCSD
0272

We felt it was time we stopped telling you about ourselves and said a few words about the massive commitment which over 100 software organisations have made to the ACT Sirius 1. On these pages are just a few of more than 400 packages now available for the Sirius 1, Britain's best-selling 16-bit personal computer.

The packages range from traditional accounts programs to sophisticated computer-aided design systems and there is a whole host of software for specific industries and professions.

If you're looking for a computer solution to match your business requirements, then 'phone one of the numbers above, before you look any further. They're all convinced that the ACT Sirius 1 is the best machine of its kind in the country – and they have the software that will make it work for you. And if you don't see what you want, just clip the coupon for details of more than 400 products designed for the ACT Sirius 1.

E SOFTWARE

computing
ss. System
62449

D.L.A. Computers
Off-line telex
preparation
01-847 2331

Vuman
Symbole Scientific
Word Processor
061-273 3333

Praxis
Praxistock Modelling
08926-61261

Heronview
IEEE488 Driver
01-628 5423

Interdata
Telex-simulation
01-761 4135

Abtex
Micronet
Project Planning
0224-647074

cobol
311

Micro Supplies
Dairy Herd
Management
0262-77115

Busisoft
Spellbinder
01-381 4337

TABS
Fast Data Entry
0264-58933

Pegasus Software
Invoicing
0536-522822

D.I.
System
42796

Bristol Software
Factory
Silicon Office
0272-277135

Distinct
Coach
0937



ACT Sirius 1

ACT (Sirius) Ltd. FREEPOST, Birmingham B63 1BR, or call 021-501 2284

Please send me
the Registered Product Brochure,
listing over 400 Hardware and
Software products for the ACT Sirius 1.

Name _____

Position _____

Company _____

Address _____

Telephone _____

• Circle No. 111



Dear Mr Williams

COMPUTERS IN GARMENT MANUFACTURE

would like to thank you for your hospitality during my recent visit to your premises. I appreciated taking time to discuss your operation and for showing me around your manufacturing facilities. As you recognised yourself, the aspects of your operation benefit greatly from computerisation in progress monitoring goods.



KEYSTAR WORKS AT THE PRESS OF A SINGLE, CLEARLY MARKED KEY.

KeystarTM puts editing on WordstarTM into plain language.

Is your secretary the only person in your office who can talk to your word processor?

Wordstar is by far the most popular word processing program available. But, like all such systems, it takes time and practice to learn its language.

Keystar now puts the whole office on speaking terms with Wordstar. Good news for those of us who have to work late on that vital report. And for the temp who started yesterday. (We like to think that it will also add a whole new dimension to your secretary's relationship with Wordstar.)

Keystar makes Wordstar immediately accessible by providing fifty-six of its editing commands as colour-coded buttons, each labelled in plain English.

Press the appropriate Keystar button; Wordstar performs as commanded. And since there is no need to display help menus, there is fifty per cent more room on the screen for your documents.

Make Wordstar work for you! Contact your nearest Keystar dealer or order direct by completing and returning the order coupon.

For the technically minded, Keystar connects easily to

your microcomputer via an RS232C/V24 serial port. This port can be shared with other devices and on some systems, for example, Cromemco and Altos the device would naturally be the V.D.U.

On integral systems, e.g. Apple II, Osborne, RML380Z, Superbrain, Act Sirius/Victor 9000, IBM PC, the device could be a printer, a plotter or a modem and special instructions are provided to direct Wordstar to recognise the presence of Keystar on such systems.

To: WMI PRODUCTS, INTEGRATED MICRO APPLICATIONS LTD.,
21 LANSLOWNE CRESCENT, EDINBURGH EH12 5EH

Please send me _____ Keystar units at £231.75 per unit
(price includes VAT, carriage and insurance).

I will be connecting Keystar to a _____
microcomputer.

I enclose a cheque/postal order for £ _____ made payable
to 'WMI Products.'

Please debit my Access Card No _____ for £ _____



Card No _____ for £ _____

Signature _____

Name _____

Address _____

Tel. No. _____

Dealer enquiries welcome. Telephone 031-225 3141 ask for Jim Wheatley.

Please allow 28 days for delivery. VAT No. 270769925.

Integrated Micro Applications Ltd reserve the right not to accept any order. Any acceptance will be subject to Integrated Micro Applications' terms and conditions.

Wordstar is a registered trademark of Micropro Corporation International.

Another source of DEC discs

USERS OF the Digital Equipment Corporation Rainbow 100 are now freed from having to buy their blank floppy discs through DEC. The Rainbow's CP/M-86/80 operating system requires specially pre-formatted discs.

Key Computer Centres has produced a format utility so that any normal 5.25in. floppy disc can be used. The utility is available from most authorised DEC dealers or from Key Computer Centres Ltd, Enterprise House, Terrace Road, Walton-on-Thames, Surrey. Telephone: (093232) 42777. ■

6502 assembler for beginners

THE DR WATSON beginners' assembly-language course consists of a tape containing a 6502/6510 assembler and a step-by-step book full of exercises. This seems a good approach as the book is written to suit the assembler, leaving the beginner with only the intricacies of the 6502 instruction set to worry about.

The tape/book package costs £14.95 and is available at the moment for the Commodore Vic-20, Commodore 64 and Pet 2,3,4 and 8000 series. Contact Honeyfold Software Ltd, Standfast House, Bath Place, High Street, Barnet, Hertfordshire. Telephone: 01-441 4130. ■

Vic-20 teaching games

ASK, a specialist company writing educational games for the three to 12 age group, now has 10 titles available for the Vic-20. Shape Up, for instance, is designed for very young children as a preliminary to learning the shapes of the numbers and letters. The child matches shapes to build houses and tries to catch a shape burglar. Other programs adopt a similar approach to build up literacy and numeracy.

Ask programs cost £8.95 from High Street retailers or £9.50 by mail order from Ask. They generally require 8K or 16K RAM extensions. Details from Ask, London House, 68 Upper Richmond Road, London SW15 2RP. Telephone: 01-874 6046. ■

Smalltalk out at last

SMALLTALK is at last available in the U.K. The Smalltalk programming language is the inspiration behind the current wave of systems which use a mouse, such as Apple's Lisa, Visicorp's VisiOn and Microsoft's mouse.

The Smalltalk PC system written by Chris Macie of Software Systems runs on expanded Apple II or IIe systems or Apple look-alikes like the Basis 108. It requires at least 256K of RAM plus a mouse to run. Smalltalk PC is a cut-down version of Smalltalk designed to run on relatively low-cost set-ups. It sacrifices most of Smalltalk's graphics features, but preserves the concept of multiple windows and implements most of the language.

Smalltalk is an immensely ambitious system developed over the last dozen years at Xerox's Palo Alto Research Centre, running on large Xerox minicomputers. Up to now it has not been publicly available, but Xerox has had co-operation from other manufacturers such as DEC, Hewlett-Packard and Apple in implementing research versions. An unreleased Lisa Smalltalk is known to exist already.

Smalltalk PC has been developed independently of Xerox, but relations between Chris Macie and Xerox seem to be amicable. Getting even a cut-down version of Smalltalk on to

an eight-bit machine is an achievement in itself.

Xerox itself is now licensing what it calls the "virtual image" to hardware manufacturers. This is Smalltalk-80 written in a machine-independent intermediate code, actually the lowest level of Smalltalk. Hardware manufacturers then have to go off and write the "virtual machine" — an interpreter to run the code. Having done so they will be able to offer users the full-scale Smalltalk-80 system. The minimum hardware this is likely to run on is an 8066 or 6800-based system with at least 0.5Mbyte of RAM and fully bit-mapped high resolution graphics.

The user interface is the most innovative feature of Smalltalk, but a major design goal has been to provide an interactive environment ideal for program development. Smalltalk is therefore likely to be of long-term commercial interest to companies looking for a fast way of producing prototype systems that can be progressively refined.

Smalltalk PC for the Apple is priced at £495, with the mouse and interface costing £275, from Asolve Ltd, 12-14 Church Street, Basingstoke, Hampshire RG21 1HQ. Telephone: (0256) 795746. Smalltalk PC is also available now running on the Basis 108. Details from BCD Systems Ltd, 21 Mount

Ephraim Road, Tunbridge Wells, Kent. Telephone: (0892) 45266. Smalltalk PC for the IBM PC is expected soon.

Addison-Wesley has launched a series of books on Smalltalk just as Xerox has finalised arrangements for licensing the product for use on other manufacturers' hardware.

Smalltalk 80: the Language and its Implementation by Adele Goldberg and Dave Robson is in the shops now — try Dillons University Bookshop in Malet Street, London WC1 if you have trouble getting hold of it. The book costs £24.95 and is available in hardback only.

Addison-Wesley plans to bring out more books this year on the subject. The Smalltalk user interface has inspired the modish mouse-and-high-resolution-graphics approach of the Apple Lisa, VisiOn and the latest Microsoft offerings. *Smalltalk 80: Creating a User Interface and Graphics Applications* deals with this aspect of Smalltalk in depth.

Smalltalk does away with the distinction between language and operating system, so the process of developing programs in Smalltalk is a novel experience for most programmers. The book *Smalltalk 80: the Integrated Programming Environment* should create great interest among the software writing community when it appears. ■

Standard software is the aim

MICROSOFT HAS reached agreement with a number of Japanese and American computer manufacturers on a software standard for low-cost home computers. Called MSX, the standard has immense implications for a market characterised by a multiplicity of different machines all running entirely incompatible software.

The standard is in the form of documentation describing what hardware environment manufacturers have to provide to run MSX software. An MSX machine must be based around the Z-80 eight-bit processor and the Texas Instruments 9918 video controller. The standard

specifies other I/O features in detail, including the joystick, cassette and ROM-cartridge interfaces, and the music features to be supported. Microsoft will be licensing a 32K ROM for this standard MSX machine based on Microsoft's Advanced Basic.

Manufacturers gain by getting access to this essential system software more quickly, and their customers should gain access to a much larger base of software packages. Manufacturers are free to add machine-specific enhancements to the MSX core and can obviously lay out their circuits as they choose. Microsoft avoids the tedium of having to

churn out innumerable variations on the same theme.

Manufacturers working with Microsoft on MSX include NEC, Sony, Matsushita, Panasonic, General Instruments and Spectravideo. MSX is primarily intended for machines that will be sold into the Japanese home market, hence its conservatism, but Microsoft is keen to reach agreement of this kind for other sections of the micro market. Microsoft is at present actively engaged in discussions with U.K. and European manufacturers and software writers to see if a similar arrangement can be worked out for Europe.

(More news on page 23)



MAPLIN

HARDWARE

Atari 400 with 16K RAM (AF36P) £199.95
 Atari 400 with 48K RAM (AF37S) £214.99★
 Atari 800 with 48K RAM (AF02C) £399.00★
 All above with BASIC and handbooks
 Atari Cassette Recorder (AF28F) £50.00
 Atari Disk Drive (AF06G) £299.95
 48K RAM for Atari 400 (AF44X) £65.00
 48K Upgrade for 400 (AF45Y) £65.00
 Commodore 64 (AF56L) £339.00★
 16K RAM for VIC20 (AF53H) £59.95
 Commodore Cassette (AF48C) £44.95
 Commodore Disk Drive (AF50E) £299.99
 Dragon 32 (AF57M) £199.50
 Dragon Joystick (BC30H) £19.95
 Cassette Cable for Dragon (BC31J) £2.95
 Epson Printer MX80F/T (AF40T) £447.35
 MENTA (XG28F) £115.00
 Floppy Disk (YX87U) £2.50
 5 C12 Data Cassettes (AF61R) £1.99
 Joystick Controller (AC53H) £7.50
 Joysticks (Pair) (AC37S) £13.95
 Le Stick (AC45Y) £24.95
 Full details all above in MAPLIN catalogue.

★ Delivery next day by Datapost

SELECTED SOFTWARE

ATARI

Attack At Ep-Cyg-4 -1E-16K-KF54J £34.95
 *Baja Buggies -1C-16K-KB74R £22.95
 Candy Factory -1D-32K-KF53H £21.95
 Claim Jumper -1E-116K-KB67X £34.95
 Defender -1E-16K-KF10L £29.95
 Forth -1D-24K-YL29G £62.95
 *Frogger -1C-16K-KB68Y £22.95
 Galaxian -1E-16K-KF11M £29.95
 Gorf -1E-16K-KB44X £34.95
 *Hellfire Warrior -1C-32K-KF02C £27.45
 K-razy Shootout -1E-8K-BQ63T £34.95
 *Moon Shuttle -1C-16K-KF22Y £27.50
 Pac-Man -1E-8K-BQ71N £29.95
 Paint -1D-48K-KB22Y £29.95
 Picnic Paranoia -1E-16K-KF13P £34.95
 *Preppie -1C-16K-KB07H £21.95
 Qix -1E-16K-KF16S £29.95
 SAM Speech Synth -1D-32K-KB15R £47.19
 *Shamus -1E-16K-KB90X £34.95
 Softporn Adventure -1D-40K-BQ93B £20.64
 Starcross -1D-32K-KB37S £29.95
 Synassembler -1D-48K-KB83E £38.95
 *Zaxxon -1C-16K-KF20W £31.50
 Zork I -1D-32K-BQ94C £29.95
 Zork II -1D-32K-BQ95D £29.95
 Zork III -1D-32K-KB31J £29.95
 *3D-Supergraphics -1C-40K-BQ29G £31.95

Plus over 280 other titles for Atari.

COMMODORE 64

Temple Of Apshai (Part 1) -1D-BC57M £27.45
 Upper Reaches (Part 2) -1D-BC58N £13.80
 Curse Of Ra (Part 3) -1D-BC59P £13.80
 Sword Of Fargoal -1D-BC60Q £20.75
 Crush, Crumble & Chomp -1D-BC61R £20.75
 Jump Man -1D-BC62S £27.45

DRAGON

Berserk -1E-BC32K £19.95
 Black Sanctuary -1C-BC78K £7.95
 Dragon Trek -1C-BC82D £9.95
 Galax Attax -1E-BC79L £19.95
 Quest -1C-BC41U £7.95
 Wizard War -1C-BC83E £7.95

Plus 30 other titles for Dragon

SPECTRUM

The Hobbit (48K) -1C-BC88V £14.95
 Timegate (48K) -1C-BC89W £6.95
 Space Intruders (16K) -1C-BC90X £4.95
 Meteor Storm (16K) -1C-BC91Y £4.95
 Chess Player (48K) -1C-BC92A £6.95
 Speakeasy (48K) -1C-BC93B £4.95

VIC20

Crush, Crumble & Chomp (+16K) 1C-KK10L £20.75
 Datestones Of Ryn (+16K) -1C-KK13P £13.80
 Invasion Orion (+16K) -1C-KK12N £17.25
 Monster Maze -1E-KK11M £27.45
 Plattermania -1E-KK14Q £27.45
 Princess & Frog -1E-KK16S £29.95
 Rescue At Rigel (+16K) -1C-KK08J £20.75
 Ricochet (+8K) -1C-KK15R £13.80
 Sword Of Fargoal (+16K) -1C-KK09K £20.75
 Tank Arcade -1C-KH18U £11.95

Plus 80 other titles for VIC20

*Disk versions also available though price and memory size may be different.

Send see now for our new software leaflet with details of all programs added since Maplin catalogue.
 Order As XH52G Issue 4.

MICROWRITER

The new hand-held word processor that eliminates the need for a typist. You can learn the Microwriting technique in less than an hour and produce perfectly typed text the same day.

Microwriter (AF62S) £485 + £72.75 VAT★
 Complete Word Processor Package (Microwriter, printer and lead) (AF63T) £1,205 + £180.75 VAT
 Available ONLY by mail order or from WESTCLIFF shop.

★ Delivery next day by Datapost



AUTHORISED ATARI
 SERVICE CENTRE

The brilliant new colour computer

SORD M5

A superb new home computer with one of the most powerful colour video processors available. An incredible 32 sprites simultaneously and 16K of RAM dedicated to graphics alone. Powerful Z80A (3.5MHz) main processor. Three tone generators and noise generator all with envelope control like a mini-synthesiser. Complete with BASIC and superb handbooks for beginners. All this for just £189.95 (AF64U)




INTEREST
 FREE
 CREDIT
 NOW!

If your order contains over £120 worth of computer hardware apply now for interest free credit by telephoning: Mail-order: (0702) 552911. London Shop: 01-248 0926. Birmingham Shop: 021-356 7292. Southend shop: 0702 554000 or write to P.O. Box 3, Rayleigh, Essex SS6 8LR.
 You pay 10% down, then 10% per month for a further nine months (to nearest penny).

Credit quotations on request. This offer subject to approval which can take up to 48 hours (APR = 0%).

Mapsoft full colour catalogue. Price £1 incl. post. Maplin catalogue contains full details of all hardware and lots of software. On sale now in all branches of W. H. Smith, price £1.25 or £1.50 incl. post from PO Box 3, Rayleigh, Essex..



Maplin Electronic Supplies Ltd., Mail Order: P.O. Box 3, Rayleigh, Essex SS6 8LR. Tel. Southend (0702) 552911 (Sales).
 Demonstrations at our shops NOW.

159-161 King St., Hammersmith, W6. Tel. 01-748 0926. 284, London Road, Westcliff-on-Sea, Essex. Tel. (0702) 554000. Lynton Square, Perry Barr, Birmingham. Tel. (021) 356 7292.

All goods delivered in UK mainland carriage paid, but add 50p if total order less than £5 except catalogues. Orders including items marked ★, delivery next day by Datapost.
 Subject to availability. All prices include VAT unless shown. Prices correct at time of going to press.

Languages for Apple Lisa

APPLE HAS ANNOUNCED Pascal, Cobol and Basic for the Lisa, with C and Fortran to follow. The languages come with a range of tools for software developers which together make up what Apple calls the Lisa Workshop.

Lisa Pascal resembles the UCSD Pascal used on the Apple II and III sufficiently closely to enable existing code to be ported across to the Lisa quite simply, and it also conforms to the ISO standard. It has been extended to allow use of the Lisa mouse, and can be used with Quickdraw, a powerful graphics utility which is part of the workshop. Pascal costs £480.

Lisa Basic resembles DEC Basic Plus, and costs £240. Lisa Cobol is a level 2 Cobol developed by U.K. software house Micro Focus. It costs £800.

These three languages will all be available when volume deliveries of the machine commence. The prices all include the software-development workshop, with its mouse-controlled text editor, 68000 assembler and various other debugging and development tools.

To write applications which use the mouse and the Lisa's 364-by-720 dot screen to full advantage, with multiple windows and so on, you will need to use Pascal for the time being. The Basic and Cobol are more limited in this respect, and do not support Quickdraw.

Already several U.K. software houses, including Vlasak and Eurobeta, have transferred commercial accounting software written in Pascal across from the Apple II and III on to the Lisa, and then used the workshop utilities including Quickdraw to rewrite the user interface.

Quickdraw's 40,000 lines of 68000 assembly code provide the software developer with fast routines to handle window management, multiple type fonts and the other features of the Lisa graphics interface. Lisa Pascal with Quickdraw was used to develop the 2Mbyte of office management software which comes with the standard Lisa system, reviewed on page 92 of this issue.

Further details from Apple Computer (U.K.) Ltd, Eastman Way, Hemel Hempstead, Hertfordshire HP2 7HQ. Telephone: (0442) 60244.

Software deal with record company

K-TEL and DK'Tronics signed a deal worth £150,000 at the Midland Computer Fair. The deal will commit the large record company, better known for its 20 Greatest Hits compilations than for computer software, to market, 75,000 cassettes supplied by the Essex-based microcomputer company.

The deal highlights the similarity between the micro software market and the record industry. Both deal with a form of software that requires hardware for its operation, and both sell to a predominantly young audience.

That K-Tel knows how to sell to this market is beyond doubt. In the run-up to the busy Christmas selling period you can expect to see a high-powered TV advertising campaign extolling the virtues of certain Spectrum software packages being distributed by the K-Tel organisation.

There is one other similarity between the two markets. They are both haunted by piracy. K-Tel will really score here since it already has a well-oiled legal department specialising in this type of case.

Virgin Games, part of the Virgin Records empire, is another software company to enter the market from the music business. It is looking for exclusive deals to market other people's software under the Virgin label. K-Tel is acting as a distribution company only, with software houses keeping control of the packaging, etc. This appears to be the better strategy, as most software houses seem reluctant to jump to the Virgin bait.

DK'Tronics is run by Managing Director David Heelas and Marketing Director Peter Brownlie, who sees the micro software industry as being similar to the rock-and-roll music business in the 1950s. He likens David Heelas, the programmer, to Eddie Cochran and says he is now looking for the new Paul McCartney.

SILICON VALLEY

Tel: 01-242 2803

The best value in the city for...

ACT
SIRIUS 1



This high speed 16 bit business computer from ACT is the best selling micro of its kind. Available from Silicon Valley from £2,399 or lease from £13 per week. 400 programs now available.

Accounting systems installed and supported by Chartered Accountants

For these products


- We are established main dealers
 - We give the best support
 - We give the advice
 - We supply the software
- And we are always in stock!!

Silicon Valley has on site Chartered Accountants, management consultants specialist, computer engineers to discuss and recommend solutions. We offer full training and maintenance - **TRY US OUT**

THE COMPLETE BUSINESSMANS PACKAGE

- Sirius 128K computer
 - Epson Matrix Printer
 - Exact - stock, sales, invoicing, sales ledger & purchase ledger
 - All cables, consumables, installation and on site training - £2,999
- Price may vary due to time of year.

TORCH
OSBORNE



Software
D Base II, Wordstar, The Last One, Visicalc, plus BOS, Peachtree, Padmede, Systematics, Vlasak etc.
For Sales, Service, Maintenance, Advice.
Phone 01-242 2803

London: Suite 104/5,
16 Baldwins Gardens,
London EC1N 7RJ
Manchester: 12 Lever Street
Piccadilly, Manchester

The Permanent Computer Show



SILICON VALLEY COMPUTER CENTRE

**A GOOD DEAL MADE
A GOOD DEAL BETTER**

Tel: 01-242 2803
Tel: 061-228 1686
Tel: 041-638 3487

FULL RANGE OF PRINTERS, PAPER AND DISKETTES

TIME IS MONEY !....



SM-UNITEXT
the "go-anywhere"
text processor

SM-UNITEXT utilises the **full size keyboard** of the **EPSON HX-20** to give **full size text processing**:-

- full screen editing
- variable page width up to 80 columns
- auto return
- remote transmission
- text blocks
- line / character insert delete
- print out on built-in miniprinter or full size external printer
- word break suppression
- right hand justification
- integrates with **SM-UNIVERSE** (data base) and other products

ASK YOUR EPSON DEALER FOR A DEMONSTRATION - OR CONTACT US DIRECT

SM Software (UK) Ltd., Raglan House, 56 Long St., Dursley, Glos. **0453 46065**



**EPSON
HX-20**

**SPECIAL
OFFERS**
for combined
hardware /
software
packages

• Circle No. 115

Now a hard disc system for the same price as a floppy



The Shelton *Sig/net*

It's here! The new hard disc system that really means business.

From the bewildering range of computers, all claiming a technical advantage, Micropute have selected the machine best suited to the needs of small and medium sized businesses. The requirements of such a system were: Integral Hard Disc, Compact Design, Extremely Competitive Price, The CP/M Operating System giving access to a vast range of programmes for data and word processing, and The Capacity For Ease Of Upgrading To Multi-User. Which all adds up to a fully comprehensive and sophisticated computer.

The price?

From an incredible £ 2,695 (ex V.A.T.)

Micropute Supercover

As an extra bonus to this amazing package Micropute Supercover will provide a 12 month on site maintenance for only £99.00 parts and labour.

Faster Than a 16 BIT

BENCHMARK TIMINGS			
PRODUCT			
	SIG/NET 8 BIT	IBM 16 BIT	SIRIUS 16 BIT
BM. 1.	1.1	1.5	2.0
BM. 2.	3.7	5.2	7.4
BM. 3.	9.9	12.1	17.0
BM. 4.	9.8	12.6	17.5
BM. 5.	10.5	13.6	19.8
BM. 6.	18.7	23.5	35.4
BM. 7.	29.6	37.4	55.9
BM. 8.	5.1	3.5	4.3

These figures are extracted from a recent article in, 'Personal Computer World' Publication.

Micropute Ltd

Catherine Street, Macclesfield,
Cheshire SK1 6QY Tel: (0625) 615384.

Name _____ Position _____

Company Name _____

Company Address _____


Tel. No. _____



Micropute Ltd., Catherine Street, Macclesfield, Cheshire SK1 6QY Tel: (0625) 615384.

● Circle No. 116

A new star is born




pulsar

16 BIT BUSINESS SOFTWARE

THE THINKING BUSINESSMANS' COMPUTER

Now with WINCHESTER



**A complete computer system,
with a 5.4 megabyte
Winchester Drive for only**

£2,500*

The new **Galaxy 3** has been built to comply with the most widely accepted industry standards, so the business user can make effective use of the largest range of hardware and software options. It uses the world's best selling micro processor, the Z80A, and is based on industry standard 80BUS Boards. Interfaces include both parallel printer interfaces and RS232, enabling the user to immediately connect a wide range of compatible hardware, even to the extent of building up his own networking system.

The **Galaxy 3** has CP/M as its standard operating system which gives users access to the widest range of applications software and programming languages currently available for any machine.

● Central processor unit with 64K RAM ● 5.4 megabyte Winchester drive
● 800K byte floppy disk drive ● Full Qwerty/numeric keyboard
with function keys ● 12" green or amber monitor

There is a network of Gemini dealers throughout the country, able to offer you complete support for the Galaxy, including compatible hardware and a full range of business software. 24 hour on-site maintenance is also available. Phone us now for further details and the address of your nearest dealer.

Features include:

- Twin Z80 processors
- 5.4 mb Winchester
- 64K dynamic RAM
- 800 disk based storage
- 80 x 25 screen format
- Dual printer interfaces
- Modular design
- Networking system available
- Green or amber monitor
- 10 & 20 meg versions also available.

**Price is exclusive of VAT.*



18 Woodside Road, Amersham, Bucks HP6 5EQ. Tel: (02403) 28321.

● Circle No. 118

"The fundamental premise of a revolution is that the existing social structure has become incapable of solving the urgent problems of development of the nation."

Leon Trotsky

"Every revolution evaporates, leaving behind only the slime of a new bureaucracy."

Franz Kafka

Even unto the fifth generation

Boris Allan ponders the future of computing.

TO A PEASANT in Tanzania, and for many city dwellers, a bicycle is far more useful than a Concorde. Perhaps it is fitting that the polemic of the IT82 booklet referred uncritically to Concorde; we are told IT is a revolution, and Concorde was planned in a Britain that was to be forged in the white heat of another revolution. Do the seers of IT promise another Concorde? One hopes not.

When I refer to IT, I refer to the revolutionary ideology which, as Trotsky noted, feels that our existing society is incapable of solving the nation's problems. When I refer to Information Technology, I mean the idea that there are assorted aspects of technology which can usefully be classed together — for example, computers, VTRs, and word processors. By information technology without the capitals, I mean the individual aspects, computers, etc. It is crucial to distinguish between these levels because the move now has been very much from information technologies to IT revolutions. That computers are useful does not mean that the ideology of IT is going to solve any problems.

We know that the fifth-generation computers are on the way and that the Japanese are beginning to spend, spend, spend to produce this new breed of machines. I have not been able to find a convincing explanation or definition of what is, or will be, the fifth generation. But this does not stop conferences being organised to discuss the subject.

In my search for enlightenment I decided to find out what was the definition of the fourth generation, and so I went to the second edition of the *Penguin Dictionary of Computers*. In 1977, when it was published, there was no fourth generation, but there was a third generation: "Machines built with integrated circuits. Related to first generation and second generation".

In 1977 the coming of large-scale integrated circuits was easy to predict, in fact it was happening then; obviously the compilers of the dictionary felt, sensibly, that it was going to come — but why bother to include it? The fifth generation is of a different order of things entirely: the fifth generation is not to be a hardware-led revolution, but a software-led revolution. The revolution will come with the nature of the software, the expert systems, but although with hardware one can gauge the rate of future advance with a reasonable

certainty over the very short term, software is much less malleable.

Sir Leon Bagrit in *The Age of Automation*, the 1964 Reith Lectures, wrote: "I believe that within 25 years, automation will have made the old concept of charity obsolete. We may eventually reach a stage where the work to be done will need perhaps only a third of the population to provide fully for everyone, and still leave plenty in hand . . .".

Together with the fifth generation — not yet with us, remember — we have a new occupation, the knowledge engineers. One of the original knowledge engineers was Aristotle, who developed apodictic logic. A more recent knowledge engineer, Karl Popper, made some apposite comments upon the development of all knowledge in *Poverty of Historicism*, published in 1961.

Let us first consider though what is being propounded by the ideologists: very little of any real substance. Japan is reputedly spending £250 million over 10 years to develop something, though exactly what is not certain — the all-talking, all-dancing computer perhaps. Hitachi allegedly has a prototype which can translate grammar-school English into Japanese with 60 percent accuracy, something AI experts were predicting in 1963 would happen shortly. Japan could be wasting a great deal of money, though as with the moon shots there might be technological spin-offs. They might have happened more cheaply through normal channels but the normal channels have been choked by emphasis on the moon shot or the fifth-generation project.

Popper, the knowledge engineer, noted that the course of history is strongly influenced by the growth of human knowledge and thus scientific knowledge. He also noted that we cannot predict, by rational or scientific methods, the future growth of our knowledge.

The latter assertion he had proved by logical means, and the result was "We cannot, therefore, predict the future course of human history". The logical proof is only outlined by Popper, but runs "no scientific predictor . . . can possibly


predict, by scientific methods, its own future results". In general terms this reduces to the argument that if there is such a thing as growing human knowledge, then we cannot anticipate today what we shall know only tomorrow.

The logical proof used by Popper is elsewhere revealed as based on Gödel's theorem, as are some of the arguments about the limitations of expert systems. For example, there is a qualitative difference between protecting a warship against Exocet by an expert system, and an intelligent computer using an expert system.

In essence — and as I write this I know others will disagree — Gödel's theorem states that in any system which is complex enough to describe itself the system is incomplete, and there are things which one can do in the system whose meaning is uncertain. Popper uses Gödel's theorem in this way: a scientific predictor is a system sufficiently complex to refer to itself, but the meaning of the statement "in two years I predict that I will predict X" is very uncertain.

There is an argument of long standing which uses supposed consequences of Gödel's theorem to claim that the human is irreconcilably different from the machine. The human has free will because the human can realise that there are things which are inherently meaningless, the human has a concept of meaninglessness.

It would seem that a reassessment of the nature of the IT predictions, and the direction of work to produce the fifth generation — a notion I find inherently strange — needs to start from a study of knowledge engineering in a wider sense. Perhaps philosophers such as Gödel and Popper have insights to offer to the new knowledge engineers. With the formation of IT committees, and committees to study the fifth generation — for example, the Alvey Committee — I begin to suspect that Kafka's prediction might be the most accurate.

Perhaps Japan will be wasting so much money that we will benefit. Can anybody tell me what is the sixth generation? 

NEARLY 48,000 visitors made the Earls Court Computer Fair the biggest-ever microcomputing show this side of the Atlantic.

There was something for everyone at the Fair whether they were business users looking for software and hardware, serious enthusiasts wanting to expand, upgrade or add to their existing systems, home users looking for the latest games software to run on their machines, or beginners out to buy their first micro.

Among the machines on show for the first time was the Memotech MTX-500 and its closely related cousin the orchid. In many ways the MTX-500 micro was the star of the show. Memotech did not take any orders, but was content simply to let the public look and lick their lips. However, the response to both machines was strong, with dealers from all over the world queueing up to take a slice of the Memotech action.

Tipped by many as a replacement for the BBC Micro, the MTX-500 is based on a Z-80A running at 4MHz. It comes complete with 32K RAM, expandable up to 512K and 16K of dedicated video RAM. Basic and a disassembler/assembler come as standard, as does Logo and a new educational language called Noddy. Pascal is available on a plug-in ROM. The keyboard is everything you could want.

The Orchid is the MTX-500's more powerful relative. It is a fully fledged business system that offers hard discs, a Z-80B running at 6MHz and a number of other features, including colour graphics. It is the fastest machine around, and claims to knock

Computer Fair 83

The Earls Court Fair broke attendance records again this year. Bill Bennett reports on the new products which drew the crowds.

spots off the Olivetti in the benchmark stakes.

Also on show for the first time at the Computer Fair was the Mattel Aquarius, a beginners' micro which is bought unit by unit in a manner familiar to hi-fi enthusiasts. For many visitors the show also provided the first glimpse of the Commodore 64, the Laser 200 — previously known as the Textet — the Comex, the Sord M-5 and the 96K Lynx.


Business users visiting the Encotel stand will have noticed Otrona, a ruggedised portable for the user on the move. The machine costs around £2,400 with WordStar and other worthy CP/M packages thrown in. Also visible was *Practical Computing's* ex-editor Peter Laurie showing off a tasteful NCR Decision Mate V micro running the Southdata Superfile package.

Printer distributor

Appropriate Technology had the Flowwriter range on display, and Canon's colour ink-jet printer was to be seen on the Canon stand. KGB micros was showing an impressive CAD system based on the ACT Sirius micro, together with a number of other software packages. Coloured floppy discs to brighten up the office were to be found at the Counting House stand.

Home-computer software was being sold in vast quantities from numerous stands. All the big names were there, including Imagine, Quicksilver, Bug-Byte and DK'Tronics, together with some of the rising stars such as Addictive Games, Salamander and AP Software. Many of them could be found deep in the haunts of the Sinclair Village.

My favourite item was a super soccer game that was running on a Commodore 64 — its graphics are like nothing seen before on this machine.



Above: The Mattel Aquarius made its first U.K. exhibition appearance by courtesy of Silica Shop.

Below left: "Take me to your leader..."

Below right: ... and here he is, PC's publisher Chris Hipwell clearly enjoying a spell on our stand.



Practical Computing

Britain's leading magazine for business and professional microcomputer users



Staff of Computer Fair sponsor *Practical Computing* prepare to welcome visitors.

Unfortunately the staff on the Chromasonic stand displaying the game were unable to sell it. Susan Ben-David was doing a roaring trade in selling books. They were not the conventional computer handbooks but Adventure game stories. Does the advent of this novel medium spell the end of the computer?

Robots seemed to be quite popular at the Computer Fair. There were robots on stands and robots handing out

promotional material. There were even robots that would talk to you. To prove the virtues of Forth, the Jupiter Cantab stand was dominated by a Cyber robot arm controlled by a Jupiter Ace micro.


Elsewhere, robot rodents were battling it out in the Micromouse competition. Overall victor was Alan Dibley who trained T4, the fastest mouse on the day. He won £1,000 and a piece of brass

cheese donated by Micro Management. Next came a mouse named Knownaim, managed and trained by Dave Woodfield. Third prize went to seasoned campaigner Sterling Mouse from the Nick Smith stable.

Next year's Earls Court show will be bigger and better. And if you can't wait until then there is always the Northern Computer Fair to be staged in Manchester on November 24-26.



Above: Claudia Bayr sports a Micro Management T-shirt. Below: Stephen Vickers' Ace running a Cyber robot arm.



"No one beats Atari at their own games" — says Atari.



Encotel's BMC if800 business microcomputer.

LONDON COMPUTER CENTRE

SIRIUS 1

1.2 Mb Disk Storage **£2395**
 2.4 Mb Disk Storage **£2895**
 10. Mb Disk Storage **£4295**

TELE-VIDEO

806/816

the Multi User
Computer System



EPSON QX10
 CP/M 2.2 **Multi Fonts**
 256K RAM **Zoom**
£1730 **Graphics**



TELE-VIDEO

803

Single-user to
Multi-user
£1850

SUPERBRAIN 2



Dedicated
Wordstar
Keypad
from
£1595

New TANDY Model 4

CP/M 3.0
64K-128K RAM
from £1299

New TANDY Model T100

Large 40 x 8 char
display built-in word
processor and modem

EPSON HX20


Portable with built
in printer
from £402

OSBORNE 1



Double
density
£1350

New ZORBA



Portable
full 80 x 20
display
800K disc
storage
£1595



FLOWRITER
RP 1600
60 CPS
Fast and reliable
8K buffer
£1600

TEC F10 40 CPS

Diablo 620 compatible
Japanese reliability
£1250

New JUKI 6100 Daisywheel 18 CPS

Bi directional
Adler daisywheels
Diablo 630 protocols
£399



3 in One
TOSHIBA
P1350

24 Needles - high speed
drafts 190 CPS Letter Perfect
Printing 100 CPS Addressable Pin
Graphics **£1130** Options:
Tractor **£87**; Sheet feeder **£520**

EPSON FX80 160 CPS

OKI 84
200 CPS
£850

**MULTI
SHEETFEEDER**
£675

Auto Feed



**STANDARD
SHEET
FEEDER**
£580

For Most Daisy Printers

New SHINWA CP 80 MATRIX PRINTER

80 CPS Friction and Tractor inc.
interface cable and paper **£275**

All prices are Exclusive of VAT and Delivery. Dealer Enquiries invited on all Products.
Large range of CPM Software available. Please phone for Prices.

Demonstrations on all models.

43 GRAFTON WAY, LONDON W1P 5LA (Opposite Maples)
 OPENING HOURS: 11-7 MON-FRI 12-4 SAT Tel: 388 6991/2
 24 hour answer phone: 01-388 5721

SuperStar



Upgrade package
is available for:
North Star Horizon -
Comart
Communicator -
Vector Graphics
and other
S100 systems

**LIBERATES THE CP/M
USER AND PROVIDES
FULL MULTI-USER
CAPABILITY**

**EACH USER
RUNNING STANDARD
CP/M 2.2 OR CP/M 86 WITH
ZERO CPU DEGRADATION**

The revolutionary SuperStar is the only system allowing total integration of powerful 16 bit 8086 processors with the more standard Z80 user processors. The system may be configured in any 8 bit/16 bit combination, or as a totally exclusive 16 bit system to provide the ultimate in performance and flexibility in advanced micro systems.

DESK TOP COMPUTER PACKED WITH:

* PROCESSING POWER

Up to 16 users each with his own private processor card which contains either Z80A, 64KBytes or 8086, 128KBytes, console and a second serial port. More power and faster processing time is offered through a 16 bit private processor card based on 8086 CPU and 128KByte expandable to 1 MByte. The system automatically loads CPM 86 to the 16 bit private processors.

* STORAGE

Integral 5.25" Winchester Disk with up to 20 MByte capacity and integral 5.25" Floppy Disk with up to 800 KByte capacity. Optional - 14 MByte cartridge tape back-up unit, up to 80 MByte Winchester Disk Unit.

* HIGH PERFORMANCE

Unlike single CPU multi-user systems (e.g. MP/M, MVT/FAMOS, OASIS, etc.) where system throughput degrades as additional users are added, SuperStar has no CPU degradation at all. Each user has its own private processor, memory and console I/O running at 4MHz with Z80A and 5MHz with 8086 processors.

* PRINTER INTERFACE

1 serial and 1 parallel printer ports shared by all users. Optional private printer for each user is readily available via a second serial port. The second serial port can be programmed for communications etc.

* SYSTEM SOFTWARE

Each user processor runs its own dedicated copy of the industry standard CP/M 2.2 or CP/M 86 depending upon which processor is being used. Shared resources (Disks and Systems Printers) are controlled by DPC/OS which supports file/record locking, print spooling, multiple printers and interprocessor communications. Languages available: BASIC, COBOL, PASCAL, FORTRAN, PL/1 APL.

* APPLICATIONS SOFTWARE

Word Processing, Sales, Purchase, Nominal Ledgers, Payroll, Order Processing/Invoicing, Stock Management, Job Costing, Mailing System, and many specialised fields e.g. Bookmaking, Insurance Brokers, Property Management, etc.

* LOW COST (FROM £1750) AND EXPANDABLE (AS YOUR NEEDS GROW)

SuperStar starts at £1750 for a single user system with 2 Quad density floppies and is field upgradable to a hard-disk system of up to 80 MByte capacity. Also by simply adding a private processor card for each user the system can be configured into a multi-user system as and when required.

The 16 bit Processor is fully compatible with the standard SuperStar multi-processor system permitting efficient upgrading as future needs develop without sacrificing any of your extensive hardware and software investment.

SuperStar

must be the most powerful and versatile, yet low cost, multi-user system presently available. It combines the power of up to 16 Central Processors with the economy of mass produced S100 peripheral handling hardware. This combination, together with the world's most popular operating system gives you an unprecedented "performance-per-pound spent" rating. It eliminates the usual constraints of a single-user system. Word Processing, Sales, Purchase and Nominal Ledger Accounting and Stock Control can happen simultaneously.

BROMCOM

Bromley Computer Consultancy Ltd

417/421 Bromley Road, Bromley, Kent, BR1 4PJ. Telephone: 01-697 8933 Telex: 896691

● Circle No. 243



After bath. After shave.

After you with the Epson.

Epson HX-20.

The most complete portable computer you can lay your hands on.

A complete portable computer with full size typewriter keyboard, LCD Virtual Screen, printer, microcassette facility and rechargeable power source all built-in.

Yet a precision machine so small, so lightweight, so portable - you can take it anywhere. To readily use it anywhere. The Epson HX-20.

The HX-20 is different. Because it is designed and built to be different.

And because it thinks bigger than the others.

Just take a look at the facts.

Uses full extended version of Microsoft BASIC with 16k RAM optionally expandable to 32k, and 32k ROM expandable to 64k, RS-232C and Serial interfaces.

The ASCII typewriter keyboard and five programmable keys offer no less than ten program functions.

A unique LCD screen that enables you to carry out word processing or data entry as if you were using a large screen.

24 column dot matrix impact micro-printer offering 42LPM for hard copies.

Runs on its own power for over 50 hours and can be easily recharged overnight or whilst in use - with the ability to retain information in memory even when switched off.

Simply add on a wide range of peripherals to include bar code readers and acoustic couplers for total capability.

Various software applications are available too.

You know the name. Epson quality is already world renowned for desktop computers and a superb range of quality printers. And now our new remarkable machine is raising more than just a few eyebrows wherever it's seen.

Clip the coupon opposite and we'll tell you the full story, or call us for the name of your local stockist, so you can experience the HX-20 first hand.

After everything else - it's got to be the most complete portable computer you are likely to lay your hands on.

Epson (UK) Limited, Freeport, Wembley, Middlesex HA9 6BR.
Sales Enquiries: Freefone 2730.
General Enquiries: 01-900 0466/01-900 0988 or 01-903 3722. Telex: 8814169.

EPSON

**Extraordinary product.
Exceptional quality.**

☐ I would like to see a demonstration of the HX-20 Portable Computer.

☐ Please send me further details.

Name

Company

Address

Telephone

Second front for Zilog

WITH SMOKE from the eight-bit battlefield now clearing, and the heroic deeds of the Z-80 and the 6502 now little more than ancient history to the chip designers, it is fascinating to observe how the next big battle is being stage managed by the semiconductor giants — the battle for 16 bits.

In the beginning there was the Texas 9900, a creditable first in 16-bit processors. But it was ahead of its time, with consequent deficiencies which have kept it on the sidelines, despite several efforts at modernisation. Perhaps the new 99000 family will fare better, though it is generally agreed that the three main armies to watch are those of Intel, Motorola and Zilog, all successful veterans of the eight-bit crusades.

Intel got in first with its not very lovely 8086, closely followed by Zilog with the powerful Z-8000, and then Motorola with its almost divinely inspired 68000. Of the three, the Intel device is streets ahead of the others in terms of sales, and the Z-8000 comes a poor third. Of course, the sales battle is still in full swing and the final outcome not yet decided, but already it is possible to see the sort of features which have contributed most to success, and they are not what many of us might have anticipated a few years ago when the battle had just been joined.

The 8086 is not elegant or even very powerful when compared with the other contenders, but it does have the advantages of being first; a 100 percent compatible eight-bit bus version, the 8088; a powerful peripheral chip family; and a measure of compatibility with the eight-bit 8080 family.

The 68000 is potentially a much better design than the 8086 but at the moment it lacks the advantages of an eight-bit bus version or a comprehensive family of peripheral circuits, although these things are certainly planned. Since there never was a large software base for earlier Motorola eight-bit processors like the 6800, there was no real advantage in giving the 68000 a compatible instruction set, so it wasn't given one. The 68000 may yet end up victorious, thanks to its raw power and its elegance, but the Intel bandwagon will take a lot of stopping — just look at what the IBM PC, the ACT Sirius and a host of

other 16-bit personal computers are using.

We all expected a lot from Zilog, after its amazing success with the Z-80. The Z-8000 certainly looked good at first with its neat architecture and 16Mbyte addressing range — so good, in fact, that I would have put money on it. Unfortunately Zilog neglected two important features. As the battle unfolded, it became obvious that these were near fatal omissions. First, Zilog ignored its huge existing Z-80 user base and did not make the Z-8000 software compatible. Old Z-80 users now had nothing to gain by staying with Zilog, and shopped around for the best 16-bit processor they could find. A lot of them found the 8086 — which does have a degree of compatibility with Z-80 code — and still more found the 68000.

Secondly, Zilog did not provide an eight-bit bus version of the Z-8000, and since

by Ray Coles

more 8088s are sold than 8086s, thanks to the lower system and memory costs, this too was a bad mistake.

The Z-8000 is not a complete failure by any means — it has attracted sufficient support to remain viable for years to come — but neither can it ever be the rip-roaring success that Zilog desired. In typical, dashing style, Zilog has now apparently realised its mistake and, rather than sulking or applying hasty fixes to the Z-8000 family, has done the unthinkable and is about to introduce the brand-new Z-800 family of 16-bit processors. They have all the earlier omissions corrected and lots of new features added.

By opening this second front on the 16-bit battlefield Zilog is attempting a bold outflanking manoeuvre which just might gain it the initiative. Certainly the specifications of the new family seem to make it peculiarly well suited to meet the emerging needs of the 16-bit market which can now be seen in sharper focus.

The launch announcement of the new family stresses compatibility with the Z-80 and, rather craftily, does not speak of competition with the Z-8000 and other 16-bit processors. The Z-800 processors will run Z-80 code directly, and can even use the CP/M 80 operating system to gain access to the huge amounts of CP/M

software already available to many potential users. All the other 16-bit processors can run the new 16-bit versions of CP/M, such as CP/M 86, but this does not allow them to run eight-bit software.

There are four processors in the Z-800 family at present. The Z-8108 and the Z-8208 are eight-bit bus versions compatible with Z-80 hardware. The Z-8116 and the Z-8216 are 16-bit bus versions compatible with Z-8000 hardware. All four processors operate using 16-bit buses internally, and all of them have the same basic architecture and compatibility with Z-80 code.

The common architecture of the new family is based on the old Z-80 model but with the addition of an extra stack pointer and a number of new hardware facilities which include a 256-byte fast cache memory, a memory management unit, an on-chip clock oscillator, and four 16-bit counter-timers. The Z-8108 and Z-8116 are housed in 48-pin packages and can address 512K using a 19-bit address bus. The Z-8208 and Z-8216 use a 64-pin package and can address a full 16Mbyte using a 24-bit address bus.

The Z-8208 and Z-8216 also have extra on-chip facilities which put them in a class of their own and make them, literally, systems-on-a-chip. In addition to the standard Z-800 features, these two powerful processors have four-channel DMA controller and a full duplex asynchronous serial port capable of operation at up to 2Mbits per second.

On the software side, the Z-800 family has a considerably expanded instruction repertoire to enable it to compete with the other 16-bit processors. The two stack pointers provide for a System and a User mode, in true 16-bit fashion, and the IX and IY index registers have been made byte-addressable.

Add to that a new chip-fabrication process which promises to realise clock speeds of up to 25MHz, and you get a powerful 16-bit processor which can probably compete on equal terms with the 8086 and 68000 families while retaining full compatibility with the preceding eight-bit generation. It's a pity Zilog did not introduce the Z-800 earlier, instead of the Z-8000. If it had done so, Zilog's sales figures would have been very different. ■

*****THE NEW DBMS III (series III of the world's first 'task-robot-programs')*****

*****FEATURES*****

1400 character record sizes.....
mathematical scratchpad.....
record relational indexes.....
translatable to any language.....
User-definable reporting.....
field protection/classification.....
either-or, same as, greater, smaller.....
sorts 'alpha or numeric' any window.....
12 online file architectures.....

32000 records per filename.....
20 main/200 sub files per record.....
field and record related formulae.....
'Jump-to' any of 32000 records per file.....
random/binary/key/multiple field search.....
'If-then' questioning.....
file protection/password entry.....
range match, not match, integer match.....
sort speed 500 records per 20 seconds.....

12 online file architectures.....
240 fields using cross-referencing.....
cross-record calculations.....
'Jump-to' any record in 12 files.....
User-definable files/field words/sizes.....
endless 'either-or' matching.....
formulate/recall on selection criteria.....
13 interrogation question types.....
short filing output/audit trails.....
Word-star & Mbasic compatible.....

DBMS III.7 NEW SWITCH MODE FACILITY ENABLES YOU TO CROSS UP TO 12 DIFFERENT FILES (32000 RECORDS PER FILE) PRE-SELECTING ANY OF UP TO 20 FIELDS PER RECORD/FILE FOR DISPLAY/PRINT OUTPUT (240 FIELDS) IN ALL. ONE MASSIVE ENQUIRY CAN PASS THROUGH 384,000 RECORDS

You might have two files whose records are directly related to each other, so that the first file (say containing names and addresses) refers to the second file (say financial and other information relating to the same record numbers in the first file) directly. Then you can simply select that in file 1 you are interested in just the name and telephone numbers, whereas in file 2, you are interested in the income, trading period and number of branches, information. Your enquiry can then pass through both files highlighting that information only. Actually there doesn't need to be a strict correlation between the same record numbers in different files, and you can also on just one JUMP command go to any record in any of the 32000 records in any of the twelve files and carry on cross-referencing from there onwards.

DBMS'S MACROS WORK FROM THE MOMENT YOU INSERT THE 'TASK DISK' IN THE COMPUTER

Simply design your file, give its fields your words, setup your report mask, and then enter your records. Switch to 'automatic drive' and formulated any task you wish to program to fulfill, the task is stored as a macro. Take a copy of the program on another 'task disk' and from then on, the task disk will function without a single key-stroke. Think of a number of such 'task disks' such as "stock-re-order reports"; "stock-valuation reports"; "analysis"; "patient history analysis"; "research-analysis"; "budgeting-analysis"; "vehicle-location control"; "librarian analysis"; "plus more?"

Not only does this program surpass most of its kind that you might buy elsewhere, but if you buy the hardware from us, then you get it FREE... DBMS II (WITHOUT MACROS) AND DBMS III ARE FULLY IMPLEMENTED UNDER CPM-86 (tm) AND MS-DOS (tm) I.E.: SIRIUS/VICTOR/IBM DBMS II IS £395.00 (or £250.00 by mail order ex. training) ... DBMS III is £575.000 (or £295.00 by mail order ex. training).

MICRO-COMPUTERS

INTERTEC	Superbrain 64K RAM/320K disks	1895.00
	Superbrain 64K RAM/700K disks	2395.00
	CompuStar 64K RAM/320K disks	2195.00
	CompuStar 64K RAM/700K disks	2695.00
NORTHSTAR	Advantage 64K RAM/5.2M disks	2295.00
(ext DOS)	Advantage 64K RAM/5.2M disks	2395.00
TELEVIDEO	302H 64K RAM/7.3M disks	2395.00
	302H 64K RAM/7.3M disks	3695.00
	406 64K RAM/10M disks	5195.00
	416 256K/750K disks	13350.00
ACT	Sirius 1 128K/1.2M disks	12295.00
	Sirius 2 128K/2.4M disks	12895.00
	Sirius 3 128K/10MEG disks	13895.00
VICTOR	4000 128K/1.2M disks	12295.00
IBM	PC 64K RAM/640K disks	12795.00
	PC 128K/640K disks	13295.00
XT 128K/10MEG disks		13295.00
ALLOS	ACCESS 64K RAM/1M disks	895.00
	ACCESS 128K RAM/1M disks	995.00
REC	APC 128K RAM/1M disks	995.00
CONCEPT	Concept 16 bit pc	995.00
RENOVO	RENOVO 64K RAM/640K disks	1195.00
ABC	20 disk RAM/2.5M disks	6295.00

All computer prices include software as checked.
All prices marked * are 870 bit machines.

WE STOCK MOST OF THE BEST KNOWN SOFTWARE ALSO MOST OF THE BEST KNOWN BRANDS OF PRINTERS & PERIPHERALS FROM 8000 TO 80000 (CHECKS/ORDERS/COMES/ANALYSIS/ROOM)

SOFTWARE COMMENT!!!

INTEGRATED SOFTWARE IS PROPERLY REPRESENTED, when the degree of integration reflects the ability to refer to as many different files, as well as employ as many different functions, under as many different modes as possible in one program only. This principle not being observed, will confer upon your purchases the attribute of their being expensive as an aggregate even though individually they are cheap. "DBMS III.7" and "THE KEY" are comparably worthy of such a label.

**SYSTEM DEAL (our speciality)
SAVES YOU 1500.00+**

Buy any computer, any printer and 150.00 value diskettes add £85.00 for cables and testing, add 10% for return to base warranty for 1 year (optional) add £110.00 for delivery & installation (optional)

Training optional extra £120.00

and get completely *****FREE*****
cpm handbook 50 basic exercises 2000 sheets paper
DBMS III.7 magic wand w/proc magic calc
mbasic 80 diagnostics msort/dsort
recover autoedit instant basic
library boxes disk/games DT/AS/NS sorts

Total Value £1525.00

Based on 8 bit hardware, 16 bit software varies.

Here's a typical example of a complete system deal

- 1-Sirius 128k ram/1.2 megabyte disks 2395.00
- 2-Ofi microline 80 printer 295.00
- 3-Cables & testing 65.00
- 4-Diskettes 180.00
- 5-price differential on magic/wand for word-star 100.00

software described above ***** FREE ***** 3025.00
We specialise in 'STANDARD MICRO-PRINTER SYSTEMS' as well as 'NETWORK SYSTEMS BASED ON A SHARED HARD DISK'.

The range of computer products (mostly ex stock) includes the most popular brands of micro-computers, printers, modems, buffers, spoolers and software.

PRINTERS

OKI	-Microline 80	295.00
	-Microline 82A	395.00
	-Microline 83	695.00
	-Microline 84	895.00
EPSON	-MX80/FT-3	425.00
	-MX100/FT-3	575.00
ANADEx	-DP 9000	895.00
	-DP 9501	1045.00
	-DP 9501 (A)	1145.00
QUME	-9/45 R/O	1995.00
	-9/55 R/O	2195.00
	-9/35 R/O	1495.00
NEC	-3510 R/O	1495.00
	-7710 R/O	2195.00
IBM	-4330 R/O	2295.00
	-4330 R/O	1395.00
TELEVIDEO	-630	1005.00
	-630	925.00
	-630	925.00
DIABLO	-630	1025.00
DIACOM	-4330	1025.00
OLYMPIA	-4330 R/O 16 CDS	975.00

**G.W. COMPUTERS LTD - Tel: 01-636 8210
POPULAR BRANDS OF EQUIPMENT WE SELL**

MICROS: Sirius/Victor/I.B.M./DEC

Epson/North-star/Sanyo/Superbrain

CompuStar/Altos/Apple-Lisa/Televideo

PRINTERS: Nec/Qume/Diablo/Ofi/Epson

Olympia/Ricoh/Texas/Dre/Anadex

OTHERS: Corvus/CompuStar

Hard disks networks and multiplexors

Spoolers/Modems/Buffers

most of the best known brands of software

PERIPHERALS & ACCESSORIES

CORVUS	-6 Meg hard disk	1950.00
	-11 Meg hard disk	2950.00
	-20 Meg hard disk	3950.00
	-Multiplexer 7 station	695.00
	-Mirror backup card	695.00
INTERTEC	-CompuStar 10 Meg hard disk	2950.00
	-CDC 144 Meg hard disk	7950.00
N*STAR	-16 Bit upgrade	395.00
RODIME	-18 Meg hard disk	2995.00
	-6 Meg hard disk	1495.00
	-12 Meg hard disk	1990.00
GENIE	-4MG fixed/RMD removable disk	3295.00
QUADRAM	-64K print spooler/scopier	299.00
EXXCOMP	-R232/Auto-modem 1200 baud	450.00
ABT	-port expander (4 trunks to 1 prt)	395.00
G&K	-port expander (switcher)	95.00

NOTE: Corvus drives with multiplexor may network
sirius... Superbrain... Concept... PET... Victor...
IBM...

SOFTWARE

G.W.L.	-BUS V8.00 (Accounts)	275.00
	-DBMS II (Database)	*£395.00
	-DBMS II (by mail order only)	*£250.00
	-DBMS III (database)	*£575.00
	-DBMS III (by mail order only)	*£295.00
	-FORMS/TEXT/CALC/DBMS IV	*£575.00
	-Sales Ledger	*£95.00
	-Purchase Ledger	*£95.00
	-Nominal Ledger	*£95.00
	-Stock-Control	*£95.00
	-Address-Mailer	*£95.00
MICROSOFT	-QASort/QNSort (500 Recs/14secs)	*£395.00
	-Mbasic 80	*£95.00
	-Fortran 80	295.00
	-Cobol 80	395.00
	-Basic Compiler	225.00
	-MU lisp/mu star	125.00
MICROPRO	-Word-star	*£295.00
	-Mail-merge	*£95.00
	-Speller	125.00
	-W-star/M-merge/Sp-Star	425.00
ENVIROM	-BStem (communications)	100.00
	-BStms (tele-comms)	100.00
CORFAL	-CBasic	75.00
	-Concurrent CPM/86	*£375.00
	-CBasic86	*£175.00
	-Pascal MT	225.00
LIFEBEAT	-T/Maker	155.00
WFOCUS	-CIS Cobol	420.00
	-Forms II	100.00
SORCIM	-Super Calc	195.00
PEACHTREE	-Magic Wand	190.00
	-Magic Calc	175.00
VARIOUS	-including tele-comms etc	call.00

Software formats on all micros in our hardware list.
All prices marked £ are available 8/16 bit formats.

TERMS & ETC

G. W. Computers Ltd (Grama (Winter) Ltd)

55 Bedford Court Mansions

Bedford Avenue London W.C.1, England.

Tel: 01-636 8210-01-631 4818; tlx 892031 twc g

Boston office tlx 94-0890

24 hour answerphone-leave address for 'infopacks'

We do not operate a reader's reply card service.

Terms: C.W.O. or C.O.D. Prices exclude V.A.T.,

but include all non-credit discounts available.

No dealers. The above lists are not exhaustive

Please call at our showroom only by prior

appointment. Unless expressly agreed, all

warranties are commercial 90 days return

to base for parts and labour. Annual

warranties and maintenance facilities

available nationwide through closely

related third parties.

G. W. COMPUTERS LTD

G80/86 SOFTWARE

Fully implemented on MS-DOS, CPM 2.2 and CPM 86 (tm)

Works on IBM, Sirius and Victor 9000 and all micro-computers in our price list

Requires the prior acquisition of DBMS 111.7

Sales ledger (95 pounds)
Purchase ledger (95 pounds)
Nominal ledger (95 pounds)
Stock control-valuation/re-order (95 pounds)
The address mailer (95 pounds)
Qasort/Qnsort (500 records/15 seconds) (95 pounds)

Each module is a set of 'task disks' designed for minimal learning curve. This software derives from modules of 'DBMS III' and runs reports without your secretary having to touch a single key

Consider the advantages in these features: The user manual is contained in FIVE pages. All reports are generated by robot functions. Reliability tested (benchtest PCW June). Works in a network multi-user environment Fast easy data entry. Files are re-organised and sorted automatically. Produced by the same people that originated 'BUSINESS' 'DBMS II', 'DB-CALC', 'AUTOLOAD AND RECOVER' 'ETC' and sold successfully over the past five years.

Also see our advertisement next page.

The G80/86 networks

Based upon one hard disk and multiplexor module the G80/86 networks feature full network sharing of data resources by adding different stations that may be as various as Sirius/Victor 9000f/IBM/Superbrain/Pet/N'star/Sanyo.

We also have a special 'spooler module' as well as software controllable port expanders and modems for output to telephones, printers, and screens so that a number of terminals may share the resources of one printer, as well as be able to send files over the telephone at any time (day/night) to both store on the hard disk and print out as well.

only from G.W. Computers (the leaders in database)

Call us on 01-636-8210 or 01-631-4818 and leave your address for our standard 'infopacks'

G. W. COMPUTERS LTD — Tel: 01-631 4818

Contains the highest state of the art software available today

FORMS/TEXT/CALC/DBMS IV ALL IN ONE PROGRAM — "KEY" — at £575.00

When you budget for a complete system of software you eventually end up with a host of packages like, Sales, Purchases, Nominal, Data, Text, Calc, Mailshot, Invoice, Order, Workflow, Personnel, and so on. The list is endless and the outlay several thousands of pounds.

- Features. Design a form as wide as a window of 250 characters, long as needed. Cursor movements are 'left, right, up, down, delete left delete right, tab right-left-up-down' Paint your form as you like directly on the screen.
- Text..... Write a letter as you see it on the screen, edit it then simply enter 'P' to print.
- Calc..... Set into the form, your data fields, "EEEEEE" and specify file-related calculations, formulas and validation checks. Enter values and see the spreadsheet calculate itself.
- Database. Search files for data to be inserted to fields specified. All the features of DBMS III, explained elsewhere in our ad.

Here's an example of an invoice you might design for your stationery

You could design your own spreadsheet, order form, statement, or any other kind of form that is required to fit your existing stationery.

INVOICE <0>EEEEEEEEEE				
To <1>EEEEEEEEEE		From: G.W. Ltd		
<2>EEEEEEEEEE		55 Bedford Court Mans.		
<3>EEEEEEEEEE		Bedford Avenue		
<4>EEEEEEEEEE		London W.C.1.		
<5>EEEEEEEEEE		Tel: 01-636 8210		
Date <6>EE.EE		Tax point <7>EE.EE		Agent <8>EEE
Quantity	Description	Cost	Tax	Total
<9>EEE	<10>EEEEEEEEEE	<11>EE	<12>EE	<13>EEE
<14>EE	<15>EEEEEEEEEE	<16>EE	<17>EE	<18>EEE
and so on...				
Total...<19>EEEEEE		Tax...<20>EEEE		

- <??> items <1> to <5> internal command to request name input, and then search an address file for details.
- <??> items <6> to <7> request date input and validate.
- <??> item <8> request agent number and validate range.
- <??> <9> request quantity, validate range.
- <??> <10> request description, search file, accept, and calculate fields <11>, <12>, <13>, if finished in-voice then calculate fields <19> and <20>

Now comes the more valuable facility, you can provide the 'FORM' with file-related instructions, not only to request a 'control' input for a file search against names, and stock, but after the invoice is finished the fields you have selected may be passed to related files.

EG: Send fields <0>, <1>, <6>, <7>, <11>, <12>, <13>, <19>, <20> to a sales ledger.

Then send fields <9>, <10>, <11>, to product analysis file.

Then send fields <0>, <1>, <7>, <19>, <20> to V.A.T. file

Then send fields <10>, <11>, <12>, <13> to Nominal ledger.

● Circle No. 123

Value - MicroValue - Micro

80-BUS MULTIBOARDS

GM811 - CPU Board

- ★ 4MHz Z80A CPU
- ★ Four 'Bye-wide' Memory Sockets
- ★ Two 8-Bit Input/Output Ports
- ★ 8 Bit Input Port
- ★ RS232 Serial Interface
- ★ 1200 Baud CUTS Cassette Interface


£125
(£143.75 inc. VAT)



GM802 - 64K Dynamic Ram Board

- ★ 64K Dynamic RAM
- ★ 4MHz Operation
- ★ RAM Disable Function
- ★ Page Mode Operation

GM802 - 64K RAM
£125 (£143.75 inc VAT)



PLUTO - Colour Graphics Processor Board

- ★ 640x576 Bit mapped display
- ★ On-board 16-Bit microprocessor
- ★ Comprehensive on-board software

IO 828 A: 192K RAM "PLUTO" **£399**
IO 828 B: "BABY PLUTO" 96K **£299**
(£458.85 inc. VAT) (£343.85 inc. VAT)

GM803 - EPROM/ROM Board

- ★ Up to 40K of Firmware
- ★ 2708 or 2716 Type EPROMs
- ★ Page Mode Operation


The Gemini GM803 EPROM/ROM board is ideal for the user requiring a large amount of firmware in his system. This board caters for up to 40K of EPROM and ROM. There are 16 sockets organised in four banks of four and, as long as each bank contains the same type of EPROM, banks may be mixed between 2708 (1K x 8) and 2716 (2K x 8) devices. Each bank may be decoded to start at any 4K boundary.

GM803 - EPROM/ROM - £65 (£74.75 inc VAT)

EV 814 - IEEE 488 Controller

- ★ Cost-effective Controller
 - ★ Comprehensive software supplied
- Controls equipment fitted with IEEE488 or GPIB interface.

£140
(£161.00 inc. VAT)




GM 816 - MULTI I/O Board

- ★ Six 8-Bit I/O Ports
- ★ 4 Counter/Timer Channels
- ★ Real Time Clock
- ★ Further expansion capability

Daughter boards also available for further expansion.


£125
(£143.75 inc. VAT)



GM813 - CPU/64K RAM Board

- ★ 4 MHz Z80A CPU
- ★ 64K Dynamic RAM
- ★ RS232 Serial Interface
- ★ Two 8-Bit I/O Ports
- ★ 1200 Baud Cassette Interface
- ★ Extended and Page Addressing Modes

£225
(£258.75 inc. VAT)



The Gemini GM813 is an 80-BUS compatible CPU card incorporating 64K dynamic RAM and utilising the powerful Z80A microprocessor running at 4MHz. Extended addressing and page mode facilities allow for future memory expansion up to 2 megabytes. Input and output capabilities include both programmable serial and parallel interfaces - RS232, 1200 baud CUTS cassette interface and the Z80A PIO. When used with the GM812 video card, the GM813's unique RP/M monitor allows the creation of cassette or EPROM based programs or files which are upwards compatible with a disk based CP/M system.

The **Microvector 256A** is a high performance graphics display interface on an 80-BUS and NASBUS compatible card. Various graphic primitives such as vector and character generation are executed in hardware by a Thompson EF9356 Graphic Display Processor. Plotting rates are typically 1 million pixels per second giving full animation capability. Various vector and character types can be selected. Characters can be scaled to give 256 different sizes.

MV 256A Suitable for TV use (PAL-UHF) **£199.00** (inc. VAT)

MV 256B Suitable for TV or RGB monitor **£220.00** (inc. VAT)

GM812 - IVC Board

- ★ 80x25 Display Format
- ★ On-board Z80A Microprocessor
- ★ Buffered Keyboard Input
- ★ Programmable Character Generator
- ★ 160x75 Pixel Graphics
- ★ Light Pen Input

£145
(£166.75 inc. VAT)



GM 829 - FDC/SASI Board

- ★ Single/Double density operation
- ★ Single/Double sided drive operation
- ★ Up to 4 mixed 3.5", 5.25" and 8" drives
- ★ Industry Standard SASI hard-disk interface

£125
(£143.75 inc. VAT)



Keyboards, Mothers, Frames

With MultiBoards an almost unlimited number of system permutations are possible. There is a range of 15 available from your Microvalue dealer; together with mother boards, frames, cables, power supplies, keyboards and compatible software if required.

Ask for latest catalogue for details of suitable permutations to suit your requirements, whether building a system from scratch, or expanding your Galaxy or NASCOM computer.

Value - MicroValue - Micro


COMPUTERS

Gemini Galaxy 2

"I would place the Galaxy at the top of my list"
(Computing Today, April 1983)

- ★ Twin Z80A Processors
- ★ CP/M 2.2 Operating System
- ★ 64K Dynamic RAM
- ★ 800K Disk Capacity
- ★ 80x25 Video Display
- ★ Serial and parallel printer interfaces
- ★ Cassette and light pen interfaces
- ★ User definable function keys
- ★ Numeric key pad
- ★ 12" Monitor included

£1495
(£1719.24 inc. VAT)




At last—a Winchester Drive for your Gemini / nascom System!


GM835 Winchester Drive Sub-system.

- ★ 5.4 Megabyte Formatted Capacity
- ★ Rodime Drive
- ★ Industry Standard SASI interface
- ★ Integral Controller and power supply

£1450
(£1667.50 inc VAT)



Phoenix P12 Monitor



A high quality data display monitor, ideal for all Nascom and Gemini systems. 20MHz resolution. Available in amber or green phosphor.

£110

Disk System for Gemini & nascom

GM825 Disk Drive Unit – The GM825 floppy disk housing is supplied with either one or two 5.25" single sided, double density, 96TPI high capacity Micropolis 1015F5 disk drives. These provide 400K bytes of formatted storage per drive. (Gemini QDSS format). The CP/M2.2 package available supports on-screen editing with either the normal Nascom or Gemini IVC screens, parallel or serial printers. An optional alternative to CP/M is available for Nascom owners wishing to support existing software. Called POLYDOS 4, it includes an editor and assembler and extends the Nascom BASIC to include disk commands.

Single Drive System
GM825-1S

£350 (£402.50 inc. VAT)

Dual Drive System
GM825-2S


£575 (£661.25 inc. VAT)

CP/M2.2 Package
(GM 532 for Gemini)


£90 (£103.50 inc. VAT)

POLYDOS 4
for Nascom

£90 (£103.50 inc. VAT)



SOFTWARE



Gemini Software:

CP/M Software Compas

is totally different from other compiler based Pascal systems, as it allows you to create, edit, run, and debug Pascal programs in a highly interactive manner.

£120 (£138 inc. VAT)

GEM PEN Text Editor	£45	(£51.75 inc. VAT)
GEM ZAP Assembler	£45	(£51.75 inc. VAT)
GEM DEBUG Debugging Utility	£30	(£34.50 inc. VAT)
WORDSTAR Word Processor	£215	(£247.25 inc. VAT)
GEM GRAPHIC Links with MBASIC	£35	(£40.25 inc. VAT)

'The Last One'

is used in conjunction with Microsoft's MBASIC*. No knowledge of BASIC programming is required since all input is performed using question and answer routines written in plain English.

£330

(£379.50 inc. VAT)

*MBASIC—MicroValue Price if purchased with 'The Last One'—£178.95 inc. VAT

BUY FROM THE COMPUTER PROFESSIONALS

MICROVALUE DEALERS:

AMERSHAM, BUCKS

Amersham Computer Centre,
18 Woodside Road,
Tel: (02403) 22307

BRISTOL

Target Electronics Ltd., 16 Cherry Lane.
Tel: (0272) 421196

EGHAM, SURREY

Electrovalue Ltd.,
28 St. Judes Road, Englefield Green.
Tel: (07843) 3603

IPSWICH

MDW (Electronics),
47/49 Woodbridge Road East.
Tel: (0473) 78295

LONDON W2

Henry's Radio, 404 Edgware Road.
Tel: 01-402 6822

LONDON SW11

OFF Records,
Computer House, 58 Battersea Rise,
Clapham Junction.
Tel: 01-223 7730

MANCHESTER M19

EV Computing, 700 Burnage Lane.
Tel: 061-431 4866

NOTTINGHAM

Computerama, (Skytronics Ltd.)
357 Derby Road.
Tel: (0602) 781742

Telephone orders welcome



MicroValue

REAL value – from the Professionals

● Circle No. 124

Introducing Perfect Software.TM

Now, put the power of our remarkable new programs to work for you!

If you've been looking for powerful, flexible software that's also easy to use, take a close look at what we've got to offer.

An integrated product line with the state-of-the-art features and common-sense prices you're probably looking for.

Perfect WriterTM

Perfect CalcTM

Perfect FilerTM

Perfect SpellerTM

Whether you're interested in one or all four of our revolutionary products, you owe it to yourself to find out what we have to offer:

Perfect Writer.

The most powerful and versatile word processing software for microcomputers available anywhere. Features include Virtual Memory, multiple editing of up to 7 files at once, dual display windows, automatic footnotes, table of contents and indexing.

Perfect Calc.

You get 17 application programs that are ready to use for

any planning and financial control task. Plus multiple editing of up to 7 files at once *and* dual display windows.

Perfect Filer.

This incredible double data base management system produces personalized standard letters and versatile sort menus for generating lists or invoices. It prints labels, envelopes and more. It can even handle accounting functions!

Perfect Speller.

Now, get a 50,000 word dictionary that checks over 4,000 words a minute. It even locates and corrects document design errors!

Take a look at what you get:

- ☐ Britain's first fully-integrated product line. Learn only *one* set of logical commands.
- ☐ Easy-to-use, user-friendly features that are unmatched in the industry.
- ☐ Interactive teaching disks make Perfect Software easy-to-learn.
- ☐ Available for both 8 and 16 bit micros, CP/MTM operating systems and the IBM PC.
- ☐ All programs maximize virtual memory architecture for all applications and multiple file display.
- ☐ True ASCII files for powerful communication capability.
- ☐ And lots, lots more.

Perfect Software, Inc.TM

To order or find out more, contact:

Pete & Pam Computers
Telephone: 0706 227011
Telex: 635740 PETPAM G

Transam Microsystems Limited
Telephone: 01-405 5240/2113
Telex: 24224 (Ref. 1422)


Tamsys Limited
Telephone: Windsor 56747
Telex: 849462 TELFAC G

Software Limited
Telephone: 01 387 8832
388 9927
Telex: 21879

Interam Computer Systems Ltd.
Telephone: 01 622 9373
Telex: 925859

© 1983 Micro Marketing International
CP/M is a trademark of Digital Research, Inc.
● Circle No. 125

**There are some
people who think
that if a Printer looks
like an Epson,
it will perform like one.**



It won't.

**Imitation is
the sincerest form of flattery.
But there's only one Epson.**

EPSON **Extraordinary product.
Exceptional quality.**

Epson (UK) Limited
Freepost, Wembley, Middlesex HA9 6BR
Sales Enquiries: Freephone 2730
General Enquiries: 01-902 8892
Telex: 8814169

● Circle No. 126



THE RELATIONAL DATABASE SYSTEM

FOR MICROCOMPUTERS

- TRAINING?
- ADVICE, GUIDANCE, CONSULTANCY?
- PROGRAMMING?
- DATABASE 'PRIMER' MANUAL featuring 'dBASE II'

For further details, contact:

Lionel Boreham

LANTECH Information Systems Ltd.

55 Peascod St. Windsor, Berks SL4 1DE

Tel: Windsor 58182/58013

LANTECH
Information Systems

● Circle No. 250

LONDON COMPUTER CENTRE

8/16 bit SOFTWARE

The comprehensive range includes

WORDSTAR £235
SUPERCALC £170

D BASE II £325
Spelling Checker £60

WORD PROCESSING £

SpellBinder 290
Magic Wand 226
Spellstar 134
MAILMERGE 134
Grammatik 75

FINANCIAL PLANNING

Calcstar 85
Multiplan 170
Plannercalc 75
T/Maker III 175
Microplan 200

D BASE CORNER

Autocode 195
Quickcode 205
D Base Window 150

UTILITIES

Sid £60, ZSid £76, Mac £133

LANGUAGES £

MBasic 210
MBasic Compiler 230
Fortran 80/86 325
Cis Cobol/Forms2 399/105
Pascal M 250
Pascal MT+/SSP 350

ACCOUNTING

SGS from 250
Peachtree from 325
Tabs from 199
Exact 500
Pulsar from 195

COMMUNICATIONS

Bstam 130
Crosstalk 135
Moveit 80/86 90/105

FORMATS: Superbrain, Televideo, Sirius, Sanyo, Osborne
Northstar, 8" SD, DEC, Epson QX-10, IBM

ICL HP XEROX ALTOS

All prices are exclusive of VAT

Software



43 GRAFTON WAY, LONDON W1P 5LA (Opposite Maples)
OPENING HOURS: 11-7 MON-FRI 12-4 SAT Tel: 388 6991/2
24 hour answer phone: 01-388 5721

● Circle No. 128

CAMDEN

THE COMPUTER PEOPLE


COMPUTER SYSTEMS LIMITED

462 COVENTRY ROAD, SMALL HEATH

BIRMINGHAM B10 0UG

Telephone: 021-771 3636 (10 lines) Telex: 335909 (Camden G)

5MB WINCHESTER



SPECIAL OFFER

APPLE IIE PLUS MONITOR AND STAND
5 MEG WINCHESTER WITH BUILT-IN
FLOPPY.

RECOMMENDED PRICE £2810
OUR PRICE £1995

10 MEG VERSION £2275

APPLE IIE 845
80 COL CARD 80
80 COL + 64K 180
MONITOR & STAND 170
DISK WITH CON 345
DISK W/OUT 245
TRIDENT 5 MEG 1450
TRIDENT 5 MEG PLUS FLOPPY 1700

RRP CAMDEN PRICE
845 645
80 70
180 150
170 150
345 270
245 220
1450 1150
1700 1465

ALL PRICES EXCLUDING VAT

12 MONTHS PARTS AND LABOUR ON ALL APPLE AND TRIDENT PRODUCTS



● Circle No. 129

IF OUR ADVERT DOES NOT CONVINCE YOU THE FREE PRINTOUT SAMPLE WILL.

SHINWA-CTI CP80

FULL FEATURED 80 COLUMN MATRIX PRINTER

PROBABLY THE BEST PRINTER AVAILABLE IN THE WORLD
BELOW £300!!

COMPATIBLE CENTRONICS INTERFACE
AND INDUSTRY STANDARD CONTROL
CODES MAKES THE CP 80
IDEAL FOR:-

BBC, DRAGON, ORIC,
APPLE, NEWBRAIN,
SIRIUS and many more.

OPTIONAL RS232
INTERFACES AVAILABLE
BOTH UNBUFFERED
AND BUFFERED




Made in Japan

FULL ONE YEAR WARRANTY

SPECIFICATIONS

- | | |
|--|--------------------------------|
| + 80 COLUMN | + AUTO UNDERLINING |
| + FRICTION AND ADJUSTABLE TRACTOR FEED | + VERTICAL AND HORIZONTAL TABS |
| + BIDIRECTIONAL LOGIC SEEKING | + BACKSPACE |
| + HI-RES GRAPHICS AND BLOCK GRAPHICS | + SELF TEST |
| + SUB AND SUPERSCRIPTE | + ITALIC PRINT STYLE |
| + 9 X 9 DOT MATRIX - TRUE DESCENDERS | + EXPANDED ASCII |
| + CONDENSED PRINT | + DOUBLE PRINT |
| + EMPHASISED PRINT | + £ AND # S |
| + GRAPHICS SET - | |



@ABCDEFGHIJKLMN O P Q R S T U V W X Y Z [\] ^ _ ' a b c d e f g h i j k l m n o p
@ABCDEFGHIJKLMN O P Q R S T U V W X Y Z [\] ^ _ ' a b c d e f g h i j k l m n o p
! " # \$ % & ' () * + , - . / 0 1 2 3 4 5 6 7 8 9 : ; < = > ? ! " # \$ % & ' () * + , - . / 0 1 2

NO DELAY! - TELEPHONE YOUR CREDIT CARD No. TODAY
AND YOU CAN START PRINTING TOMORROW
- AND IF YOUR NOT SATISFIED RETURN WITHIN 14 DAYS
FOR A FULL REFUND.



HAMPTON COURT ■ KEY ■ WALTON

OPEN 6 DAYS A WEEK

MON - SAT 9am to 7pm (6pm SAT)



COMPUTER CENTRES LTD

Enterprise House 44 Terrace Road,
Walton-on-Thames, Surrey KT12 2SD

Telephone Walton-on-Thames

(09322) 42777

(4 lines)

TO KEY COMPUTER CENTRES LTD

Please send me FREE print out samples
and literature.

Name

Address

Post Code

● Circle No. 130



CONTROL COMPUTER APPLICATIONS ENGINEER

Vickers-Dawson Division are part of Vickers Engineering Products Group. The Division has manufacturing facilities in the U.K. and U.S.A. and is principally a manufacturer and supplier of bottling plant equipment to the Dairy, Brewery, and Soft Drinks industries.


We are seeking a young Engineer/Science Graduate to join a small team in a Research and Development Department.

Candidates should be practised in Basic and a Machine Language and will have a demonstrable interest in the hardware aspects of Integrated Circuitry and Logic Control Circuits.

Please apply for Application Form:

Personnel Manager,
Vickers Dawson PLC,
Maiden Lane,
Crayford,
Kent.

Telephone Crayford (0322) 526222



● Circle No. 131

IMPORTS

Take advantage of the latest low cost imports from USA

IBM PC MEMORY BOARDS

256K board WITH memory disk software	£330
512K board with 256K RS232 port and memory disk software	540
512K board as above, with 512K	720

S100 MEMORY BOARDS

64Kb	230
256Kb 150 nanosec 24 bit addressing	670
256Kb 150 nanosec with parity, 24 bit addressing	750

OTHER S100 BOARDS

8 MHz 8086 CPU, with MS DOS (2.0)	550
S100 DMA disk controller	270
4 serial ports with interrupts	210

* Also Z80B CPU sets — phone for prices/availability

MULTIBUS MEMORY

256Kb with parity	620
512Kb with parity	800

We will also quote you for any other USA imports you may require.

TERMS: Cash with order
Add 15% for VAT
Qty discounts available

TEL 01-989 4281

XYSTER SYSTEMS LTD

46 Preston Road Leytonstone London E11 1NN

● Circle No. 132

PUT A CLIP IN YOUR WINCHESTER

CLIP — Compressed Library Interchange Program

CP/M MS DOS CP/M-86 £95 RTII £150

- Backs up a Winchester on to floppies.
- Compresses text or data to less than half size
- Large files can span multiple discs
- Selective backup or retrieval, on an inclusive or exclusive basis.

CLIP has no equal in reputation, convenience, power or economy. CLIP comes standard with the CIFER Business Management System, and with all Winchester systems supplied by **COLT AND FERRARI SOFTWARE.**



KEELE CODES LTD

University of Keele, Keele, Staffordshire, U.K. Tel: [0782] 629221 Telex: 36113
24-hour telephone service: Access accepted

CLIP offers effortless backup. It will also take care of most of the chores in building an ordered file library, and can make notes of its own operations. The user can set up his own housekeeping procedures in a few minutes. Thereafter, to repeat any function just type e.g. 'BACKWIN' 'VIEWTOP5' 'RESTORE'. With CLIP's powers of selection and compression, the user can expect a four-to-one saving over global copying, with no effort except to feed discs on cue. Or, CLIP can select just the new/updated files and reduce the backup load still further.

All prices excl. VAT, post free in U.K.
Most popular disc formats from stock.

● Circle No. 133



Apple IIe 64k computer

only **£599*** + VAT
Immediate Delivery!!

*(When purchased with a part-exchange)

Save an extra £39.00

by buying a bundle comprising:
Apple IIe 64k
Disk Drive with controller
80 Column Card
12" Green Screen Monitor

Bundle price only
£999* + VAT

*(When purchased with a part-exchange)

Disk Drive with Controller	£270
Disk Drive without Controller	£199
12" Green Screen Monitor	£99
Apple III Monitor with Stand	£125

Apple III

Apple III 256k with monitor	£2099
Profile (5Mb Hard Disk)	£1495
Additional Disk Drive (143K)	£270
Parallel Interface	£129
OEM Prototyping Board	£32
Vinyl Carrying Case	£49

Software (Apple III)

Visicalc III	£169
Mail List Manager	£99
System Software (SOS)	£175
Quickfile III	£60
Applewriter III	£133
Business Graphics III	£105
Access III	£89
Catalyst	£128
Script III	£75

Other Software prices on application

Software (Apple IIe)

Visicalc	£145
Visitrend Plot 3.3	£182
Multiplan	£160
Applewriter IIe	£105
Business Graphics	£109
Quickfile IIe	£60
Senior Analyst	£145
APM	£137
Apple Plot	£38
Pascal	£149
Pilot	£69
Fortran	£112
Logo	£122
Super Pilot	£129
Wordstar	£230
Mailmerge	£130
Word Handler	£98
Visischedule	£180
Other Software prices on application	

Sirius

Sirius equipment is available within 48 hours at unprintable prices. Please phone for details.

Operating Systems & Display

Z80 Microsoft Card	£215
Z80 Microsoft Card (IIe)	£325
Z80 Digitek Card	£145
Videx 80 Col System	£189
40/80 Column Switch	£25
80 Column 64K Expander Card	£149
Prototype/Hobby Card	£12
IEEE 488 Card	£235
TV Modulator	£14

Epson Printers

RX80	£279
FX80	£379
MX100F T-Type 3	£420
FX80 Tractor Feed	£35
IEEE Adaptor Board	£65
Serial Adaptor Board	£65

Other Printers

Apple dot Matrix	£349
Apple Daisywheel	£1150
TEC 40cps Daisywheel	£1095
TEC 55cps Daisywheel	£1295

Other Printer prices on application

Accessories

Numeric Keypad	£78
Paddles	£20
Joystick	£34
Cooling Fan	£45
Voltage Stabiliser	£230
Acoustic Coupler	£200
10 Floppy Disks	£20
Listing Paper 9"	£20
Listing Paper 16"	£29
Monitor Stand	£18
Vinyl Carrying Case	£17

Apple II Accessories

Integer Card	£99
Eurocolour Card	£73
Language Card	£106
Paddles	£20
Joystick	£26
Numeric Keypad	£78

Interfaces

Serial Printer Card	£70
Parallel Printer Card	£70
Wizard 16K Buffered I/F	£139
Wizard 16K to 32K Upgrade	£25
Thunder Clock	£84
8 Channel A/D Converter	£245
Grappler	£99

With your old micro, working or not, taken in part exchange. (ZX80/81 welcome!!)
Please phone us if you don't have a part exchange.

Software (Apple II)

Applewriter 1.1	£39
Apple Plot	£38
Applewriter 2	£89
Circuit Analysis	£23
Apple Super Pilot	£129
DOS Tool Kit	£41

Export Orders Welcome!!!

Barclaycard & Access accepted but subject to a 5% surcharge. Payment welcome by cash, bank draft, Building Society cheque. Please allow 7 days for cheque clearance. Instant credit available shortly.


Delivery

We are open for collection:
Monday - Friday
10am - 5.30pm
Saturday 9am - 5.00pm
Delivery by Securicor:
please add 5%
Smaller items are sent by post unless otherwise requested.

APPLE IIe £599*

(+ VAT)

HOME COMPUTERS at GREAT PRICES



10/11 Salisbury Square, Old Hatfield,
Hertfordshire.

Telephone: Hatfield (07072) 65551

Cut this coupon for free price list
Name _____
Address _____
PCN _____

Our spreadsheet sys But let's start with

Today, computers, micros and more importantly business planning systems are no longer considered luxuries.

They allow you to make better decisions by providing better information on budgeting, cash flow, project profitability, Acquisition Appraisal, Lease vs Purchase analysis and much more.

You stay one step ahead of your business and your business stays one step ahead of the competitors.

But which system should you buy? Surely no one system can meet the needs of all businesses?

Fortunately Comshare is not like most companies. We see the need for different systems to suit different people.

NEW USERS START HERE

PlannerCalc at £85.00* is now accepted as the first choice for people new to financial planning.

Designed for 8-bit micros, it boasts the kind of features that you'd expect to pay twice as much for. (Buy PlannerCalc's nearest rival and you'll have to.)

Unlike all other 'calc' products it allows you to enter calculations in a language you understand. Plain English.

For example:

LINE 1 SALES=100,150,175,210
LINE 2 EXPENSES=GROW 70 BY 15% FOR 4
LINE 3 NET=SALES-EXPENSES
LINE 4 CSALES=CUM SALES
COLUMN 5 YEAR=SUM OF COL 1 THRU COL 4


So it's much easier to use.

It uses the popular "spreadsheet" approach with a window that can be rolled in all directions.

Which means you can enter new figures and rules and

immediately see their effect on everything else in the model.

It comes with the best manual on the market and it's suitable for most micros with a TMCP/M 2.2 operating system, 64K of memory, giving at least 900 cells, minimum screen width of 80 characters and 2 floppy disc drives.



MUCH MORE POWER, NOT MUCH MORE MONEY

MasterPlanner is the most powerful spreadsheet system currently available with its increased matrix size, 2000-3000 cells on most 64K micros. (But at £245* it certainly isn't the most expensive.)

Consolidation of models, allows you to create separate plans for each department and then combine them into an overall company

COMSHARE DEALERS

Aberdeen Aberdeen Ltd (0224) 64074	Manchester Manchester Computer Systems Ltd (0272) 731079	Gosport Gosport Vauxhall Ltd (0235) 235846	Corporate Modelling Consultants (01-628 4107)	South KCB Micros Ltd (75) 35581
Aldershot EMS (UK) Ltd (0252) 313551	Transit Transit Ltd (0272) 277462	Hargreaves Hargreaves Ltd (0527) 62421	Dunstable Dunstable Ltd (01-519 7004)	Southampton Kian Systems Ltd (0703) 38740
Altrincham Mercator Tech Services Ltd (061) 941 4225	Bury St. Edmunds S. R. C. S. Ltd (0284) 62002	Hastings HMS Computer Services Ltd (0474) 439190	DR Computer Systems Ltd (01-439 4354)	St Albans St Albans Computer Services Ltd (0727) 77700
Aylesbury Hobbs Ltd (0296) 630364	Cambridge Cambridge Business Computers (Cambridge) Ltd (0223) 352130	Hereford Honeywell Computers Ltd (0432) 279404	Equinox Computer Systems Ltd (01-739 2387)	St Helier The Princess Centre (06845) 68500
Barnsley Brook Office Supplies Ltd (0226) 88946	Canterbury Kent Micro Systems (0227) 50200	Hitchin McVie Systems Ltd (0462) 50386	Forat Software Ltd (01-751 5791)	Thames Valley Thames Valley Computer Ltd (0934) 77700
Bedford MSC Micro Ltd (0234) 50260	Cardiff Cardiff Computers Ltd (0222) 36825	Huddersfield Micrological Systems (0484) 47450	Interlec Interlec Ltd (01-942 0968)	West Byfleet Ferguson Computers Ltd (91) 41890
Bentley Computers Computer Sales Ltd (0245) 52861	Chatham Medway Computers Ltd (0634) 876080	Jersey Anglo Microsystems (0493) 740045	Jarvis Jarvis Ltd (01-671 5321)	West Devon West Devon Ltd (91) 41731
Birmingham Accountancy & Computer Consultants (021) 236 3455	Chesham Naxos Computer Systems (0246) 207048	Leamington Spa Leamington Spa Words Ltd (0926) 32009	Leicester Leicester Micro Centre (0533) 52865	Weston-Super-Mare Weston-Super-Mare Ltd (0934) 418346
Blackburn BEC Systems Ltd (0254) 677215	Clevedon Bard Computer Systems Ltd (0272) 878 157	Leicester Leicester Micro Centre (0533) 52865	Leicester Leicester Micro Centre (0533) 52865	Weybridge Kewell Systems Ltd (0934) 57046
Bradford Compsoft (0274) 668890	London The Soft Option U.K. Ltd. (0204) 310	Liverpool BEC (Liverpool) Ltd (051) 263 5738	London Micro Systems Ltd (01-900 0421)	Winchester Modular Office Systems Ltd (0962) 55759
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton Glove Business Machines (0934) 83522
Blackburn BEC Systems Ltd (0254) 677215	Doncaster Barnsley Computer Centre (0302) 67135	London BO Computer Systems (01-435 4442)	London Micro Systems Ltd (01-900 0421)	Yatton

Items start at £85.00. why you need one.

plan. Data transfer to word processing and other systems lets you incorporate figures in reports and output to a data base. It also has extensive formatting facilities which means you can produce reports that wouldn't look out of place in the board room.

It can store up to 25 standard reports to run when you need them. It's got full WHAT IF? analysis and direct editing of both spreadsheet and logic display.

JUST AS EASY TO USE

All this increased power doesn't mean you'll need a degree in advanced computing to understand MasterPlanner.

It works on exactly the same system as PlannerCalc and models written on PlannerCalc run without modification on MasterPlanner.

16 BIT VERSION

A new version of MasterPlanner has been specifically designed for the 16 bit micros like the Sirius 1 under TMCP/M-86 or the IBM personal using either CP/M-86 or TMMS DOS 1.1. With a vast matrix size of over 7000 cells on 128K and even more with larger memory, you'll at last be able to make the most of your micro.

ULTIMATE POWER

Fastplan is the top Comshare micro planning system.

It's file-based, allowing development of large scale models; with a staggering 18,000 cell matrix; full financial functions plus backwards iteration, file input and output; and much more. Yet, because it can be menu driven it is easy to use. For the full story, tick the Fastplan box when you return the coupon.

OVER 10 YEARS EXPERIENCE

When you invest in MasterPlanner or PlannerCalc you're not just getting the best software money can buy.



You're also getting the kind of back up and after-sales service that only a company of Comshare's track-record can guarantee.

If you'd like to know more about any product, call in at your local dealer or fill in the coupon and send it to us.

*Plus VAT and post & package.

COMSHARE
Making the computer make sense.

*CP/M and TMCP/M-86 are the registered trade marks of Digital Research Inc. Comshare Ltd., 32-34 Great Peter Street, London SW1P 2DB. Telephone: 01-222 5665.

To: Department PC3, Comshare Ltd., 32-34 Gt. Peter Street, London SW1P 2DB.
Please send me:

Qty	Product	Micro	Op System	Disc Size	K	Amount £ p.
	PlannerCalc @ £99.50 (8 bit only)		CP/M 2.2	8"/5¼"		
	MasterPlanner @ £282.95		CP/M 2.2	8"/5¼"		
	MasterPlanner	IBM PC	MS DOS 1.1	8"/5¼"		
	MasterPlanner		CP/M-86	8"/5¼"		

All prices include VAT and postage & packing

TOTAL

Please send me information about Fastplan ☐

I enclose a cheque/postal order for £ _____ made payable to Comshare Ltd.

Please debit my Access Card No. _____ for £ _____



Barclaycard No. _____ for £ _____

Signature _____

Name _____

Address _____

Tel. No. _____

Please allow 28 days for delivery. VAT No. 238418649. Registered No. 980406.

Comshare reserve the right not to accept any orders. Any acceptance will be subject to Comshare's terms and conditions.

IBM PC - full range of products available, including colour monitor, Z80 card, Winchester up grade kits, and our UDM range of add-on boards.



ACT Sirius - plus **Epson**


printer or equivalent, from **£2395**.
1.2/2.4/10Mb machines, software,
hardware add-ons, call for full list.



OSBORNE 1 - **£1375** with
free 12" monitor, MailMerge,TM
WordStar,TM C and M Basic,
dBase II,TM Super Calc,TM and CP/M.

SUPERBRAIN II from **£1495**,

full range from 320K to 36 Mb,
6Mb hard disk models **£2795**.



EPSON QX 10 - at **£1730**, plus
Pearl & Peachtree software and
our new range of Epson printers.

 **Microware**

For Sales, Service, Maintenance, Advice.
Phone **01-272 6237/6398** or Telex 297598.

Showroom at:

637 Holloway Road, London N19 5SS.

THE BEST SELLER OF 1982



In 1982 the RICOH 1600S outsold every other comparable printer because of its speed, reliability, intelligence, flexibility and sophistication.

Because it is compatible with all known systems and software packages.

Because of the 12 month warranty that Micropute offer.

Because Micropute are a company who care, who are constantly aware of changing needs and who can fulfill any special requirements.

Not least of all, because of the price ~~1149.00~~

In 1983, there will be thousands more satisfied customers.

We hope that you will be one of them.

ONLY MICROPUTE GIVE YOU SUPERCOVER

As an extra bonus Micropute Supercover will provide a 12 month on site maintenance for only £99.00 parts and labour.

**DON'T
FORGET THE
RICOH 1300S**

...a little bit slower but
every bit as clever.

Please send details of the RICOH 1600S
and 1300S

Name: _____

Position: _____

Company: _____

Address: _____

Telephone: _____

● Circle No. 139 RP2



Micropute, Catherine Street, Macclesfield,
Cheshire SK11 6QY. Tel: (0625) 615384.

Compatibility.



When one World beater meets another.

You're bound to recognise at least one of the beautiful products above.

Miss Dominican Republic was chosen to supremely reign as Miss World 1983. Certainly, a World beater in her own right.

Then there's the QX-10. A fully integrated Desktop Microcomputer System. A new member of the world beating Epson family.

But there's more to the functional yet stylish lines of the QX-10 (just to prove that beauty isn't only skin deep). The lightweight CPU, monitor and keyboard units are very easy to use – even for a first time operator.

You could say that our system takes all the hard work out of using software, and once used... you probably will. What's more, when it comes to cost you'll find there's more power for your money.

Just look at these qualities.

192k, upgradable to 256k RAM, Z80A CPU, RS-232C and parallel interfaces. CP/M and multisoft BASIC come as standard.

The QX-10 offers an incredible graphics capability. The 80 column x 25 line display has 640 x 400 resolution and full bit image control for greater definition. 16 : 1 zoom and special effects. Not to mention a unique split screen facility enabling different typesets and graphics to be shown together. A major first for educational applications.

For even more power – simply slot in up to 4 optional interface cards, for IEEE 488, RS-232C, plus a universal interface card for developing your own prototype interfaces. Clock and calendar with full battery back-up complete the system.

As with all the other respected Epson products, you are assured of high quality. (We even manufacture the slim line disc drives ourselves.)

So, at last there's a desktop microcomputer system that really works together. To really work for you.

We call it compatibility. You will call it the incredible QX-10.

- ☐ I would like a demonstration of the QX-10.
- ☐ Please send me details and the name of my local stockist.

Name _____

Position _____

Company _____

Address _____

Tel: _____

QX-10

**THE HUMAN COMPATIBLE
BUSINESS MICRO**

EPSON

**Extraordinary product.
Exceptional quality.**

Epson (UK) Limited, Freeport,
Wembley, Middlesex HA9 6BH.
Freelane: 2730. Telex: 8814169.

Six Thousand Nine hundred & Ninety Pounds

**DEMONSTRATIONS
AT OUR NEW
LONDON PREMISES!**

**3 USERS. 21 MBYTES
WINCHESTER.
320K RAM.**

**AND YOU CAN ONLY GET IT
FROM COMCEN**

Look at that price again. We were a little skeptical at first, too. But after checking our totals we knew we'd finally done it: developed a multi-user, 8-16 bit obsolescence-proof hard-disk computer system, complete with dBase II,™ SuperCalc-86,™ and MP/M-86™ for under £7000. Expandability's a breakthrough, too. You can add four additional users for just £500 each, plus terminal.

IS IT 8 BIT OR 16 BIT? YES.

As you would expect of a COMCEN computer system, it can run any combination of 8 and 16 bit CP/M programmes simultaneously. So, on top of all the thousands of 8 bit CP/M programmes

available, you'll also be able to take advantage of any of the more powerful 16 bit programmes . . . and run them at the same time. And when we say it works, it really works.

**STOP LOOKING. AND START
CUTTING**

Send us the coupon and we'll send you a brochure detailing all the advantages of going with COMCEN. Such as, our exclusive networking and multi-tasking telecommunications packages, our two year warranty and the benefits of selecting an IEEE 696/S-100 bus-based system.

There's lots more to tell, but if you're a business or technical professional looking for an obsolescence-proof, multi-user hard-disk computer system that features expandability and dependability, plus complete service and support at an incredibly low price, stop looking and cut the coupon. And by all means, wait for our brochure before you make any investment.

**COMCEN Computer System 321
includes:**

320K Static RAM Memory
8" DS/DD Floppy 1.2 Mb
Formatted
Winchester Drive 21Mb
Formatted (27 Mb Unformatted)
CompuPro Enclosure 2 With:
IEEE 696/S-100 bus
9 I/O Ports
20 bus Slots
dBASE II
SuperCalc-86
MP/M-86

**Terminals not included. Compatible
with all standard RS-232 terminals and
printers.**

MP/M 8-16 is a proprietary implementation of MP/M-86 and was configured for CompuPro by Gifford Computer Systems CP/M and MP/M are registered trademarks of Digital Research. SuperCalc is a trademark of Sorcim. dBase II is a trademark of Ashton-Tate. CompuPro is a trademark of Godbout Electronics. Prices and specifications subject to change.

COMCEN Technology Ltd.
authorised CompuPro Systems Centre.



Terminals not included.

COMCEN Technology Ltd.

45/46 Wychtree Street, Morriston, Swansea SA6 8EX

**I'd like the whole story
Please send me your brochure.**

Name Title

Organisation

Address

Town..... Phone

Please have a representative to call me.

COMCEN Technology Ltd. 45/46 WYCHTREE STREET, MORRISTON, SWANSEA SA6 8EX
Telephone (0792) 796000 or (0792) 798337 (24 hours). Telex 48297 Joytel.

CAMEL PRODUCTS

BLOPROM-81

A uniquely sophisticated
EPROM
PROGRAMMER

In use at various labs incl. Sinclair Research

Eprom programmer for the 2516, 27XX single supply families, yes, even the 27128 from Intel. Check, Read, Program + Verify all or part of Eprom.

So immensely user friendly you'll hardly need the manual. Designed for the beginner but includes a single key entry route for the professional. Supplied as firmware, the m/c driver routine alone is worth more than the price of BLOPROM-81. No Personality Cards or other additions, just a ZX81. Several inbuilt safety features. On-board Vpp generation. 28pin ZIP socket. Cabled connector and extender plug. ABS case.

Note: Can provide up to 36 inputs or 40 outputs as an I/O £79.95



NEW IN CMOS

MEMIC L.2

A 4KB 2532/2732 replacement in fast (200nSec) CMOS RAM with Lithium battery backup. 12" cabled connector. For any system with a 24 pin Eprom socket £35.95

MEMIC 81.2 for the ZX81

MEMIC-81.2 Faster than a Floppy. Easier than an EPROM. A 4K CMOS memory and Lithium battery unit. Saves programmes up to 10 years without external power. Plug it into the ZX81 and flick a switch and your program is ready for retrieval. A simple PRINT USR... entry loads your program into RAM. Resides in 8-12K but can be moved to 12-16K. Comprehensive notes + examples £29.95

CRAMIC-81.2

Banish the Whir, Click and Try again of ZX81 Systems. 16K CMOS RAM and Lithium battery in cabled ABS case, with expansion adaptor.

Powers off the ZX81 when running. Resides in 16-32K. Can be used like an ordinary 16K but can also retain program up to 10 years. Ingenious hardware/software allows swapping of RAMs from program. £79.95

PIO-5P

An 8 + 8 line parallel Input/Output card which lets the Spectrum communicate with external systems. Rugged TTL chips used. Connections on 8 pin sockets. Mating connectors supplied. £18.50

PIO-81

As PIO-5P but for the ZX81 £13.00

DREAM-81

A 64k with extras.

Full 64K Rampack with link options to disable 0-8-16K. Plus a 28 pin EPROM socket for 2716/2732/2764 and even the latest 27128 from Intel. Fast/slow Eprom option. professionally built and tested. In an ABS case with an LED indicator. £69.95


PROMER-81

At last! A low cost reliable programmer for 2516/32, 2716/32 EPROMS. This is the solution to using EPROMs instead of tape. Required 4xPP3 batteries for a regulated 25 volts. Remarkably prices at £19.95

ROM-81

Provides two 24 pin sockets for up to 8K of EPROM memory in the 8-16K area. Eproms are permanent memory which require programmers (see below) to write to them. Can use 2516/32 or 2716/32 £14.95


PRINTER/MONITOR ACCESSORIES



MSB Monitor Stand for BBC micro. Sits over the Beeb 17" x 12" x 3.75" P + P £3.50 £19.95

PSS Standard printer stands for OKI, Epson etc. 15" x 12" x 4.5" P + P £3.50 £16.95

PSL Large model 17" x 14.5" x 3.75" P + P £3.50 £19.95



PSC-3 for Epson MNX-100 etc. 21" x 14" x 3.75" P + P £3.50 £22.95

CUSTOM PRINTER STANDS for larger printers P.O.A.

POT Printer Output Tray for 11" fanfold paper P + P £3.50 £16.95



UK, VAT extra. No VAT on exports P + P UK. Free Europe + 5% — Overseas + 10% UK & Worldwide dealerships available.

Cambridge Microelectronics Ltd, One Milton Rd, Cambridge, CB4 1UY

Tel (0223) 314 814

• Circle No. 144

Anglia Computer Centre

88 ST BENEDICTS STREET NORWICH NR2 4AB
TELEX 975201 ACOMP G

SPECIALISTS IN BUSINESS COMPUTERS

BUSINESS COMPUTERS

Phone (0603) 667032/3 or 21117

APPLE, SIRIUS,
OSBORNE, ANADIX,
IBM*, DEC, EPSON.

★ Complete with professional back-up service ★

HOME COMPUTERS

Phone (0603) 26002/667031

BBC, DRAGON,
COMMODORE 64,
SINCLAIR, ORIC, LYNX.

★ On special offer ★
Call for Price £££

BOOKS AND STATIONERY CENTRE

Phone (0603) 29652

PROBABLY THE
LARGEST SELECTION
OF COMPUTER BOOKS
IN EAST ANGLIA

ACCESS AND BARCLAYCARD WELCOME

*IBM authorised dealer — IBM Personal Computer

• Circle No. 142

WANT TO KNOW ABOUT BUFFERS?

ASK A>LINE

BUFFERS

add high-speed memory to your system and cut print processing time

A>Line sell and specialise in buffers

...for EPSON & IBM PC Matrix Printers

...for APPLE II & APPLE III Computers

...for virtually every micro-computer

and printer configuration. For example:

● Plug-in buffers for EPSON & IBM PC printers

—E/BUFFER, UK made + 1 year guarantee, 2K (Serial only) £65 + VAT, total £74.75; 16K serial or parallel, £95 + VAT, total £109.25; 32K serial or parallel, £135 + VAT, total £155.25. Dealer and quantity discounts available on application.

—MICROBUFFER 8K serial/16K parallel, ex stock £125 + VAT, total £143.75 post free.

● SPRIINTER in-line buffer, fully configurable for any combination of IEEE 488 (PET)/RS232C/Centronics parallel input and output, in 2K, 4K, 8K, 16K, 32K versions.

● GRAM, ACULAB, ACG, ORANGE MICRO, WESPER, INTERACTIVE STRUCTURES, etc. send for latest catalogue and price list.

A>Line Computer Systems

1 Church Farm Lane, Willoughby,
Waterleys, Leicester, LE8 3UD.

Tel. 0537-58486

PLEASE NOTE OUR NEW ADDRESS

• Circle No. 143

ICL

ICL brand Flexible Discs
and Computer Tape are now
available from Memorex.
Ring the number on the dial
below for IMMEDIATE
despatch.




MEMOREX

● Circle No. 145

JANUS

file transfer program


CP/M



MS DOS

JANUS supports wildcard transfers,
and even allows the receiving disc to
be changed when full. JANUS
requires no installation.

Price £80. Dual licence £120
+ VAT, post free in U.K.



KEELE CODES LTD
University of Keele, Keele,
Staffs. Tel: (0782) 629221

● Circle No. 146

A good idea worth sharing. Custom Keypanel Kits for the Spectrum and now the ORIC



Put everything you
need on the keyboard
with a Custom Keypanel Kit.

Precision die-cut panels fit perfectly over your
keyboard and create an instant and individual
reference to all your software.

Each kit comes in a clear plastic wallet and
contains: 10 matt black Keypanels plus sheets
containing over 140 self-adhesive command labels,
pre-printed with words and symbols – arrows, left,
right, FIRE!, POWER!, etc, plus a sheet of blanks for
your own designs.

SPECTRUM Keypanels (96 x 224mm)

Self-adhesive label sets are printed in 'Spectrum'
bright red. A must for flight simulation and all
multi-key games and applications, the first add-on
for your Spectrum.

ORIC Keypanels (105 x 275mm)

Self-adhesive label sets are printed in 'ORIC' light
blue. Master those CTRL and ESC key combinations
and create a reference to all ORIC's keyboard
functions.

NOW in super ML PLASTIC.

We despatch to you first class post by return*.

* Subject to stock availability

Post today to **Softeach Limited**, 25 College Road, Reading,
Berkshire, RG6 1QE.

Please send me:

..... Spectrum Keypanel Kits at £3.95 + 35p p&p each
(overseas should add 25% for additional surface mail)

..... ORIC Keypanel Kits at £4.95 + 35p p&p each
(overseas should add 25% for additional surface mail)

I enclose a total remittance of £..... cheques/postal
orders payable to **Softeach Limited**.

NAME

ADDRESS

● Circle No. 147

MAILBOX

Inter User Communication for both CP/M and MP/M (Digital Research)

Features	CP/M	MP/M
Time and Date Stamping	As Input	Automatic
Message, Length (Lines or files)	<64000	<64000
Text File Inclusion	Yes	Yes
Specific or All Users	Yes	Yes
Multi-Disk Access	Yes	Yes
Record Locking	N/A	Yes
Multi-user Access	N/A	Yes

Available in 8" Single Density and many other Formats

£48.00p

VAT & Postage already included. Send cheque or use VISA/Barclaycard




Starwest
Computer Services
Limited

20 Lime Street, Bedford
Tele: (0234) 213547

● Circle No. 148

WORD PROCESSING AT A PRICE YOU CAN AFFORD

Olivetti: ET121



- *Daisywheel electronic Typewriter/Printer
- *KSR Serial Interface with memory
- *Software & Hardware Handshaking Protocol
- *Print speech of up to 45cps.

Probably the most versatile typewriter an office can buy

Other Daisywheels and Dotmatrix Printers at unbeatable prices

Smith Corona

Ricoh

Qume

Mannesman Tally

Microprism

Oki microline

Let Epson



Seikosha GP100 = £175

RX80 = £285

Seikosha 250X = £235

FX80 = £375

Add VAT but Free delivery within 50 miles

ASCO BUSINESSES

43 Windmill Way, Reigate, Sy RH2 0JB Tel: (07372) 48055

● Circle No. 149


GIVE YOUR VIC20 & 64 IEEE PLUS RS232

VIC and 64 users

Would you like to be able to access any of these peripherals from your computer?

- ½ megabyte disks (Commodore 4040 drive)
- 1 megabyte disks (Commodore 8050 drive)
- 10 megabyte disks (Commodore 9090 hard disk)
- Printers including a wide range of inexpensive IEEE and RS232 matrix and quality printers
- IEEE instruments such as volt meters, plotters etc.

Now you are no longer limited by the VIC or the 64's serial bus. Simply by attaching INTERPOD you can vastly increase the power of your VIC 20 and when used with the new 64, INTERPOD



INTERPOD

turns the computer into a really powerful system.

With INTERPOD the VIC and 64 become capable of running really professional quality software such as Word-processing, Accounting, Instrument control and many more.

INTERPOD will work with any software. No extra commands are required and INTERPOD does not affect your computer in any way.

Using INTERPOD is as easy as this:

Simply plug INTERPOD into the serial port of your computer, power-up and you are ready to communicate with any number of parallel and serial IEEE devices and any RS232 printer.

Oxford Computer Systems (Software) Ltd.

Hensington Road, Woodstock, Oxford OX7 1JR, England Tel. (0993) 812700

£125

● Circle No. 150

sinclair special

1



**Inside...
Latest prices round-up...
Latest software...
Order form...**

Introduction

One thing's certain about the Sinclair world – there's never a dull moment.

Every month sees new software and new hardware, produced by Sinclair enthusiasts, or produced by Sinclair itself.

The magazines do a fantastic job of keeping you up to date with the input of enthusiasts. We want to keep you in touch with Sinclair's own developments.

Every month, there'll be a Sinclair Special in this magazine.

Sometimes, inevitably, there won't be anything new to say – we want to break away from the breathless announcements of hardware and software you just can't buy.

But when something new is available, we want you to have accurate information – fast. You'll find it here.

This month, we're giving you the latest information on the recommended retail prices of Sinclair equipment. They're *our* prices, and you may well find things cheaper (or dearer) in the shops. If they're cheaper – terrific! Snap them up. Note, however, that from us the ZX81 is down to £39.95.

We're also announcing six superb new Sinclair cassettes for the Spectrum, and three more which make full use of the ZX81. There's an order form at the back of this Special.

Next month... but there, next month is another story! Watch (as they say) this space.

Nigel Searle

Nigel Searle,
Managing Director,
Sinclair Research Ltd.



Spectrum – latest recommended retail prices.



16K was £125.00

16K now £99.95

48K was £175.00

48K now £129.95

ZX Printer was £59.95

ZX81 was £49.95

ZX Printer now £39.95

ZX81 now £39.95



Six new ways to make more of your Spectrum.

Take a look at these brand-new titles. Each is an outstanding new program using the full potential of the Spectrum, for games with stunningly animated graphics, for strategies of fiendish cunning, for masterly applications of computing capability...

Cyrus-IS-Chess Based on the Cyrus Program, which won the 2nd European Microcomputer Chess Championship and trounced the previously unbeaten Cray Blitz machine. With 8 playing levels, cursor piece-movement, replay and 'take-back' facilities, plus two-player option. The 48K version has many additional features including an extensive library of chess openings. For 16K or 48K RAM Spectrum.

Horace and the Spiders Make your way with Horace to the House of Spiders, armed only with a limited supply of anti-spider-bite serum. In the house, destroy the webs before the spiders can repair them. Then destroy the spiders, before they destroy Horace! Undoubtedly the creepiest Horace program ever produced! For 16K or 48K RAM Spectrum.

Computer Scrabble The famous board game, on-screen - with the whole board on view! A huge vocabulary of over 11,000 words. Full-size letter tiles, four skill levels - the highest of which is virtually unbeatable. For 1 to 4 players. For 48K RAM Spectrum.

(SCRABBLE trademark and copyright licensed by Scrabble Schutzrechte und Handels GmbH - a J.W. Spear and Sons PLC subsidiary.)

Backgammon A fast, exciting program, with traditional board display, rolling dice and doubling cube. Four skill levels. For experts - or beginners. (Rules are included - it's the quickest way to learn the game.) For 16K or 48K RAM Spectrum.

FORTH Learn a new programming language, as simple as BASIC, but with the speed of machine code. Complete with Editor and User manual. For 48K RAM Spectrum.

Small Business Accounts Speeds and simplifies accounting work, produces Balance Sheets, Profit and Loss information and VAT returns. Complete with User manual. For 48K RAM Spectrum.

Overleaf - your Sinclair order form.

Three new ways to get the best out of your ZX81.

The range of Sinclair software for the ZX81 continues to grow.

These three new cassettes offer two totally different challenges to you and your ZX81. The games – like so many ZX81 games today – really do use the ZX81's capability. The FORTH program is a fascinating extension of your own computer understanding.

Sabotage Defender or attacker? The choice is yours in this exciting game.

Be the Guard and defend the randomly placed boxes of ammunition inside the compound – or be the Saboteur and attack the ammunition!

Written by Macronics for a ZX81 with 16K RAM. Cassette price: £4.95.

City Patrol You are the Commander of a laser-firing ship. Your task is to intercept and destroy alien suicide ships descending on your city. Judge your rating as Commander by how many aliens you destroy and how much of your city survives.

Written by Macronics for a ZX81 with 16K RAM. Cassette price: £4.95.

FORTH Discover a new programming language which combines the simplicity of BASIC with the speed of machine code.

FORTH's compiled code occupies less than a quarter of the equivalent BASIC program and runs ten times as fast. It is fully extendable by the addition of user-defined commands.

Free User-Manual and Editor Manual with each cassette.

Written by Artic for a ZX81 with 16K RAM. Cassette price: £14.95.



How to order

Simply fill in the relevant section(s) on the order form below. Note that there is no postage or packing payable on Section B. Please allow 28 days for delivery. Orders may be sent FREEPOST (no stamp required). Credit-card holders may order by phone, calling 01-200 0200 24 hours a day. 14-day money-back option.

sinclair

Sinclair Research Ltd,
Stanhope Road, Camberley,
Surrey, GU15 3PS.
Telephone: (0276) 685311.

To: Sinclair Research Ltd, FREEPOST, Camberley, Surrey, GU15 3BR.

Section A: hardware purchase

Qty	Item	Code	Item Price £	Total £
	ZX Spectrum – 48K	3000	129.95	
	ZX Spectrum – 16K	3002	99.95	
	ZX 81 (including 1.2A Mains Adaptor)	1003	39.95	
	16K RAM pack for ZX81	1010	29.95	
	ZX Printer	1014	39.95	
	1.2A Mains Adaptor, for use with ZX81 computer/ZX Printer com- bination (only required if you have an early ZX81 with 0.7A Adaptor)	1002	7.95	
	Printer paper (pack of 5 rolls)	1008	11.95	
	Postage and packing: orders under £90	0028	2.95	
	orders over £90	0029	4.95	
			TOTAL £	

*I enclose a cheque/postal order made payable to Sinclair Research Ltd for £.

*Please charge to my Access/Barclaycard/Trustcard account no:

*Delete/complete as applicable.

(Please print)

Signature _____ Mr/Mrs/Miss _____

Address _____

PRC 908

● Circle No. 151

ORDER FORM

Section B: software purchase

Qty	Cassette	Code	Item Price £	Total £
FOR SPECTRUM				
	G22/S: Backgammon	4021	5.95	
	G23/S: Cyrus-IS-Chess	4023	9.95	
	G24/S: Horace & the Spiders	4022	5.95	
	G25/S: Scrabble	4024	15.95	
	L1 /S: FORTH	4400	14.95	
	B6 /S: Small Business Accounts	4605	12.95	
FOR ZX81				
	G25: Sabotage	2124	4.95	
	G24: City Patrol	2123	4.95	
	L1: FORTH	2400	14.95	
			TOTAL £	



WINNING TREBLE

It takes a precision throw to hit target and an accurate decision to choose the correct printer to suit your requirements. CAE makes your choice easier with the winning treble.

MICROPRISM

The new MicroPrism printer is produced for 'triple top' accuracy – that means quality text at low cost. Basic specification includes 80 cps correspondence quality and 110 cps data with high resolution 84 x 84 d.p.i graphics. The MicroPrism will also accept letter headed or pin feed paper.

PRISM 80 & 132

Small but efficient the Prism 80 & 132 Matrix printers are right on target. Ideal for personal and business use, producing a quality performance every time.

Both provide the speed you require, operating at up to 9600 baud and printing at 200 cps offering the flexibility to match immediate and future needs.

Optional features include high resolution graphics, 250 sheet hopper and FULL COLOUR.

PRISM 80




PRISM 132



MICROPRISM

Dealer enquiries welcome



Teleprinter Equipment Ltd

Akeman Street, Tring, Herts HP23 6AJ

Tel. Tring (0442 82) 4011/5551 International Tel. +44 44282 4011/5551

Telex: 82362

Associated Companies GADC/CAE/ME

Please send full details of the Prism range of printers.

Name _____
 Company _____
 Address _____
 Tel _____

PC7/83

● Circle No. 152

Printers for beginners


Jack Schofield looks at why you might want a printer, and what to look for when it comes to choosing one.

ONE OF the more amusing aspects of microcomputing is the so-called electronic or paperless office. In fact, the average microcomputer in business is hooked up to at least one printer to produce hard copy on paper. Reams and reams of the stuff.

Even in the home, the microcomputer used for serious purposes quickly acquires a printer of some sort as a peripheral. At first the printer is used for listing programs: they are easier to check against printed listings than by comparing them with the screen. The paper listing is also easier to debug when you can see more than 24 or 40 lines of code. Your printed listing can even be submitted for publication in your favourite magazine.

Later the printer is used to print results for future use. It might be a simple shopping list or your household accounts, an index of your butterfly collection, or whatever. At this level, of course, the print quality does not matter much; if it is legible, it is useful.

More advanced uses often mean better-



Qume daisywheel — as pictured in colour on the cover of this issue.

quality printing is required. You can use a micro to write love letters, or complaining letters to your bank manager. In either case the recipient is unlikely to be impressed if it comes on the sort of narrow silver paper


produced by the Sinclair printer. For complex graphs and charts, or impressive pictorial effects, a graphics printer or plotter is required.

In business, printers are essential, not optional. A good accounting package will, for example, allow if not enforce the printing out of a complete record of the transactions, both for the auditor and your own peace of mind. Discs are fragile. Data does become corrupted and lost. Printers are useful too for writing cheques and sending out invoices, statements and letters.

There are a great many printers available to fulfil these needs. The first step in choosing one, however, is to identify and cost the application. You must identify it specifically because some applications will require particular facilities. For example, you may need to print on standard headed notepaper or produce extra-wide business plans or accounts.

You may need to be able to print scientific formulae with unusual characters

Suppliers



ACT

Dot-matrix and daisywheel models. ACT House, 111 Hagley Road, Birmingham B16 8LB.

ANADIX

American dot-matrix models. Anadix, Weaver House, Station Road, Hook, Basingstoke, Hampshire.

BROTHER

Cheap 16cps daisywheel. Brother, Jones and Brother, Shepley Street, Manchester.

CANON

Advanced colour ink-jet model under £600. Canon (U.K.), Waddon House, Stafford Road, Croydon.

CENTRONICS

Dot-matrix and daisywheels. Centronics, Petersham House, Harrington Rd, London SW7.

CPU PERIPHERALS

Daisywriter. CPU peripherals, Rodd Industrial Estate, Govett Avenue, Shepperton.

DATA PRODUCTS

Dot, daisy and a thermal printer. Micro Design, 40 West Street, Crewe, Cheshire.

DATA

40-column dot-matrix and tally-roll printers. Datac Ltd, Tudor Road, Altrincham, Cheshire.

DEC

Supplied with DEC micros or separately. Digital Equipment Co. Ltd, Imperial Way, Reading Berkshire.


DIABLO

Major daisywheel maker, a Xerox Company. Printers supplied by Rapid Recall, Rapid House, Denmark Street, High Wycombe, Buckinghamshire.



EPSON

Japanese leader in dot-matrix printers. Epson (U.K.) Dorland House, 388 High Road, Wembley, Middlesex HA9 6UH.



FACIT

Famous Swedish company with dot-matrix and daisywheel printers, supplied by Advent Data Products, Merlin Way, Bowerhill Industrial Estate, Melksham, Wiltshire.



GENERAL ELECTRIC

American dot-matrix maker. ISG Data Sales, Unit 5, Wellington Industrial Estate, Basingstoke Road, Spencers Wood, Reading, Berkshire RG7 1AW.

INTEGREX


Dot-matrix colour printer using three-colour ribbon. Integrex, Church Gresley, Burton-on-Trent, Staffordshire.

LOGABAX

Dot-matrix printers. Technology for business, 157 Farringdon Road, London EC1.



If you have an electric typewriter it can probably be converted to a slow but high-quality printer. The Printer-Adaptor is shown here under an IBM Selectric. It adds parallel and serial interfaces, and the facility to program control codes. The supplier is Pontoppidan (U.K.), 11 Hunterhill Road, Paisley, PA2 6SR, Scotland.



An acoustic hood can be invaluable in a busy office, reducing printer noise by about 80 percent. Nowadays hoods are available to suit most popular printers. The THS Model 1190 is shown here with a Qume daisywheel printer. The hood costs £235 from THS Data Products, 11 Techno Trading Estate, Bramble Road, Swindon, Wiltshire.

and sub- and superscripts. You may need to draw graphs, or produce "correspondence quality" letters which look typed rather than computer printed. Having identified such needs, you have to cost them. Is there a printer which will do what you want at a price you can afford?

Assuming you have done all this, the rest of this article will describe, in general terms, what is available and what the terms mean.

Impact. The most obvious way to get a computer to make an image on paper is to do it the same way as a typewriter, using impact printing. A type element with a raised image strikes a ribbon against the paper, leaving behind its outline in ink.

It is tempting simply to connect a printer to a suitable typewriter. By and large this can work reasonably well as long as high-speed printing is not required. However, typewriters are generally not built to withstand the sort of punishment they get when attached to a computer, so this is not a serious option except for the home user.

Dot-matrix printers. To cope with computer speeds, two developments were made: dot-matrix and daisywheel printers. They produce quite different types of character.


The character on your video screen is made up of a collection of dots on a matrix. The dot-matrix printer works the same way. The print head consists of a set of

pins, each of which can be fired at the ribbon. The pins are selected to form the character required.

The quality of the dot-matrix image depends mainly on the number of pins. A five by seven matrix is cheapest, but not enough to provide proper descenders on letters like q, p, j and y. A seven by nine matrix provides a better result, and a nine by 14 better still. Dot-matrix printers have the advantage of being reasonably cheap and fast.

Daisywheel printers. Because the golf-ball type of printer is too slow for computer printers the daisywheel was invented to replace it. The letters are on the end of fine

(continued on next page)



LUCAS LOGIC
Dot-matrix printer. Lucas Logic, Welton Road, Wedgnoek Industrial Estate, Warwick.



MICROPERIPHERALS
Dot-matrix and cheap Juki daisywheel printers. Microperipherals, The Street, Basing, Basingstoke, Hampshire RG24 0BY



MANNESMANN-TALLY
German dot-matrix printers. Mannesmann-Tally, Molly Millars Lane, Wokingham.



NEC
Japanese maker of Spinwriter series. Thame Systems, Thame Park Industrial Estate, Thame, Oxfordshire.

NEWBURY DATA

Large supplier of dot-matrix and daisywheel printers, mainly to OEMs. Newbury Data, Hawthorne Road, Staines, Middlesex TW18 3BJ.

OLIVETTI

Interfaced typewriters and dot-matrix printers. Olivetti, PO Box 89 86-88 Upper Richmond Road, London SW15.

OLYMPIA

Interfaced typewriter and daisywheel. Supplied by Intelligent Interfaces, 18 Central Chambers, Wood Street, Stratford upon Avon, Worcestershire.

PERIPHERAL HARDWARE

Suppliers of AES daisywheel and Oki dot-matrix printers. Peripheral Hardware Ltd, Unit 13, Monkspath Industrial Park, Highlands Road, Shirley, West Midlands.

QANTEX

Fast dot-matrix printer. Mellordata, Woodgates Road, East Bergholt, Colchester.

RICOH

Japanese daisywheel printers sold under the Flowriter and OEM labels. Appropriate Technology, 2-4 Canfield Place, London NW6.

QUME

ITT subsidiary and leading maker of daisywheel printers. ISG Data Sales, Unit 5, Wellington Industrial Estate, Basingstoke Road, Reading, Berkshire.



SANYO

Cheap 16cps daisywheel printer. Sanyo Marubeni (U.K.), 8 Greycaine Road, Greycaine Estate, Watford, Hertfordshire.

(table continued on next page)

Printers for beginners

(continued from previous page)

spines around a hub — as shown on the cover of this issue. The daisywheel works by impact in the same way as a dot-matrix printer, but gives a typewriter-quality result. Average speeds are rather slower than with dot-matrix printers: 30 to 50 characters per second is typical, compared to 80 or so.

Thermal and electrostatic printers. These are a variation on dot-matrix printers, but use special paper instead of ink from a ribbon. Thermal printers use tiny spark plugs to burn away an aluminium coating on the paper so that the black underneath shows through. The Sinclair printer is the most common example of this type. Such printers are usually small, and allow only 20 to 40 characters a line, but they are cheap and are also quiet.

The laser printer is a relatively rare beast that uses a laser to burn a row of dots on a sensitised drum. The image is then transferred to paper by electrostatic means, just as in a photocopier.

Ink-jet printers. Ink-jet printers use tiny droplets of ink to form the letters. This is a fast way to print as the system does not have to cope with the mechanical inertia of normal dot-matrix printers. It is possible to print in colour just by having different coloured inks, which is much easier than using coloured ribbons.

Until quite recently ink-jet colour printers have been far too expensive for most people to consider, but Canon has



Daisywheel printers are required for high-quality correspondence, but tend to be either very slow or very expensive. The Olympia ESW-3000RO offers a good compromise: it prints bidirectionally at up to 50cps and costs around £1,100 plus VAT. Tractor feed and a single-sheet feeder are optional extras. The supplier is Olympia Business Machines Ltd, Olympia House, 199-205 Old Marylebone Road, London NW1 5QS.

recently launched a model at under £600. Others are sure to follow.

Print quality. Thermal printers give the lowest print quality, dot-matrix printers give medium quality, and daisywheel printers give typewriter-quality results. There is also a trade-off between speed, print quality and price. Higher speeds and better quality cost more.

Versatility. Of the two important types of printer, the dot-matrix is more versatile than the daisywheel. The daisywheel can provide different character sets because you can simply change the wheel; the dot-matrix printer can be programmed to produce a wide range of character styles in

software. The dot-matrix can easily provide condensed and expanded characters, or more readable emphasised characters by double striking.

Many dot-matrix printers can also print graphics, as long as each pin can be fired individually, not just in character patterns. Both types of printer may offer proportional spacing, which means that narrow letters like i take up less space than wide ones like w.

Print width. A cheap printer may only print 20 to 40 characters per line. For serious use printing at 80 full-size characters per line on A4-width paper is

(continued on page 69)

(table continued from previous page)



Seikosha GP-700 colour printer.

SEIKOSHA
Japanese manufacturer of cheap dot-matrix models, and new GP-700A colour printer at £425. Supplied by DRG, Unit 8, Lynx Crescent, Winterstoke Road, Weston-super-Mare.

SILVER REED
Typewriter maker's 16cps daisywheel. Supplied by X-Data, 750 Deaf Avenue, Slough Trading Estate, Slough SL1 4SH.

SMITH CORONA
Cheap daisywheel printer, supplied by Discom, Dresden House, 51 High Street, Evesham, Worcestershire

Above: Silver Reed's daisywheel from X-Data. Left: letter quality dot-matrix by Toshiba.

STAR MANUFACTURING
Dot-matrix printers supplied by Micro Peripherals, 69 The Street, Basing, Basingstoke, Hampshire.

TEC
Starwriter daisywheels and a dot-matrix printer. DRG, Unit 8, Lynx Crescent, Winterstoke Road, Weston-super-Mare.

TOSHIBA
Japanese dot-matrix printer with letter-quality mode. Thame Systems, Thame Park Industrial Estate, Thame, Oxfordshire.

TREND
Fast dot-matrix printers. Trend Communications, Knaves Beech Estate, Loudwater, High Wycombe, Buckinghamshire.

TRIUMPH ADLER
Daisywheel and dot-matrix models from Triumph Adler, 27 Goswell Road, London EC1.

WALTERS MICROSYSTEMS
British dot-matrix printer manufacturer. Impact Data, 1 Chilton Road, Edgware, Middlesex.

ZENITH DATA SYSTEMS
American dot-matrix printer. Zenith Data Systems, Bristol Road, Gloucester.

ACT WRITERS ~right for you

The ACT Writer range is an exciting and comprehensive new series of business printers, graph plotters, and accessories from ACT, one of the UK's leading computer companies.

Designed to fulfill a wide variety of user needs the printers range from the portable, inexpensive ACT Writer 10 to the super fast near letter quality ACT Writer 20.

Whatever your particular requirements, you can be sure of finding a printer that is just right for your system (and your budget).

Whether it's word or data processing, high speed or letter quality output, sheet fed or continuous stationery – there's an ACT Writer ideal for the job.

Also in the Writer range are the new 80 and 81 plotters, setting new standards in price/performance. Capable of precise, high quality four and six colour illustration, there is a choice of both drum or flat-bed type.

Compatible for use with virtually any computer system, each product is backed by the full ACT Warranty. And you can expect immediate ex-stock delivery.



ACT Writer 20

ACT Writer 30

ACT Writer 12

ACT Writer 14

ACT Writer 10

Please send me the latest information on the ACT Writer Range.

Name _____

Position _____

Company _____

Address _____

Telephone _____

● Circle No. 153



ACT
office
products

ACT (Office Products) Limited

Freepost, Halesowen, West Midlands B63 1BR or call 021-501 2284

for the right printers

QUME

new range
of video
terminals

EMULATION
.....so versatile

ERGONOMICS
.....so irresistible

SO!
the whole office
wants them.

Now Qume offers a line of
three terminals that help you face
every one of your company's needs:
The Qume QVTSM series.

The low-cost Qume QVT 102 has all the best
features of the four most popular terminals and can emulate all
four with a keystroke! QVT 103 is code compatible with DEC
VT100/131 and offers 80 or 132 character/line, split screen and up to four pages
of memory. And QVT108 faces up to the most demanding jobs with 22 function
keys, 13 editing functions and 2 pages of memory.

Qume QVT terminals all share striking ergonomic design. Tilt/swivel screens in green or amber, with
screen save. Detached, low profile keyboards with palm rest and sculptured keys. Big 9 x 12 character cells. And a
long list of other features to make people more comfortable and productive.

AUTHORISED DISTRIBUTORS

Access Data Communications Ltd.,
Uxbridge, Middlesex. Tel: (0895) 59781

Bytech Ltd.,
Earley, Reading, Berks. Tel: (0734) 61031

ISG Data Sales Ltd.,
Reading, Berks. Tel: (0734) 884666

Alphatech Computer Systems Ltd.,
Bourne End, Buckinghamshire.
Tel: (06285) 28237

Daisy Terminals Ltd.,
Haywards Heath, West Sussex.
Tel: (0444) 457546
London Office - Tel: 01-434 2821

Qume[®]

Qume (UK) Limited,
Bridgewater Close, Reading, Berkshire RG3 1JT.
Tel: Reading (0734) 584646. Telex: 849706

A British Company of **ITT**

● Circle No. 121

ACT PLOTTERS for the best laid plans

Two brilliantly versatile graph plotters are now available from ACT, one of the UK's leading computer companies.

Startling quality and accuracy are achieved through the usage of the very latest techniques – at a price that brings four or six colour output well within the reach of every computer user. The ACT Writer series is quick and easy to use, quickly converting scientific, technical, accounting, manufacturing or marketing data into clear, sharp 'publication-quality' plots on either paper or transparent film.

There are currently 2 models available, each fitted with industry standard parallel and serial interfaces to permit easy connection to a wide variety of computer systems.

ACT WRITER 80

A compact, space-saving roll-type plotter capable of high speed, high quality character and graphics illustration. It is an ideal tool for small graphics systems and cost sensitive applications.

A range of intelligent commands for circles, arcs, curves and lines are included.

Four pen stables are provided with automatic colour selection. Simple manual change allows further colours to be introduced for complex multicolour illustrations.

ACT WRITER 81

A versatile six colour flat-bed plotter offering an efficient combination of high contrast graphics, sharp text and fast operation.

Six interchangeable plastic pens (water or oil based) allow sophisticated designs to be created. All pens are software selectable.

Both letter size and full size plotting areas can be specified, together with a choice of horizontal format or vertical format for printer use. Simple command codes are provided for automatic axis plotting.



ACT Writer 81
Six colour flat-bed plotter



ACT Writer 80
Four colour roll-type plotter



ACT (Office Products) Limited
Freepost, Halesowen, West Midlands B63 1BR
or call 021-501 2284

Distributed in the Republic of Ireland by Orbis Computing.

Please send me
the latest information
on ACT Graph Plotters.

Name _____

Position _____

Company _____

Address _____

Telephone _____

● Circle No. 155

The printer that thinks it's a computer!

FACT With internal microprocessor, 8K buffer store and total compatibility, the Ricoh Flowriter range has proved itself the most intelligent and reliable range of printers on the world market.

FACT Ricoh Flowriters can assume the characteristics of any popular 'intelligent' printer and plug into any hardware configuration.

FACT Ricoh Flowriters perform all your processing and printing needs while leaving the host computer free for other work.


FACT Ricoh Flowriters do all this, give you exceptional print quality, yet cost the same as ordinary daisy wheel printers!

FEATURES ■ Internal microprocessor

- 8K buffer under full program control
- Includes RS232, Centronics and IEEE 488 interfaces
- 60cps print on the RP1600, 37cps on the RP1300
- Qume, Diablo and NEC Spinwriter wp commands-compatible
- Auto-bidirectional and logic seeking high-speed printing
- Graphics capability down to 1/120"

- Built-in proportional spacing tables
- Automatic margin justification, even on proportional spacing
- 128-character printwheels, wide choice of fonts
- Wide range of accessories – sheetfeeds, tractor feeds, ribbons, printwheels
- Detachable keyboard option for using Flowriter as an intelligent typewriter or KSR terminal

For intelligent printing that frees the host computer and gives you exceptional print quality and speed, find out more about the Ricoh Flowriter – the printer that **knows** it's a computer, yet costs the same as those that aren't!



The RP1600 Flowriter



The RP1300 Flowriter

Dealer Enquiries welcome.
The Ricoh/Flowriter range is only available from APTEC and their authorised dealers, backed by a nationwide service network.



**APPROPRIATE
TECHNOLOGY LTD.**
2-4 Canfield Place
London NW6 3BT

Tel: 01-328 7272 (Six Lines)
Telex 264538 SSE G

The Ricoh

FLOWRITER

Printers for beginners

(continued from page 64)

essential. An 80-character dot-matrix printer should also offer 132 characters per line with condensed characters, which may be vital for printing out the results of spreadsheet calculations. For screen dumps, the printer should offer at least as many characters as your screen.

When it comes to dot-image printing there may not be much to be gained from a printer which can print a higher resolution than is offered by your microcomputer.

Intelligence. Intelligent printers are better than downright stupid ones, and intelligence can be shown in a number of ways. For instance, a printer is dumb if it wastes time doing nothing during a carriage return.

A smarter printer remembers a whole line at a time and provides bidirectional printing. That is, it prints lines from right to left then from left to right in turn. It may also be logic-seeking, which means it attempts to print the shortest line. A logic-seeking or space-skipping printer is useful for printing, say, forms or invoices. It skips all the unwanted spaces and moves straight to the next print position.

An intelligent printer will often have a larger memory or print buffer. It accepts a lot of text from the computer and prints it at its leisure instead of making the micro feed it a line at a time.

Paper. There are two basic forms of

paper feed: friction and tractor. A tractor-feed printer has toothed wheels to carry the paper through the printer and requires corresponding sprocket holes in the paper. This kind of paper often comes in flat sheets joined with perforations: it is called fan-fold paper. The sprocket holes may also be on perforated strips which can be torn off so that single sheets of paper result. If the perforations are micro-perforations, the edges may have a reasonably smooth finish.

Both cheaper and more expensive types of printer use friction feed. The pressure of a single roller carries the paper through the printer. The problem is that the paper tends to slip and skew, leading to disaster. Rolls of paper work reasonably well when they are narrow.

Companies often want to print on their standard headed letter paper, and this means adding a cut-sheet feeder to the friction-feed printer. Otherwise you have to feed each sheet by hand. These feeders are generally expensive and tend, in real life, to be not wonderfully reliable. One solution is to have single sheets attached to fan-fold paper. This requires special printing of the top sheets, which is economical in quantity.

Interface. Obviously, when choosing a printer, it must link to your computer. This link involves more than the physical connection, which can be tedious in itself. It also means that the characters your computer sends to the printer will be correctly interpreted by it. Unfortunately most computers seem to have their own version of control codes, and so do printers. Getting the two to work together can take even an expert weeks. A separate feature in this special section describes some of the problems.

The safest option is to buy your computer manufacturer's brand of printer.


This will probably be a standard printer which has been badge engineered — only the badge is different. Thus the IBM PC printer is actually an Epson MX-80.

Another idea is to buy the printer from the same dealer who sold you the computer, if he can demonstrate the two working together. Otherwise you can get into a situation where the printer man says it's the computer that is at fault, and the computer dealer says it's the printer. Alternatively they may both blame the software. You have been warned.


Cost and other factors. Many other things must also be considered when choosing a printer. These include noise, convenience and cost. Most printers are noisy, and to use one in a busy office may require you to add an acoustic hood as a silencer. Convenience factors include the ease with which ribbons can be changed. Also, can you change the Dip-switch settings, if any, without removing the case? Dip switches may be used to set the line spacing, form length, character set, etc., though they should also be software selectable.

Your analysis of the cost of a printer should also include the cost of any cables, any stand required, the cost of special paper, if required, and the likely cost of replacement ribbons. Businesses must also consider the cost of a maintenance contract.

To judge by the quality of the results that arrive daily in this office, most printer users cannot afford ribbons. A useful tip for new users is to print a test with a new ribbon and keep it handy for comparison with later results. For the rest, some 95 percent of printer users could dramatically improve the quality of their results not by buying a super new printer, but by — please! — just investing in a box of new ribbons. □



The LA-50 is a typical modern dot-matrix printer which can produce a variety of type styles with a seven by nine matrix, plus bit-map dot-addressable graphics. It prints at 100cps bidirectionally. In the enhanced typeface it overprints to provide a 13-by-nine dot character at 50 cps. It has both tractor and friction feed and can handle fan-fold, single sheets and rolls of paper. The LA-50 is from DEC but can be supplied for most small micros by Rapid Terminals, Rapid Recall Ltd, Rapid House, Denmark Street, High Wycombe, Buckinghamshire HP11 2ER.



An unusual but useful accessory for those producing a lot of hard copy is the Micro-Burster Model FT2K. It automatically separates fan-fold paper into individual sheets, and an optional accessory removes edge sprockets. The supplier is Advanced Media Ltd, Unit H, St Anthony's Way, Faggs Road, Feltham, Middlesex TW14 0NH.

OLIVETTI JP-101

NEARLY TWO YEARS AGO an ink-jet printer arrived in this office for testing. It was supposed to print at high speed, but unfortunately in attempting to keep up with the print head the rather less nippy pin-feed platen turned the paper into handfuls of confetti.

It is not easy to write an interesting review of a printer that will not actually print, so I invited its manufacturer to take the machine away and bring it back when the problem had been sorted out. I have not heard from them since.

So you can imagine that the term "ink-jet printer" echoed somewhat hollow in my ear when I heard it again at the end of last year, this time from Olivetti. It quickly became clear, however, that this is an ink-jet printer with a difference. For one thing it works — with some reservations I will come to later.

Putting aside the unfortunate connotations in this office, I would not be inclined to call the Olivetti JP-101 an ink-jet printer at all. For one thing, it does not actually use ink — the marking medium is a small carbon rod encapsulated in glass. Its


For Chris Bidmead this is the ink-jet printer with a difference — it works.

full name is "spark ink-jet printer": the black dots are built up on the paper by a small electric discharge running from the tip of the carbon rod through the paper to an earthing plate behind it. The discharge carries over a tiny quantity of the carbon and bonds it to the paper.

This novel technology results in the smallest and lightest print head I have ever seen on an 80-column printer. There is virtually nothing to it except the replaceable carbon element, which weighs about one

gram. It looks like a 2in. nail bonded to a small plastic mount, and four of them come in a container the size of a matchbox.

You may have noticed that the 19th-century adage "build it solid, build it big" has gone out of the window in recent years, at least as far as computer peripherals are concerned. It is not simply the recession that is driving designers to pare down their products. We are coming to realise that a kind of Occam's razor applies to hardware as much as to philosophy. "Less" is better



The replaceable carbon element weighs about one gram and is bonded into a small plastic mount.

This is a test of the Olivetti Ink Jet by Chris Bidmead

test of the Olivetti Ink Jet printer for
Computing". This is a test of the Olivetti Ink
for "Practical Computing". This is a test of the
K Jet printer for "Practical Computing". This is
the Olivetti Ink Jet printer for "Practical

because there is less to go wrong, and savings at one end of a process have implications all the way down the line. A light print head demands a less powerful motor, with a lighter current consumption which means a smaller power pack with regulators that run cooler.

The Olivetti is an excellent example of the new minimalism, with unfussy external design to match. The case is dark grey and fashioned in the squared-off styling that marks out other Olivetti products. Allowing for protruding plugs at the rear the Olivetti JP-101 takes up no more than 11½ in. by 15 in. of desk space and stands 4½ in. high, not counting the roll paper feeder.

Two interfaces were provided on the review machine: Centronics parallel and RS-232 serial. The Centronics interface worked directly when plugged into the IBM PC parallel port, and printed text without problems. Screen dumping of graphics produced nonsense, however, because the Olivetti does not understand the IBM PC's escape-code sequences. This is only to be expected.

Setting up the RS-232 interface meant removing the top half of the case to get at the DIL switches. Dismantling the machine is pretty well a foolproof operation, thanks to some very sensible design. All you have to do is turn it upside down, unscrew a bolt in each corner, turn the machine the right way up again and lift off the case.

Some Olivetti points of finesse emerged at this stage, of which other manufacturers might well take note. The four bolts are captive. Once unscrewed they stay attached to the case ready for reassembly. There is no scrabbling around the workshop floor looking for the one that got away. As you lift the case away there are no wires to disconnect, no knobs to lever off and nothing protruding from the chassis that has to be manoeuvred through an awkward cutout. The case lifts away cleanly, taking with it the Line Feed, Form Feed and Local push buttons, which in use simply connect

with the actual electrical switches attached to the chassis.

Once the cover is off, there is no need to probe into the mechanism to set up the interface. The three banks of DIL switches you have to reach are out in the open, directly in front of you. I recently did battle with a dot-matrix printer costing over £2,000 that required a major dismantling of the printer mechanism to reach the switch that changed the form-feed length.

There are optional settings for the full range of baud rates from 300 to 9,600, and the usual choice of parity and word length. I was pleased to see that all three major handshaking conventions are catered for: hardware handshaking on pin 20, Data Terminal Ready; XOn/XOff, and ETX/ACK.

There is also a convention I had not come across before whereby the printer sends a Break down the TX line whenever the buffer becomes three-quarters full. This could be good news if there is a Usart at the other end that can detect Break and reflect it on one of the pins. You could then set up what amounts to hardware handshaking without using a third wire.

On the other hand there may be Modem-like devices on the line that reads Break as a prompt to do something the little Olivetti is not expecting — like cease transmission and go into Reset mode. In a case like that it would be useful to be able to switch out this ingenious flourish, but unfortunately whoever put the PROM together does not give you that option. This was not the only experience I had of the unit's rather cavalier attitude to the software design.

Threading the paper into a pin-feed machine is sometimes a painful process. Although not ideal, the Olivetti makes it reasonably easy. You lift the hinged translucent half-cover and discover a release lever on the right-hand side of the print mechanism that raises the platen clear of the paper-tension springs beneath. This gives you a good look at the curious construction of the platen, which is

designed to do double duty as a friction feeder.

Where you might expect to find a solid cylinder the Olivetti makes do with a thick plastic rod on which three rubber rings are mounted. This simplified construction helps to keep down the weight of the platen, and hence the power of the motor needed to drive it, and so on. In practice the arrangement works very well, even allowing you to feed in unperforated sheets of labels, which are notorious for slipping in conventional friction-feed machines. I found it particularly useful to be able to shove in any old sheet of scrap A4 for the odd one-off dump from DDT.

The Olivetti allows for a variety of perforated paper widths by permitting the right-hand pin-wheel to slide along the platen. Once the paper is installed it can be set at the top of form by pressing a lever on the left which unlatches the platen drive, leaving it free to roll forwards or backwards.

It seems a pity that this lever cannot be accessed once the translucent hinged cover is lowered into the operating position. For work like label printing that requires precise positioning of the paper I found it best to keep the cover open, which meant devising a bent paper-clip gizmo to defeat the Cover Open switch.

Perforated paper has the disadvantage of needing a fairly well organised feed-in-feed-out flow path. I have never understood why manufacturers invariably arrange for the RS-232 cable connection at the rear to be at just the point where it is going to interfere most with the paper flow. Olivetti continues to subscribe to this well-established tradition.

There is a way out if you do not mind using a continuous roll of unperforated stationery. The solution is a paper-roll holder which comes with the machine and can be clipped on at the back. I found it very useful to be able to move the printer around the office with its own built-in paper supply.

The characters on the page are built up out of an array of seven by seven dots, but unlike the more usual multi-needle dot-matrix printer the print head is only capable of delivering one dot at a time. Every line of characters therefore requires a multiple scan, with the ultra-lightweight head flashing backwards and forwards across the paper. "Flashing" may be taken literally: if you peer through the translucent lid you can actually see the tiny sparks discharging.

Seven by seven is not great resolution, but Olivetti has managed to produce a clear and rather pleasing character set by relaxing the rules and allowing capitals to descend. This gives a somewhat folksy look to the output, but I found it very legible even when compressed down to the smallest size of 18 characters to the inch. Switching on double height and double width produces useful headline-style characters.

(continued on next page)

OLIVETTI JP-101

(continued from previous page)

Olivetti demonstrates the 110 dots-per-inch graphics capability of the machine with a test printout derived from the video image of a young woman who seems to have other things than printers on her mind. Unfortunately I do not have access to the equipment necessary to follow this up — a digitiser, I mean — and I did not feel inclined to spend long hours recreating her in Basic.

The A5-sized red manual tells you very clearly how to cope with the graphics. In fact there is a very good discussion of practically everything you could possibly want to know about the machine, and as far as the hardware goes it appears to be accurate. The software side of things is a slightly different story, but this is hardly the manual writer's fault. The manual

describes what ought to happen; it's whoever wrote the PROM that got it wrong.

The heart of the problem seems to be in the handling of Line Feeds, lf, and Carriage Returns, cr. It is one of those printers that will not do a cr without automatically throwing in an lf, which is a nuisance for bold printing and underline, although a command for automatic underlining is provided. As a corollary, whenever it finds an lf following a cr in the data stream it throws it away.

Unfortunately it also throws away any following cr/lf pairs. This remarkable phenomenon will save you a great deal of paper over the course of a year because it prevents the printing of blank lines embedded in the text, rolling all the paragraphs into one — a sort of built-in compression technique.

There are other minor infestations in the software that really should have been shaken out by now, but they pale beside this splendid howler. How it has passed quality control I cannot imagine. Word processing that stores blank lines as one or more spaces

will not show up this problem, so perhaps the machine works fine with the Olivetti M-20 micro.

Conclusions

● Physically the Olivetti JP-101 is a very nicely designed machine, although you might feel the need for a little "user-redesigning" to enable operation with the cover open.


● Its ingenious technology is very simple and should be trouble-free. There is a tendency for the print to be a little smudgy: it is charcoal, after all.

● The printer is cheap — excuse me, "low-cost" — at £365 for the Centronics-only version and £415 for the RS-232 enhanced model. It is quite fast for its price range, and commendably quiet in action.

● With full RS-232 and Centronics communications the printer should work with virtually any hardware.

● There is a rather silly problem with the current version of the PROM. The bug itself is nothing to get hung up about — it is so serious that the manufacturer will simply have to fix it to sell any machines at all — but it is terribly worrying that nobody at Olivetti seems to have spotted it.

● This JP-101 is supplied on an OEM basis to Acorn, which sells it as the JP-1 customised to the BBC Micro.

● Olivetti is at Olivetti House, PO Box 89, 86-88 Upper Richmond Road, London SW15. Telephone: 01-785 6666. 

	Characters	Time(s.)	Char./s.
Walters 2000	3572	43	83.07
Olivetti: Ink Jet	3572	58	61.59
Paper Tiger	3572	63	56.70
Adcomp	3572	75	47.63
Average	—	—	62.25

TOP SAVINGS ON PRINTERS

EPSON RX80 — £245

EPSON FX80 — £340

EPSON MX100 — £380

SEIKOSHIA GP100A — £175

SEIKOSHIA GP250X — £230

OKI M80A — £199

OKI M82A — £319

Prices exclude Vat
Cheque with order

Excellent Prices also available on
a range of Microcomputers, e.g.

Sirius, Commodore, Olivetti etc.

PLEASE PHONE FOR DETAILS OR WRITE TO:

MAYFAIR MICROS

65 DUKE STREET, LONDON W1. TEL: 629 2487

● Circle No. 157




IF YOU HAVE A BBC MICRO
THEN YOU NEED

Laserbug

 is the newsletter of the Independent National BBC Microcomputer Users Group. If you want the best source of information on the BBC Micro you can't do without . No matter what your interest — hardware, software, business, games or education then  has something for you.

Also,  has available many special offers including dust covers (for computer, monitor, printer, disks), cassette leads and 1.2 ROMS FOR ONLY £5.50 INCLUSIVE — THE CHEAPEST PRICE ANYWHERE! (Members Only)

 defies description — send off for a sample copy and you'll find that it sells itself to you. See one and you'll be hooked for life!!!

Please supply me with ☐ more details about  and your special offers
☐ a sample copy for £1.00 and an A4 SAE (17p postage)
☐ 1 UK 12 Month Subscription for £12.00
☐ 1 UK 6 Month Subscription for £6.00
☐ 1 Overseas Surface Mail Subscription for £14.00
(air mail rates on application)

Please send the goods to:

NAME ADDRESS

I enclose cheque/PO for £ p made payable to LASERBUG.

Please send the form to LASERBUG Dept. P, 10 Dawley Ride, Colnbrook, Slough, Berks., SL3 0QH.

● Circle No. 158

THE ULTIMATE MICRO PRINTING MACHINE



**The one machine solution
to every application.**

*For word processing, plotting
and just plain printing.*

Save the expense of a costly daisywheel. Eliminate the limited capability of cheap matrix printers. And get plotting in the process. Look at the advanced MT160 80 column and MT180 132 column multi-functional microprinters. You'll be amazed that such small printers can house so many facilities as standard.

Capability? You name it, these printers have got it. A report package puts you in the word processing world... letter quality characters, proportional spacing, margin justification, auto centering. A graphics package lets you plot whatever your micro wants to portray. The standard print mode lets you generate reports fast at speeds

up to 160 cps, and when it does this you have 8 different character widths to choose from.

There's more. Clip-on paper handling attachments let you use fan-fold forms, letterhead, or continuous roll paper. The control panel has a "menu select" for machine configuration and the MT160/180 are plug compatible to most micros. After all they have parallel and serial interfaces as standard.

In short, the MT160/180 are at the forefront of engineering excellence.

Give us a ring for full details or ask your regular microcomputer dealer for a demonstration.




**MANNESMANN
TALLY**

Mannesmann Tally Limited, Molly Millars Lane, Wokingham, Berkshire RG11 2QT. Tel: (0734) 788711. Telex: 847028.



Note to microcomputer dealers — if you would like to handle these products then ring Geoff Thomas or Terry Bell on the M-T Direct lines — Wokingham (0734) 791619 and 791533.

ORIC MCP 40 COLOUR PRINTER



ORIC
MCP 40 COLOUR PRINTER

£169.95 incl.VAT.

It's here, the exciting new ORIC MCP 40, Colour-Printer. Packed with quality ORIC features to start building your ORIC system.

Superbly styled and quality engineered to provide 4 colour hard copy, for home and business use.

Just look at these leading features:

- **Quality hard copy on plain paper**
- **Superb graphics and text capability**
- **Prints 4 colours – Red, Green, Blue and Black**
- **Designed to match the futuristic style of ORIC 1**
- **Plugs straight into your ORIC – printer lead supplied**

ORIC

The ORIC MCP 40 – Setting new standards in Micro Computer Printers. ORIC The Real Computer System

ORIC PRODUCTS INTERNATIONAL LTD Coworth Park Mansion, Coworth Park, London Road, Sunninghill, Ascot, Berks. SL5 7SE

ORIC products available from:-
WH SMITH · DIXONS · GREENS · LASKYS · MICRO'C'
· MICRO PERIPHERALS · SPECTRUM · COMPUTERS FOR ALL
and hundreds of independent dealers.

ORIC-1 16K & 48K



**ORIC-1 16K
VALUE PACK**
ORIC 16K plus £30*
worth of ORIC Software
for ONLY
£129.95 incl.VAT.

*TEACH YOURSELF BASIC
HOME FINANCE ORIC FLIGHT
MULTI-GAMES



**ORIC-1 48K
VALUE PACK**
ORIC 48K plus £40*
worth of ORIC Software
for ONLY
£169.95 incl.VAT.

*TEACH YOURSELF BASIC
HOME FINANCE ORIC FLIGHT
MULTI-GAMES

ORIC 1 16K & 48K Micros

- Superb Styling
- Ergonomic keyboard with 57 moving keys
- 28 rows x 40 characters high resolution
- Teletext/Viewdata compatible graphics
- 6 Octaves of real sound plus HI*FI output
- Centronics printer interface and cassette port
- Free user manual, cassette recorder lead and Driver game included.

ORIC 1 Today's best value in real computer systems.

To be launched within the next few weeks - the revolutionary **ORIC 3" MICRO FLOPPY DISK DRIVES**, with incredible access time and data storage capacity.

Other peripherals to be launched this year...

It is Oric's policy to continue to expand our product range, in order to offer our customers a comprehensive, professional, Micro Computer system, at a realistic price.


We believe that with the launch of our MCP 40 colour printer, and our combined computer/software value packs, we will continue to lead the small micro market in both quality and value.

*Titles may vary subject to availability but the approximate value will not.

© Copyright ORIC PRODUCTS INTERNATIONAL 1983



Turn figures into facts



using the RY Series Digital Plotter.

Software programs available

Stop struggling over analysing computer data.

You can now convert the information into accurate, informative reports. Our C.A.D. (computer aided design) techniques will quickly reproduce in multiple colours graphs, diagrams, charts and illustrations on A3 and A4 formats. Each low cost, fast response, desk top plotter can be interfaced with your computer and programmed to exact requirements: it won't need a genius to operate it. For further information write to:



SYMBOL COMPUTER SERVICES LTD.,

Britannia House, 45-53, Prince of Wales Road,
Norwich, Norfolk, NR1 1BL.
Telephone: NORWICH (0603) 29581

● Circle No. 161

THE EPSON MX series of dot-matrix printers from Japan set new price/performance standards for the microcomputer industry when they were first introduced four years ago. The FX-80, which made its appearance at the beginning of this year, is designed to consolidate Epson's dominance in its chosen sector of the market without making MX owners feel that their machines are obsolete.

The new machine is scarcely more expensive than the MX-80 F/T III. It features proportional spacing though it operates only in the larger of the two basic type faces, Pica and Elite. Proportional spacing means that narrow letters, such as an i or t, do not occupy the same space as an m or w.

The FX-80's user-defined character sets allow the user to define special symbols or letters, or even to create a whole new alphabet. They have obvious applications for foreign languages or scientific use, but even ordinary British users can find it helpful if, for example, they have an American software package with dollar signs embedded in the format. It can be virtually impossible to alter these to pound signs unless you can make the printer produce the £ symbol whenever it meets the \$ symbol. But be warned, like many other features of the Epson, this facility may be compared to a conjuring trick — it looks easier than it is.

If users can define their own character sets it is not difficult for the manufacturers to include an italic set. Epson's works reasonable well, though the italic m has curiously knobbly knees. It may appeal to some users, but I have always hated italic script on typewriters and think that its only effect is to make a document harder to read.

The hex dump is a really useful troubleshooting device for the experienced programmer. It allows the user to print out all the hex values of the instructions the printer is receiving from the host computer. Given the difficulties that can be experienced with all Epson printers and their associated interface cards, it can be a useful signpost.

The reverse paper feed allows the user to line feed in both directions. It is particularly useful in formatting complex tables or charts, and in printing-out graphics in the printer's bit-image mode.

Most Japanese printer manufacturers force the user to remove the machine's entire outer casing, undoing up to four inaccessible screws, to reach the Dip switches. I reached the FX-80's switches in 15 seconds, undoing a single retaining screw on the top of the printer. In fact, you do not often need to touch the switches as all their functions can be defined or changed from the keyboard of your computer.

The FX-80 does seem more robustly built than its predecessors. Epson probably will not thank me for saying its new printer looks and feels more like an Oki Microline machine, while retaining the greater virtuosity of the old Epsons.

EPSON FX-80

Epson's MX-80 has almost become the industry-standard dot-matrix unit. Chris Roper looks at its successor, which features proportional spacing and user-defined characters.

The FX-80 is roughly twice as fast as the MX-80, running at 160cps. It may be useful for some applications though the importance of pure speed has been greatly reduced by the advent of buffered interface cards, which free the computer for use in a matter of seconds.

There are some other minor improvements: the leads out of the back are now positioned to avoid interference with the paper feed; the warning bell is less strident; you can tear off paper closer to the last printed line; and the manual is spirally bound, and does not fall apart after three days use.

The manual, however, looks better than it is. It still reads as if English is not the author's first language. It reminded me of trying to find my way in a Japanese street, where the houses are not numbered sequentially according to their location, but according to their date of construction. This is fine if you know where you are

going or have an encyclopaedic knowledge of Japanese architecture, but not much help to strangers.


There are a few warnings in the manual of the difficulties facing a novice:

p.3-3: "Note that in some programming languages such as Basic, Pascal etc., there are a few codes which cannot be sent to the printer."

p.3-5: "Basic itself is different depending on the specifications of the host computer, and there are certain versions in which certain codes (such as Chr\$(9) or Chr\$(13)) cannot be sent to the printer."

That may seem slightly cavalier, given the popularity of Basic and Pascal, but there is worse to come. The manual gives no hint as to how these deficiencies may be remedied. Such an attitude may have been justified when most microcomputer owners were programming enthusiasts/hobbyists, but is intolerable in the new market place of users

(continued on next page)



The FX-80's nine-wire head prints characters on an 11-by-nine matrix.

EPSON FX-80

(continued from previous page)

who do not know a Peek from a Poke. Epson cannot be unaware of the problem which has plagued the lives of some MX owners.

The manual is too modest in its warnings. It does not say that the interface card is likely to be an even greater source of frustration than the particular version of Basic resident in the host computer, doggedly refusing to pass control characters through to the printer.

My original guide to the mysteries of my own Epson MX-80 was Mike Glover of the Leicester Computer Centre. I turned to him

again for help with the FX-80. His experience is entirely Apple-based, but we suspect that Epson printers present similar problems when used with other equipment.

Mike Glover actually had to program an EPROM to overcome deficiencies in the interface card Epson supplies to Apple owners. The chip enjoys steady demand from other Epson dealers. He has also written machine-code routines for a variety of the more common interface cards used by Apple owners to drive their printers. These routines allow the programmer to send any character through to the printer. His final contribution to the mental health of Epson printer owners is a neat bit-image editor, which offers far simpler means of creating your own character set than the clumsy routines offered in the Epson manual.

Nevertheless, even with his special knowledge of Epson printers and using his routines, it took us the better part of an hour to convert the \$ symbol to a £. We used the hex dump to discover that the

printer card was blocking a crucial piece of code.

So when you read in the advertisements that you can create Sally's Gothic or Tom's Roman, think twice. It is not simple to do it from the manual without some additional knowledge, like an understanding of machine-code programming. Perhaps the best advice to people buying for the first time is to make sure the dealer has the printer working with the type of computer and interface you are going to use. Make sure that all the advertised features work in this configuration, and be sure you understand how they are made to work.

Epson could easily have got it right by having the manual written in the United States or Britain, and by considering the equipment most likely to be used to drive its printers. This must include Apples and CP/M machines, not to mention the BBC Micro and machines running under Pascal. It might have cost Epson £2 to £3 per machine to have provided a more helpful and more comprehensive manual, in standard English with a proper index.

The print quality of the FX-80 is probably as good as you can get from a nine-wire printing head, printing characters on a nine-by-11 matrix. Improved print quality, currently available in dot-matrix printers costing two or three times as much as the Epson, requires more wires to create more dots per letter. For Epson to match these printers would require a major redesign.

	Characters per line	Width	Height
Normal/emphasised (pica)	80	2.1	3.1
Enlarged	40	4.2	3.1
Condensed	137	1.05	3.1
Elite*	96	1.4	3.1
Proportional	variable	variable	3.1
Super/subscript	80	2.1	1.6

*Using the Elite face, one cannot also emphasise, condense or have proportionally spaced lettering

Character sizes and densities in normal, enlarged, condensed and elite faces.

This is the Standard Font

This is Enlarged Standard Font

This is Emphasized Standard Font

This is Emphasized Enlarg. Stan

This is Double Character Standard Font

This is D/C Enlarged Standard F

This is D/C Emphasized Standard Font

This is D/C Emph. Enl. Standard

This is the Elite Font

This is Enlarged Elite Font

This is Double Character Elite Font

This is Double Character Enlarged El

This is the Condensed Font

This is Enlarged Condensed Font

This is Double Character Condensed Font

This is Double Character Enlarged Condensed Font

This is Standard Italic Font

This is Enlarged Standard Ital

This is Emphasized Standard Italic Font

This is Emph. Enl. Standard It

This is Double Character Standard Italic Font

This is D/C Enl. Standard Ital

This is D/C Emphasized Standard Italic Font


This is D/C Emph. Enl. Std. It

Conclusions

● If you liked the MX, you will be very happy with the FX. But it is not worth trading in the MX to buy an FX. If you did not like the MX, the FX is unlikely to change your mind.

● If you are thinking about buying a printer for the first time Epson remains an outstanding product, provided you know what you are doing or have someone who does to advise you.

● Leicester Computer Centre, 67 Regent Road, Leicester will be producing its own interface card designed by Derek Bland, with interchangeable EPROMs to drive a variety of printers from the Apple without hassle.



Fan-fold pin feed and cut-sheet friction feed are standard on the FX-80.

Specification

Print speed (max.): 160 cps

Print head: nine-pin dot matrix

Character set: ASCII, pica and elite typefaces in roman or italic; nine international character sets

Print mode: bidirectional logic seeking or unidirectional

Buffer: 2K

Paper: fan-fold, 9.5in.-10in., adjustable pin feed; cut sheet, 7.25in.-8in. friction feed with optional roll holder

Price: £438 plus VAT

U.K. distributor: Epson (U.K.) Ltd, Dorland House, 388 High Road, Wembley, Middlesex HA9 6UH. Telephone: 01-900 0466/9

This is the Elite Italic Font

This is Enlarged Elite Italic Font

This is Double Character Elite Italic Font

This is D/C Enlarged Elite Italic Font

This is the Condensed Italic Font

This is Enlarged Condensed Italic Font

This is Double Character Condensed Italic Font

This is Double Character Enlarged Condensed Italic

For the Letter Writers :-

Propo

This is Standard Font with P.S.

abcdefghijklmnopqrstuvwxyz

This is Italic Font with P.S.

abcdefghijklmnopqrstuvwxyz

also LEFT MARGIN setting !!!

For the Scientific & Engineers

Expanded Sub/Superscripts

Sub/Superscripts can be Normal, Condensed, Enlarge

Reverse paper feed provides Overlining.....eg.....STROBE

For the Picture Drawers.:-

SEVEN

No.	Mode	Dots/8"	Head
0	Normal Density	480	16

Unmasking the plotters

Bill Bennett's enquiries lead from a cheap drum to a top-price flat-bed.

ADDING A PLOTTER to a microcomputer system is not something you do every day. For most purposes, a dot-matrix printer will provide adequate hard copy. If you need to produce a lot of text then a daisywheel is probably a worthwhile investment. Modern dot-matrix printers are sophisticated devices, and are capable of providing a high-quality graphic output. But the cost of a higher-resolution plotter is in the same price range.

Which device you choose will depend entirely on your application. For laboratory work or for producing slides for an overhead projector a plotter is the obvious tool for the job. Matrix printers come into their own as aids for programmers who simply need a quick listing. On the whole, plotters are significantly slower than printers, especially when it comes to producing text. However, plotters have a much higher resolution and offer a greater degree of flexibility.

A printer usually works by something — a pin or a type head — impacting a ribbon and pushing it against the paper to form an image. A plotter operates by moving a pen to a point on the paper and then allowing the pen to touch the paper and moving again, thus marking it. This introduces a certain level of flexibility as it allows the user to exercise some choice over the pen. Many plotters are designed so that virtually any pen can be used in conjunction with it.

Such an arrangement gives the user almost infinite control over such parameters as the colour of ink being used and the size and type of nib. Some plotters allow a number of pens to be selected by the machine at any one moment. This can be done by using a carousel arrangement which carries several pens in the same unit as the one that is actually drawing. An alternative is to site the pens somewhere away from the main plotting area and let the plotter select pens from a rack.

Even those plotters which do not have a facility for automatically changing a pen often allow a manual change. If not, then it is up to the software author to include a routine which will move the pen to an unimportant point and wait for long

enough to allow the user to change the pen by hand.

Multiple-pen plotters appear to be colour-blind. They do not know which colour pen is which. If, for example, a mischievous person were to swap the red and green pens in a four-colour plotter, chaos could result. As far as the plotter is concerned colours are numbers. The plotter only knows that pen 1 is pen 1, though the software may be written assuming that pen 1 is red. Until a more sophisticated plotter which can distinguish colours is developed it is up to the user to ensure that the right colour pen is in the right place at the right time.

Felt-tip pens tend to be the first choice of plotter manufacturers. Their advantage is that they offer a wide range of colours and tips. Generally speaking, the finer the resolution of the plotter, the finer the tip of the pen which is used. However, if large

areas of colour have to be filled in, a pen with a wide tip may be preferable.

One problem of felt pens is that they dry up rather quickly. The only way of avoiding it is to ensure that the cap is replaced on the pen after use. When testing the review plotters in the *Practical Computing* office, I found that I repeatedly forgot to replace the pen caps. Another drawback of felt tips is that they can easily be distorted and become frayed with use.

The pen-up pen-down operations subject the tip of a pen to a lot of pressure, and consequent damage. This can result in blotches on the paper, but more frequently simply destroys the plotter's high resolution. What is the use of having a device that is precise to 1/1,000th of an inch, when the pen is 1/16th of an inch across?


For day-to-day plotting, the felt-tip pen is probably best. Special pens for making overhead projector slides and other specialised jobs can easily be fitted to most plotters. Higher-resolution results can be obtained with a pen like the Rotring Isometric, which can have a very fine tip and is capable of using a wide range of colour inks.

There are two main methods of moving the pen across the paper. On flat-bed plotters the paper lies flat and the pen is moved in both the x and y directions. In the other type the pen only moves in the x direction, the plotting along the y direction being achieved by moving the paper. These devices are generally known as drum plotters since the paper is fastened to a drum which rotates to give the movement in the y direction.


Strobe 100

The Strobe 100 plotter is of the drum type. For the purposes of the review it was connected to a BBC Micro via a ribbon cable between its own parallel port and that of the computer. Halfway along this cable is a resin box containing a number of resistors that perform some simple buffering function.


Unlike a number of other plotters, the Strobe is well served by software. The review system came complete with a



The Strobe 100 resolves to 0.05mm.



Rikadenki's top-of-the-line RY-10MZ — a graphics tool for office or laboratory.



The Strobe 100 drum plotter from Data Efficiency comes complete with BBC software.

demonstration program and a library of subroutines for using the plotter. The plotter costs £576, and was the crudest one reviewed as well as the cheapest.

Supplied with the Strobe were four felt-tip pens and a number of sheets of special glossy paper. It only took a few minutes to get the system up and running. Unfortunately the paper is not a standard size. It is only slightly wider and shorter than A4, but A4 sheets cannot be loaded on to the drum as easily as I would like.

Paper is fitted on to the drum simply by

working it under a strip of metal. In practice it is held tightly enough for printing. It is important to be careful when loading the paper to ensure that the pen does not mark it. The documentation suggests that the pen should be moved to the extreme right for this purpose; I found it best to remove the pen.

Fitting and removing pens on the Strobe is a risky business. The unit that accepts the pens is a triangle of brass with a thread cut into it. It moves from left to right and back again across the width of the paper. You

are recommended to use fibre-tip pens with a soft plastic body and to fit them by initially cutting a thread into the plastic.


There are a number of imponderables associated with this process. The first pen that I tried to thread on to the unit was not threaded deeply enough, and consequently did not manage to reach the paper when drawing. I then tightened it up a little more, only to find that I had cut right through the body of the pen, rendering it useless. Too deep a cut on the second pen I tried meant that the pen did not lift off the paper when it was supposed to be moving rather than writing.

On the positive side, it does mean that some very cheap pens can be used. Those supplied with the unit were Pilot Razorpoints, which are easy to find in the shops. I assume that an experienced user would be able to fit the pens properly without any trouble.

Data Efficiency is distributing the Strobe plotter in the U.K. and also provides a number of interfaces, software products and pens and other accessories. The strongest card in this pack is the software, which is available for a large number of machines, and includes a package which allows VisiCalc files to be plotted.

Software supplied with the Strobe for the BBC Micro includes a program called BBCPlot. It consists of a set of routines

(continued on next page)



(continued from previous page)


which drive the plotter and can be supplied either on tape or disc. It is numbered from line 30,000 onward, which leaves plenty of scope for the user's own programs, though because the BBC Micro uses vast quantities of memory for its high-resolution graphics it is not possible to use screen modes 0 to 3. That is a pity, because it means it is impossible to view a display on screen before plotting it out, though that is the fault of the micro, not the plotter.

A good manual complements the software. It explains that the stepper motors are driven by patterns of binary bits sent via a table stored in the micro's memory. The Strobe is capable of resolution of 0.002in. or 0.05mm. thanks to these motors.

ProcLabel is a procedure used by the BBC Micro to write characters on the plotter. It uses a character font stored in the memory of the BBC, which gives it the advantage of being changeable. However this also produces the disadvantage of denying the user a lower-case character set, since there is no room for it.

Compared with the other plotters I looked at the Strobe 100 is slow. It is, however, very well supported and in this respect is ideal as a tool for a school or college when used in conjunction with the BBC Micro. Interfaces and software are

The Rikadenki RY-21 plots at a lively 200mm. per second.



The Hiplot-40 from Houston Instruments is distributed in the U.K. by Sintrom Electronics. Firmware inside the beast allows automatic generation of curves, arcs, ellipses and circles of any required size. There are 11 different styles of line, and normal or italic characters can be drawn at any of 360 angles and 255 sizes. The machine costs £865 and includes an RS-232 interface as well as a number of self-test routines.

also available for the Apple, Pet, Xerox and Osborne micros, as well as the S-100 bus and RS-232 port.

Rikadenki RY-21


The RY-21 is the bottom-level machine in a wide range of plotters which has something for every possible type of plotter user. It is A4 sized, which allows it to take

standard paper or projector film or whatever. Although it is nominally only a single-colour plotter, it is so easy to change pens that this really does not matter very much.


Plotting takes place at 200mm. per second, which is fairly fast for a plotter, and the pen certainly dashes about across the paper. It is an x,y plotter: an arm moves from left to right in the x direction, while the pen carriage slides up and down the arm



The Plotwriter from Environmental Equipments (Northern) Ltd. is both a printer and a plotter. Costing £1,531 plus interface the Plotwriter has a set of 45 commands employing a wide range of intelligent facilities. There are four pens, which are changed automatically, and three fonts. Printing and plotting is performed on a 100-metre roll of paper which allows a 1.6-metre addressable area.



The Gould Colourwriter is a digital plotter which can add plotting to almost any computer system. It can use up to 10 pens. There is an integral buffer memory which is expandable from 2K to 16K and five character sets are included as standard.



The Pixy 3 is a three-colour plotter aimed at the personal-computer user. Its own local intelligence comes courtesy of a Z-80 processor which helps in the generation of circles, arcs and curves. There are nine character sets plus scientific symbols, nine line types with a variable pitch and 15 character sizes. Pixy 3 costs £599 from Mannesmann Tally.

in the y direction. Naturally this is all done on a flat bed. The paper is held in place by flexible strips of magnetic material.

Pens simply screw into the carriage, which is fitted with a standard thread that accepts the set of four coloured pens that is supplied. An added bonus is that it also accepts Rotring Isometric pens as well. These really do make for a much better-quality plot and come in a variety of nib sizes. There is also a range of ink colours to choose from. Ball-points can also be used.

Pens are held bolt upright by the carriage, which is the best orientation for most pens, including the Rotrings. The mechanism which brings the pen down to make contact with the paper is sprung so that pen nibs and tips are not bashed out of shape by repeated hard contact with the plotter bed. The mechanism makes a clicking sound each time it is switched on or off.

A character set is built into the RY-21. That is a godsend because, unlike the Strobe plotter which is supplied complete with software, the Rikadenki was only supplied with some example software written by the house BBC Micro enthusiast. The penalty is that some flexibility is lost, but not much, and certainly not enough to worry about as extra fonts can easily be written by the user.

The resolution of the RY-21 is not as high as that of the Strobe 100, but for the most part the difference did not really show. As a test I tried plotting a sine curve right across the page width. I started by using each of the possible steps across 2,000 increments, each being 0.1mm. wide. I then plotted the same curve using 0.5mm. steps. The difference was almost invisible, except that it plotted much faster using the larger steps.

Using the RY-21 with the BBC Micro was not easy. Once again this was more the fault of the micro than the plotter, but some driver software for this unit would certainly make a lot of difference. However, to compensate the plotter does have a reasonable number of built-in plotting commands such as circle drawing and so on to make life easier.

Rikadenki RY-10MZ

Right at the top of the Rikadenki range is the RY-10MZ eight-colour plotter. It is like a robotic artist, and watching the plotter run through the test routine is entertaining. The pen moves across the paper at high speed, pausing every so often to grab another colour pen from a rack of 10 on the left-hand side.

"Intelligent" is not often used as an adjective to describe plotters, but there is a degree of intelligence incorporated in this machine in the form of an 8085 processor. There is also 2K of memory, which is quite a lot in terms of what it represents as a graphic image on the paper. The unit is similar to the RY-21 in many respects, but is A3 sized as opposed to A4. The pen

moves at 400mm. per second, which is twice as fast as the RY-21.

Like the RY-21, the RY-10MZ has three character fonts in ROM: the normal English set, a Greek alphabet set which will please all those physicists and engineers, and a Japanese character set.

Again like the smaller plotter, the RY-10MZ has a selection of buttons which can move the carriage about under manual control. A function button gives each of the direction buttons a second use, including selection of the test mode. Pressing the centre and left button makes the plotter enter its print mode, when it becomes a listing device.

Unlike the smaller machine, the RY-10MZ has an extra row of buttons which are used to change the pen colour. If you press one of them in the middle of a plot, the carriage will swap the pen. You can try and confuse the plotter when it is drawing with pen 1, say, by moving pen 2 into the empty pen 1 cradle. The plotter has the good sense, having found pen 1 to be full, to look for the first empty cradle and put its pen there.

The RY-10MZ uses an electrostatic technique to hold the paper in place. It works well and the paper clings to the base like a limpet. There is also an option to attach a device which feeds a continuous roll of paper across the base area.

At a list price of £1,775 plus VAT, the RY-10MZ plotter is not a toy likely to be linked up to a ZX-81. It is a proper graphics tool that would be equally at home in the office or laboratory. Symbol Computer Services of Norwich has written a number of packages to interface the Rikadenki plotters. They will work with any micro blessed with an RS-232, Centronics or IEEE interface, using information entered manually or from existing files to plot pie-charts, bar-charts or x,y plots. There are also control files which are used to drive the device.

Suppliers

Rikadenki Mitsui Electronics U.K. Ltd,
Oakcroft Road, Chessington, Surrey.
Telephone: 01-397 5111.

Symbol Computer Services Ltd, 45-53
Prince of Wales Road, Norwich,
Norfolk. Telephone: (0603) 29581.

Data Efficiency Ltd, Finway Road, Hemel
Hempstead, Hertfordshire. Telephone
(0442) 60155.

Mannesmann Tally, Molly Millars Lane,
Wokingham, Berkshire. Telephone:
(0734) 788711.

Gould Instruments Ltd, Willow Lane,
Mitcham, Surrey. Telephone: 01-640
3490.

Sintrom Electronics, 14 Arkwright Road,
Reading, Berkshire. Telephone: (0734)
875464.

Environmental Equipments (Northern)
Ltd, Environ House, 64 Welsh Row,
Nantwich, Cheshire. Telephone: (0270)
652115.

A buffer at the

If printed output is part of your regular computing routine a buffer could be the best investment you ever make, says Paul Sutcliffe.

YOUR COMPUTER is forced to slow down to match the speed of your printer whenever you need to print. The fastest matrix printers can operate at around 100 characters per second, and a few daisywheel printers can average around 30 to 40 cps. Yet microcomputers can actually send out data at thousands of cps.

With many applications, such as program listings, mail-shots, invoices/payslips, word processing and financial modelling, your computer can spend far more time waiting for the printer than actually computing. Instantaneous printout is a remote prospect, so an interim solution is needed.


Spooling was the earliest answer to the problem. It involves sending the output to a disc and printing it later when the computer is not in use. There are also some spooler control software packages which take over

the control of printing while you have another program running.

In practice, spooling systems have two major disadvantages. The spooler clearly requires space in the computer's main memory, and reduces the space available for the program you are actually trying to run. It can also decide that it wants to print a chunk of text from the file on disc at unpredictable moments. So your program stops in its tracks until normal service is restored.

The print buffer is the best solution yet devised. It comprises a small board containing extra RAM and some built-in control software. The computer can dump output for printing into the buffer in a matter of seconds. Computing can then be resumed at once. Meanwhile the buffer's control software takes over the job of retransmitting the output to the printer.

The Practical Peripherals buffer from Northamber in versions from 8K to 32K.



This article contains about 11.5K of text. The typescript was printed out in draft form several times before completion on an Epson MX-100/II fitted with a 16K E/Buffer. The emphasised text option was used for maximum legibility.

The time taken to load the print overlay and transmit the text to the E/Buffer was a mere 23 seconds, after which the computer was back in use. But the Epson took over six minutes to print the text. Printing half a dozen drafts during the day, with no buffer, would have wasted almost 40 minutes.

Of course, it is not only authors who value the ability to give a Print command without losing the use of their computer. Professional programmers also benefit from print buffers when writing, testing, and debugging programs, and no longer need to save huge batches of listings to print out on a rainy day.

General-purpose buffers — otherwise known as “in-line” or “stand-alone” — occupy a separate box between the computer and the printer. They can perform other tasks besides print buffering, including communication between otherwise incompatible computers, or indeed other peripherals.

Print buffers are buffers which have a single function — to receive output destined for the printer at the speed of the computer and then to retransmit at the speed of the printer. Some are installed inside the printer; others slot into the computer itself.

The most popular buffers are those designed to fit into the Epson printer range. Their popularity arises partly because of the vast numbers of Epsons sold and partly because Epson provides an auxiliary input slot ideal for the purpose.

There are several buffers of this type on the market. One of the price/performance leaders is the U.K.-designed and built E/Buffer, which is also marketed as the MCS Super Spooler. It offers 2K, 16K or 32K of RAM, and is backed by an impressive two-year guarantee. Another is the Microbuffer from Practical Peripherals, imported by Northamber. The Ricoh RP-1600 daisywheel can also be obtained in a modified form with up to 8K of RAM buffer installed.

As with the Epson, so with the Apple. There is a wide range of buffers currently on the market which fit directly into one of the Apple slots. Some of them require an existing printer interface card. Apple buffers include the Orange Micro

end of the line

Buffer	Manufacturer	RAM sizes	Interfaces (Note 1)	Price (inc VAT)
Epson internal				
E/Buffer	MCS	U.K. 2K	S	£75
		16K	P,S	£109
		32K	P,S	£155
Microbuffer	Practical	U.S. 8K	S	£144
	Peripherals	16K	P	£144
EIPB	Gram	U.K. 32K	PS	£149
		64K	PS	£204
EB-16	ACG	U.K. 16K	S	£109
EB-60	ACG	60K	S	£161
Wizard EBI	Wesper Micro	U.S. 16K	P	£125
Apple internal (note 2)				
IPB	Gram	U.K. 16K	PS	£149
		64K	PS	£251
Bufferboard	Orange Micro	U.S. 16K	P	£129
		64K	P	£232
Microb'r II	Practical	U.S. 16K	P	£229
	Peripherals	32K	P	£275
General purpose				
Sprinter	Mutek	U.K. 2K	P,S,I	£190
		32K	P,S,I	£282
DB16-1	Aculab	U.K. 16K	P,S	£259
DB64-1		64K	P,S	£323
SB-16	ACG	U.K. 16K	S	£172
SB-60	ACG	60K	S	£218
Pipeline	Interactive Structures	U.S. 8K	P	£160
		128K	P	£298

Note 1. P, Centronics parallel; S, RS-232C serial; I, IEEE-488.
Note 2. Some Apple buffers require printer interface card.

Bufferboard, and Practical Peripherals' Microbuffer II.

The Aculab and Sprinter buffers fall within the group of general-purpose buffers. The Mutek Sprinter, for example, provides both buffering — with 2K, 4K, 8K, 16K, 24K and 32K options — and configurable interface conversion. It can be used either as a straight-through buffer, say RS-232C computer output to RS-232C printer input, or as a buffer which converts from one interface mode to another, say from the Pet's IEEE-488 output to a Centronics parallel printer input. Moreover, the configuration can be altered simply by changing a few switch settings.

When choosing a buffer first assess the volumes you will require your buffer to hold. If you only print a screenful of data at a time at infrequent intervals, then a 2K buffer will be ample.

On the other hand, densely-packed text may need up to 4K per printed page. Regular printing of more than 16 such pages could mean either buying a very large buffer at 128K or 256K or stacking two or more smaller buffers in line. For most commercial applications you are likely to require between 8K and 64K.

Secondly, consider your present equipment and whether you are likely to change it in the near future. If you use an Epson printer or an Apple computer, I would recommend that you go for one of the purpose-built buffers. The Epson-based buffers in particular are easy to install.

Last and not least, price. Only worry about price if you really have to. The value of the time you save by using a print buffer in a commercial environment will probably exceed its cost within a month, maybe even within a week. Big savings can be made in operator time as well as computer time.

For a non-commercial application, buy the biggest buffer you can sensibly afford. As a guide, the 16K E/Buffer costs £109.25, VAT inclusive, in either parallel or serial versions.

Stacking can best be explained by considering the situation where an Epson printer fitted with a 32K E/Buffer is being operated in conjunction with a 32K Sprinter. Suppose a 68K text file has to be printed. Output from the computer first goes to the Sprinter, which immediately sends it on to the E/Buffer. The E/Buffer starts to send data to the Epson one line at a

time. Each line sent to the printer releases space at the bottom of the E/Buffer, which is still being filled at the top. Whenever the E/Buffer is completely full it sends a signal to the Sprinter, which starts to fill up in turn.

After a few seconds of this, the printer will be printing flat out and both the buffers will be full. Only then will the Sprinter signal to the computer that no more output can be handled. So for about two minutes the computer will wait for the printer to catch up. As soon as the printer has printed 4K of text, however, the computer will be available for more work.

The initial impetus for manufacturing buffers came, as usual, from the U.S. It may be some months before the U.K. manufacturers dominate their own home market. A respectable number of U.K. firms are already well entrenched in this field, and there may even be prospects of our own manufacturers securing a good proportion of the U.S. and German markets.

Just over the horizon there are some new developments in stand-alone units, which will be made available in permanently configured, and therefore cheaper, versions. Industry sources also suggest that, if interest is strong enough, a U.K.-built dedicated print buffer for the IBM PC — easier to use and much cheaper than some imported "do-everything" boards — could be available by late autumn.

If your printing takes a long time because you are running a very slow program then a buffer won't help you. On the other hand, frequent halts while a few lines of data are printed can be completely eliminated, and cumulatively this can save many hours.

Anyone thinking of buying a 16-bit processor and throwing out their eight-bit machine should seriously consider instead the effect of buffering their existing set-up. Depending on the application, better results could be obtained at a fraction of the cost of a new computer. Printer-based and general-purpose buffers have a hidden benefit: when the computer is changed in favour of a more powerful machine, it is not necessary to change the buffer or printer.

You can extend the productivity of your computer system beyond recognition with a print buffer. There are few ways in which you can upgrade your system at such low cost and receive such dramatic benefits. If you don't believe it, try and see a buffer in action, or better still borrow one — you'll be converted on the spot.

Paul Sutcliffe is managing director of A-Line Computer Systems, Nottingham.

The ins and outs of RS-232

Mark Shepperd connects with the standard serial printer interface.

THE RS-232 serial interface has become one of the commonest interfaces between microcomputers and the outside world. It is flexible enough to communicate with any peripheral device, from a printer to a Modem, providing of course that the peripheral is equipped with a similar RS-232 interface. Yet the mode of operation is virtually the same, except for the way in which the computer would perform the handshaking routines with the peripheral or indeed the communications device.

The RS-232 interface can often be recognised by the presence of a D-type 25-way connector on the rear panel of the computer. Just to make things difficult, however, several manufacturers are now using male and female equivalents of the connector for various other interfaces. In some cases RS-232 compatible interfaces lurk behind non-standard DIN-type connectors of which the nearest family is found most frequently on the rear panels of hi-fi equipment. This lack of standardisation is always inconvenient when marrying systems together.

Screened cable should always be used to connect units together, and the number of cores has to be decided with care. It is safest to use a cable 5mm. or 6mm. in diameter and carrying around 10 independent cores shrouded by the screen. You may only need three cores plus the screen, but the extra cores allow you to use eight or nine cores, if you need to, for the handshaking sequence. Figure 1 shows a 25-way connector as it is connected for printer operation. The screen braid should be connected to pin 1 of the connector at both ends.

The RS-232 interface is outlined in a set of rules and regulations compiled by the CCITT and called recommendation V-24. It describes the timing sequences to be used when trying to establish the interchange circuits between data terminal equipment and data circuit-terminating equipment. It also deals with the electrical characteristics

Mark Shepperd is Technical Director of Braid Systems Ltd.

and goes into quite detailed descriptions of all the various modes of operation of the V-24 interface.

Each pin or channel in the RS-232 interface is given a CCITT interchange circuit number and a name which defines that interchange circuit. There are approximately 43 different channels defined by the recommendation. Table 1 shows some of those which are most important with respect to printer

Pin		Telco	CCITT
1	protective ground	AA	101
2	transmitted data	BA	103
3	received data	BB	104
4	request to send	CA	105
5	clear to send	CB	106
6	data set ready	CC	107
7	signal ground	AB	102
8	carrier signal	CF	109
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20	data terminal ready	CD	108
21			
22			
23			
24			
25			

Figure 1. Pin assignments.

operation. Table 2 gives the channel definition each beginning with the CCITT interchange circuit number followed by the pin number allotted to that circuit when used with the standard 25-way D-type connector.

When transmitting data from one device to another in a serial format, it is important to tell the receiving device how and when characters are to be sent. The process of packing characters in a serial stream is called framing. In the case of the printer it is usually necessary to configure the device manually by setting DIL switches. Alternatively you set the frame at the computer to correspond to the printer's requirements.

Figure 2 shows a typical frame structure. Parity is usually set at the printer end. An additional parity bit is added to a character or block so that the sum of the binary is either odd or even. Conventionally, odd parity is a feature of synchronous systems and even parity a feature of asynchronous systems. If the parity bit is incorrect the receiving device knows that the data has been corrupted.

When you are faced with a microcomputer and a printer, both with RS-232 interfaces, take the following steps in trying to establish the connection:

- Check that the baud rate of both printer and computer asynchronous serial port are identical. Baud is equal to bits per second when two-state signalling is used.
- Check that the frames are compatible. In other words check that the printer expects to see the correct quantity of stop and start bits and that the word length is correct.
- Check that parity is set correctly at the printer end. The choice is between odd, even or no parity at all.
- Check that the form of handshaking is compatible, software or hardware. Hardware handshaking uses DTR and DSR interchange circuits most frequently. Software handshaking is achieved by the host sending control




Figure 2. Typical frame structure.

Interchange number	Interchange circuit name	Ground	Data				Timing
			from DCE to DCE	from DCE to DCC	from DCC to DCE	from DCC to DCC	
102	signal ground or common return	X					
102a	DTE common return						
102b	DCE common return	X					
102c	common return						
103	transmitted data		X				
104	received data			X			
105	request to send				X		
106	ready for sending			X			
107	data set ready				X		
108/1	connect data set to line				X		
108/2	data terminal ready					X	
109	line signal detector						X

Table 1. Some channels defined by recommendation V-24.

Figure 3. Typical RS-232 voltage levels.




Table 2. Circuit functions.

characters to the printer via the data lines.
● Finally, check both the computer and printer manuals carefully, noting the directions of the RS-232 control signals on interchange circuits which are to be used in achieving the correct form of handshake. Never connect interchange circuits which conflict in direction. The length of cable which will work correctly is largely determined by the capacitance of the cable used. A rough rule is not to use a cable much over 150 feet long. A cable that long must always be screened.
Figure 3 shows the voltage levels which have to be maintained in order to establish a reliable data link between computer and printer. A device called a "breakout box" helps to determine whether the data link is functioning correctly. The unit is connected in series with the cable, and LEDs monitor each line's status. A breakout box is useful in determining whether the correct control lines are activated to stop data transfer when the printer buffer is full, for example. If the system does not operate first time, don't despair, try again. The chances are that you have forgotten something extremely simple. Good luck.

Circuit 102, pin 7. This channel establishes the signal common return for unbalanced interchange circuits according to CCITT recommendations. The connection of this channel is essential for correct operation. Circuit 103, pin 2 or 3. This channel can occur at either channel because occasionally channels 2 and 3 — which are Transmit Data and Receive Data — are crossed over. In normal operation the Transmit Data pin at the computer end would have to be connected to the Receive Data pin at the printer and vice-versa for the other channel. You could not allow the Transmit Data pin of the computer to be connected to the Transmit Data pin of the printer; the printer will do absolutely nothing if connected together in this mode. The connection of these two channels is essential for the communications link. Circuit 104, pin 2 or 3. This channel is usually Receive Data. However, as reception of the serial binary data already stated, transmission and two pins, depending on the equipment used. A quick glance at the users' manual should show which is which. Watch out for descriptions such as "transmitted data", which may mean the receive channel. Circuit 105, pin 4. This channel is called Request to Send, RTS. The direction of this signal is to the DCE. The On condition causes the DCE to assume the Data Channel Transmit mode. The Off condition causes the DCE to assume the Data Channel Non-transmit mode, when all data transferred on circuit 103 has been transmitted. This circuit is not always used, but if the facility is available at both the DEC and DTE it is best to

connect it. The direction of the signal is again all-important in this case. This signal may have to be strapped to another interchange circuit if directions on this circuit conflict at both the DTE and DCE. It is sometimes necessary to strap this circuit to circuit 108, Data Terminal Ready, to achieve the correct conditions for hardware data transfer. Circuit 106, pin 5. The common name for this channel is Ready for Sending, although it is sometimes called Clear to Send, CTS. The direction is from the DCE. Signals on this circuit indicate whether the DCE is prepared to accept data signals for transmission on the data channel or for maintenance test purposes under control of the DTE. The On condition indicates that the DCE is prepared to accept data signals from the DTE. The Off condition indicates that the DCE is not prepared to accept data signals from the DTE. Circuit 107, pin 6. Commonly called Data Set Ready, DSR, this circuit is important and is usually used. The direction of the signal is from the DCE and signals on this circuit indicate whether the DCE is ready to operate. The On condition indicates that the signal converter or similar equipment is connected to the line, and that the DCE is ready to exchange further control signals with the DTE to initiate transfer of data, providing circuit 142 is off or not implemented. Circuit 142 is a test indicator commonly used with printers. The Off condition indicates that the DCE is not ready to operate. Circuit 108/1/2, pin 20. There are two modes of operation for this circuit depending on the user modes of operation. It is commonly used to

display the buffer status and hence suppress data flow temporarily, hence the name of this circuit, Data Terminal Ready or DTR for short. The DTR mode of operation is specified in definition 108/2 of the CCITT recommendations. The direction is to the DCE. The On condition, indicating that the DTE is ready to operate, prepares the DCE to connect the signal-conversion or similar equipment to the line, and maintains the connection after it has been established by supplementary means. The DTE is permitted to present the On condition on circuit 108/2 whenever it is ready to transmit or receive data. The Off condition causes the DCE to remove the signal-conversion or similar equipment from the line, when the transmission to line of all data previously transferred on circuit 103 and/or circuit 118 has been completed. This circuit should be used with virtually all printers. Circuit 109, pin 8. This circuit is most commonly known as Data Carrier Detect, although its official name is Data Channel Received Line Signal Detector. This circuit is not often used. The direction is from the DCE. Signals on this line indicate whether the Received Data channel line signal is within the appropriate electrical limits as specified in the relevant recommendation for the DCE. The On condition indicates that the received signal is within the appropriate limits and a link would not be established. Pin 1, Pin 1 on RS-232 connector is an Earth link which is usually connected to the screen. It becomes useful when a cable is run for long distances.

ACT SIRIUS 1

New Graphics Hardware and Software from Magus

GRAPHICS SCREEN EDITOR — The Graphics Equivalent of a Word Processor.

Our NEW Graphics Screen Editor gives interactive access to all of our powerful graphics routines directly from the keyboard.

FEATURES: —

- Line drawing and deletion
- Shading and area deletion
- Addition and deletion of text
- Multiple character sets
- Picture save and load to and from disk
- Multiple Screens
- Generation and use of symbol libraries
- Polygon and conic section plotting
- Cursor control from the keyboard or joystick
- Full Screen dump to a printer
- Block move

USES: —

- Electrical Schematics
- Building layouts
- In fact anything that can be drawn

Also available

- The Magus Graphics Board
- Memory Boards
- Multifunction Board
- Microcosm Research's Silicon Disk
- Data Ace — The Outstanding New Data Base Management System from the U.S.A.

Coming Soon — New Graphics Software from Magus

- Three Dimensional Surface Plotter
- Business Graphics Package
- Tektronix 4010 Emulator

All Magus Products Designed and Produced in Britain to the Highest Standards.

Authorised Dealer Enquiries Invited.

MAGUS COMPUTER SYSTEMS LTD

Sopworth Manor, Sopworth, Chippenham, Wilts SN14 6PS
Telephone 045 423 231 and 022 122 3576

• Circle No. 162

MICRO-COMPUTER MAINTENANCE



APPLE
IBM
SIRIUS
VICTOR

NATIONAL
ON-SITE
24-HR.
CONTRACTS

COMMERCIAL DATA SYSTEMS LTD.

Telephone: 0268-710292 (ask for Sales)

• Circle No. 163

BBC

YOUR OFFICIAL THAMES VALLEY
DEALER. CONTACT US FOR ALL YOUR BBC
MICROCOMPUTER REQUIREMENTS.

WE SUPPLY

SERVICE

SUPPORT

DEMONSTRATIONS

ADVICE

SALES

FULL RANGE OF HARDWARE AND
SOFTWARE AVAILABLE FROM

P J MICROSYSTEMS

14 WOOD END CROWTHORNE
BERKS RG11 6DQ
Tel: (0344) 772351

• Circle No. 164

DUPLEX

NOW REQUIRE DISTRIBUTORS WORLD WIDE

FOR THEIR OCTET INTERFACES FOR OLIVETTI'S ET 121 ELECTRONIC TYPEWRITER

Duplex has successfully developed two interfaces for Olivetti's ET 121 electronic typewriter — these are currently being distributed exclusively by British Olivetti themselves in the UK and Eire. The Duplex interfaces enable the ET to be used as a letter-quality printer

and/or terminal for a computer, add an extra 4,000 characters to the ET's one-line memory, enable the ET to

communicate with other Olivetti word processors and typewriters, and allow the ET 121 to be attached to a telex tape punch/reader and tape cassette interface unit to provide infinite external memory. Foreign keyboards and character sets can easily be accommodated.



DUPLEX
PLUG-ON
OCTET KSR/MSR
INTERFACE

STANDARD
ET 121
TYPEWRITER


GENERAL PURPOSE/ WORD
PROCESSING COMPUTER

ET 121 + OCTET

OCTET T1

COMPUTER

TELEX TAPE
STATION OCTET-PO/PR



THE OCTET 121 — KSR (Keyboard/send/receive)

- PLUG-ON unit (30 seconds or less to fit or remove)
- 8000 Char. Print Buffer
- RS232C Specification (TX & RX)
- Three modes of operation (normal/setup/Ksr)
- WHITE-SPACE-SKIP to increase print throughput up to 45 cps
- Printer Pause/Resume Key
- True KSR (Keyboard/send/receive) mode
- Keyboard SET-UP mode to change operating parameters (non-volatile)
- Xon/Xoff, DSR/DTR, ETX/ACK handshaking protocols

If you are interested in becoming an exclusive distributor in your country for the Octet interfaces, contact D. J. Winder at Duplex. Countries of particular interest include AUSTRALIA, NEW ZEALAND, HONG KONG, CANADA, USA, MIDDLE EAST and most EUROPEAN countries.



THE OCTET 121 — MSR (Memory/send/receive)

- All KSR features and
- 4000 Char. Working Memory
- Simple to use TEXT-EDITOR
- Five modes of operation. (Normal/telex/letter/setup/Ksr)
- Battery-backup & Power-Fail-Safe (Protects memory contents)
- Allows OCTET series products to be interconnected
- Special FORM-FILLING facility using multiple 'stop-codes'
- Allocate up to 100 special phrases (paras or whole letters)
- Standard ET121 features retained at all times

DUPLEX


Communications Ltd.

The Interface People


2 Leire Lane, Dunton Bassett, Nr. Lutterworth, Leicestershire, ENGLAND. TEL: (0455) 209131.
OCTET is a trade mark of Duplex Communications.

● Circle No. 165

YOUR CHANCE TO WIN BUSINESS EFFICIENCY PRIZES



PRINTERS



AND OTHERS

Clientscene

30 NORWOOD HIGH STREET,
LONDON SE27 9NR
Tel: 01-761 0435/3323

● Circle No. 166



REGISTERED REFERRAL CENTRE
FOR THE BBC PROJECT
BEEBUG
FOR THE
BBC MICRO
INDEPENDENT NATIONAL USER
GROUP FOR THE BBC MICRO

MEMBERSHIP NOW EXCEEDS 18,000
18,000 MEMBERS CAN'T BE WRONG — BEEBUG PROVIDES THE BEST SUPPORT FOR THE BBC MICRO. BEEBUG MAGAZINE — NOW 62 PAGES INCLUDING NEW PRODUCT GUIDE SUPPLEMENT — DEVOTED EXCLUSIVELY TO THE BBC MICRO.
Programs — Hints & Tips — Major Articles — News — Reviews — Commentary. PLUS members discount scheme with National Retailers. PLUS members Software Library — a growing range of software from around £3.50 per cassette. 10 Magazines a year. First issue April 1982. Reprints of all issues available to members.
June Issue: Program Features 'Return of the Diamond' a 16k adventure game, 'Hedgehog' a well implemented 'Frogger' type game, and Ellipto. Create your own off the shelf sound effects with Sound Wizard. Plus articles on Using Files, Rotating and Expanding Characters, Using Printers, and How to multi-program the User Keys. Reviews of The Hobbit Floppy Tape System, Adventure Games, and a Comparative Review of Wordwise and View. Plus FAX Call Update, Disc Program Auto-relocator, Wordwise Update, and more BBC Book Reviews.
July Issue: Games: Robot Attack (32k) and Anagrams, a 16k word game. Watching the Beeb at work — a sample program to show your micro at work. An introduction to discs — what are they and are they worth getting. Balloons — a coloured animation. Make your micro speak like Kenneth Kendal. Bad Program Lister — lists programs even when the computer pronounces them 'bad'. Reviews of Epson and Seikosha's new printers. Five books of programs reviewed, plus more software reviews. Using Files Part 4. A full disc sector editor program — to read and retrieve lost disc files., and how to modify Acornsoft's Planetoid. Plus hosts of Useful hints.

Magazine programs now available on cassette to members at £3.50 inc: VAT & p+p — see April/May issue for details

BEEBUG NEW OPERATING SYSTEM OFFER
BEEBUG members can now obtain the new 1.2 OPERATING SYSTEM ROM at around HALF PRICE
See BEEBUG Magazine February, March or April for details.
As a result of BEEBUG negotiations with Acorn the ROM now may also be offered by other user groups to their members.

**MEMBERS SOFTWARE LIBRARY +
BEEBUGSOFT: BEEBUG SOFTWARE LIBRARY**
offers members a growing range of software from £3.50 per cassette.
1. STARFIRE (32k). 2. MOONLANDER (16k). 3D NOUGHTS AND CROSSES (32k). 3. SHAPE MATCH (16k). MINDBENDER (16k). 4. MAGIC EEL (32k). 5. Cylon Attack (32k). 6. Astro-Tracker (32k).
Utilities: 1. Disassembler (16k). Redefine (16k). Mini Text Ed (32k).
Applications: 1. Superplot (32k). 2. Masterfile (3k).
13% discount to members on the excellent wordwise word processing package — this represents a saving of over £5.00.

Send £1.00 & S&A for Sample
Membership: UK £5.40 for six months
£9.90 for one year
Overseas one year only:
Europe £16.00 Middle East £19.00
Americas & Africa £21.00
Other Countries £27.00

Make cheques to BEEBUG and send to:
BEEBUG Dept 5, 374 PO Box 109
Baker Street, High Wycombe,
Bucks HP11 2TD.
St Albans, Herts, AL1 1AR

● Circle No. 167



MICRO COMPUTING PROGRAMMING OPPORTUNITY WANTED


experienced freelance assembler programmers/organisation to convert best selling Arcade games for a variety of home computers.

Interested? — Send sample of your work and details of your development equipment to:

Mrs Karen Tarvin
(Dept PC) Atari Ins. (UK) Inc
Atari House, Railway Terrace, Slough,
Berks SL2 5BZ

● Circle No. 168

WHAT USE A MICRO WITHOUT A PRINTER?



NEW A.D.M. 80 COL. DOT MATRIX WITH
TRACTOR FEED. BACKED BY ONE OF
BRITAIN'S LARGEST MANUFACTURERS, IT IS
NOW STOCKED BY US.

SPECIAL LAUNCH PRICE

£311.00 + VAT. Carriage £7.50 or collect from
our warehouse.

CROFTON ELECTRONICS LTD.

35 GROSVENOR ROAD, TWICKENHAM, MIDDLESEX M9 1JG Tel: 01-891 1923/1513 Telex 295093

● Circle No. 169

EPROM PROGRAMMERS

NEW

BBC PET VIC APPLE ACORN

MODEL A 2716, 2516, 2532, 2732, 2732A, 2764, 2564, 25128, 27128 £110.00
MODEL B 2716, 2516, 2532 £53.50
MODEL C 2716, 2516, 2732 £53.50
PET, VIC, ACORN MODEL A.B. or C. ALL PROGRAMMERS CAN
READ/PROGRAMME/VERIFY/COPY
BBC, Apple Model A only.
Full Software Tape supplied for your Computer
PET OWNERS:- Free Programme for making your own Character Sets.

PET SUPERBOARD 40 or 80 COLUMN £52.50
● Select up to 8 ROM/EPROM, RAM/ROMS from any available ROM Socket.
● No Wires, Switches or Soldering Required.
● Will accept any combination of 2K or 4K ROM/EPROMS, RAM/ROMS.
● Select up to 8 of your own Character Sets
APPLE VIA BOARDS ● The Via Board contains 1 or 2 6522 Via's Single £27.90
Each 6522 Via's contains: 2 x 8 bit Programmable I/O Ports. 1 x 8 Bit Shift Register Double £36.60
● Four Handshaking Lines CA1 CB1, CA2, CB2. Two Programmable Timers.
● Full 6522 Data Sheets supplied

ACORN MONITOR CHIP (2K) £10.50
● 10 Commands to simplify Machine Code Programming
● Full Screen Editor. Repeat Key. Auto Entry Flashing Cursor. Tape Verify.
● Slow Scroll. Memory Fill, and many more.

PET IEEE PRINTER BUFFER Available soon
IEEE-Centronics — RS232
● Free Your Pet from Printing
● The Printer Buffer receives all your Printer Data in seconds (5 sheets) Then outputs your
Data while you type your next letter.
● 14K printer Buffer.
● Full IEEE to IEEE or IEEE to Centronics output.
● IEEE to RS-232 optional extra. S.A.E. for details

CONNECTORS	CHIPS	C10 Cassettes (10)
PET IEEE User Port	2716 EPROM (2K)	£5.00
VIC User Port	2532 EPROM (4K)	£40.00
VIC Games Port	2764 EPROM (8K)	£10.00
Acorn Expansion Port		
PET Cassette Port	6116 P.3 (2K) Static	ALL THESE PRICES
(Crimp)	RAM	INCLUDE VAT AND
Orders over 100	6522 VIA'S	P&P
£1.00		

Please Add 15% VAT Plus £2.50 P&P to your orders.
OFFICIAL ORDERS Welcome

CID COMPUTER INTERFACE DESIGNS
4 ALBERT RD. MARGATE. KENT. (0843) 294648

● Circle No. 170

Britain's finest business software for the commodore 64

Fully featured ledgers and stock control — for less than £100 per package!

The Commodore 64 is the computer small businesses
have been waiting for — inexpensive, reliable, with a large
memory. Now there is Anagram business software for the
64, full-scale proven 40-column sales ledger, purchase
ledger and stock control developed from existing Anagram
packages for larger machines.

Anagram software uses no jargon, speaks to you in
plain book-keeper's English, is extremely easy to
understand. The packages for the 64 offer all the options and
facilities any business is likely to need.

Sales Ledger with invoice printing — £99

Anagram Sales Ledger 64 maintains comprehensive
details of each customer account on an open-item basis —
each invoice remains on the account until it is paid. Handles
up to 220 customer accounts, up to 20 lines per invoice, trade
and settlement discounts. And you should see the reports!

Purchase Ledger with Nominal Analysis — £99

Anagram Purchase Ledger 64 is as comprehensive
and full of features as the sales ledger, and is just as simple
to use. Up to 150 supplier accounts with 50 nominals — posts
invoices, credit notes and payments to each account. You
can even analyse each invoice across 6 nominals plus VAT!

Easystock — £75

Easystock, like the Sales and Purchase Ledger
packages for the Commodore 64, is designed to make
computerisation straightforward for the businessman and his
staff. Step-by-step menus ensure accurate stock records for
up to 550 stock items with detailed up-to-the-minute
reports.

SEND THE COUPON FOR A LEAFLET AND DETAILS OF YOUR NEAREST DEALER

Please rush me your Commodore 64 software
leaflet and the address of my nearest dealer

Name _____

Company _____

Address _____

Telephone No. _____



ANAGRAM SYSTEMS

60A, Queen Street, Horsham, West Sussex RH13 5AD
Tel: (0403) 50854 58153 Telex: 877986

AN/PCO/08

● Circle No. 186

Using the Lisa

more than just a pretty interface



Apple's Lisa is certainly an impressive machine, but is it a practical one? Ian Stobie gives his verdict after two weeks with a Lisa in the office.

WITH THE MOST advanced user interface available on any micro, 2Mbyte of software coming with the machine and an £8,000 price tag, the Apple Lisa might seem a little over the top for everyday office use. In the March issue of *Practical Computing* I wrote an extensive preview of the system based on a couple of visits to Apple to look at the machine. Since then I have had the opportunity to use the machine at my own desk.

Lisa comes with six software applications to do a variety of different office tasks, and they are substantial pieces of software. I have been using three of them — the word processor, the graphing and the drawing tools — to produce copy for this issue.

Physically, the Lisa does not look particularly unusual. It consists of three off-white boxes; the main unit contains the

screen and floppy-disc drives; there is a separate keyboard; and a third unit contains a 5Mbyte hard disc. Inside the main unit is a 16-bit 68000 chip and 1Mbyte of internal RAM. The two built-in floppy-disc drives and the separate hard disc unit provide a total of 6.7Mbyte of on-line disc storage.

In addition to its keyboard the Lisa has a mouse pointing device. It is used in conjunction with the Lisa's high-resolution screen in almost all interactions with the machine. The mouse is a small box with a button on top. Set into the underside of the mouse is a ball which senses movement of the mouse on the desk. As you move the mouse a pointer moves on the screen; you use the mouse to control the system by pointing to and manipulating symbols on the screen.

You start a session with the Lisa by turning on the hard disc and inserting a floppy diskette into one of the drives in the main unit. The hard disc takes several seconds to get up to operating speed and check itself out. Like most hard disc drives used with micros, it has a non-removable disc permanently mounted inside it, so some discipline over keeping back-up floppies is advisable.

Turning on the main unit causes the system to carry out a series of diagnostic tests, displaying a set of graphic symbols to show how the system checks out. Then the hard disc clacks, and after a delay puts up a screen representing the Lisa desk top as you left it when you last switched off. This process can take anything up to a minute.

It is easy to print out an exact dump of

(continued on page 94)



Figure 1. The screen looks something like this when you first start the system up. The grey area represents a desk top, with a number of graphic symbols called icons scattered on it.



Figure 2. Moving the pointer over the diskette icon with the mouse and clicking it opens up the diskette icon into a window revealing what is on the diskette.




Figure 3. The Lisa Review document stored on the diskette has been opened by moving the pointer over the Lisa Review item and clicking the mouse button. Opening the Lisa Review window automatically loads the document into memory and brings the word-processing software into operation without the user having to issue any conventional operating system commands.




Figure 4. The words along the top of the screen are menu titles. When pointed to, the menu pops down and commands can be chosen to act on selected portions of the text. Here the word "workaday" is being cut from the document.




Figure 5. The Type Style menu provides a wide variety of typefaces for use with the dot-matrix printer. The ticks show the present style of the selected, highlighted, text. Any other style can be selected simply, using the mouse to highlight it.




Figure 6. The highlighted text has been changed from italic, bold 1/4 Classic to italic, bold 1/3 inch Modern. The change occurs instantly. As you release the mouse button the menu pops up out of the way to reveal the new style.




Figure 7. Lisa help and error messages are displayed in a large box across whatever you are doing on the desk top. They are very intelligent. Here the system is responding to an order to abandon an edit by checking if you really want to revert to a previous version, using the clock to jog your memory.

Using the Lisa

(continued from previous page)

whatever is on the screen on the dot-matrix printer, so we have been able to illustrate many of the points I am discussing. The grey area on the screen represents a desk top, with a number of graphic symbols called icons scattered on it. The desk top shown in figure 1 is fairly empty, because I left it tidy before switching the machine off at the end of the previous session.

The icons represent various things in the Lisa system, including physical storage devices like the diskette and hard disc, information like the system preferences currently set, tools like the Lisawrite word processor, and documents and folders.

Within the Lisa system all these things are handled within the terms of a consistent metaphor of the desk top.

The underlying philosophy here is that people are not ignorant. When they come to a computer system for the first time they bring with them all the learning and experience from other areas of their lives. If a computer system can be made to resemble something people already know then they will already know a lot about how to use it. The tool for making such computer systems is metaphor — hence the Lisa desk top.

The arrow pointer is what moves as you move the mouse around your real desk top. Moving the pointer over the diskette icon and clicking the button on top of the mouse opens up the diskette icon into a window. This reveals what is on the diskette, again represented as a set of icons. In figure 2 I have documents called Tandy Review, Tandy Spec and Lisa Review on my

diskette, plus some other things. Word-processing documents are represented by icons which resemble writing paper, while my graph file of general-election results is on graph paper. The diskette also contains a pad of drawing paper and a pad of writing paper, as well as some folders to file things away in.

To start word processing a document all you have to do is open it, again using the mouse. Opening the Lisa Review document, for example, automatically loads the right document into memory and brings the word-processing software into operation without any conventional operating-system commands being necessary.

The Lisa is very consistent. The window into the Lisa Review document is very similar in format to any other Lisa window. The title appears along the top, and a border contains various control boxes




Figure 8. Lisagraph paper is for preparing graphs. As values are typed into the table the graph is automatically changed and redrawn. Data can be displayed in several different ways, selected from the pull-down graph menu.




Figure 9. The graph is printed out by selecting the appropriate option from the file/print menu. Since you can try out different format charts easily you can usually find a clear way of bringing out the point you wish to make with your data.




Figure 10. The election graph can be further beautified by transferring it via the clipboard to Lisadraw paper, where all the drawing tools can be put to work on it. The symbols down the left-hand side represent different ways of using the mouse to draw.




Figure 11. The finished graph as printed out. Lisadraw has been used to move words, change type styles, thicken lines and add shading.

which allow you to control what you are viewing. The arrow boxes, for example, are used for scrolling. To move the document up one line you simply move the pointer over the appropriate arrow and click once. Two clicks move it two lines, and so on.

The page boxes next to the up and down arrows move you around a page at a time. You can also move the whole window, by pointing to the top left corner and holding the button down as you move the mouse, or shrink the window using the control box at the bottom right. It may sound complex, but you rapidly get the hang of working this way. The mouse system is like driving a car: you look at the road, not your hands on the wheel, yet you are still capable of very precise control. With the mouse you just look at the screen, and your actions become accurate and automatic within a couple of days.

The words along the top of the screen are menu titles. When you point to one of them a menu pops down, and commands can be chosen to act on selected portions of the text. You select the text you want to act on beforehand, by dragging the pointer through it with the mouse button held down. In figure 4 the word "workaday" is being cut from the document.

For the first few days the Lisa is very exhilarating to use. Not much work gets done, as it is such a fine toy to play with. But once the novelty wears off this becomes less of a problem, and it becomes just another office tool, albeit one which makes everything else seem very dull.

An abiding problem is the Lisa's response time. It may be that the development version of the software on the system we were provided with is slower than the eventual release, as it still contains diagnostic code. Loading a document could take five or six seconds, saving up to half a minute. The Lisa is doing a lot of processing to support its nice user interface.

Lisadraw documents were generally the slowest, even from the hard disc, with many disc accesses necessary to bring up a simple drawing. Once a graph, drawing or document was in memory there were few delays, but I couldn't help feeling that the Lisa, with its 1Mbyte of RAM, would be a better machine with 5Mbyte of RAM

Specification

System includes: 1 Mbyte of RAM, two 850K floppy drives, a 5Mbyte hard disc, and the Lisa's integrated office system software.

Standard Software: Lisawrite, Lisagraph, Lisadraw, Lisacalc, Lisaproject and Lisalist.

Price: £7,950.

U.K. Distributor: Apple Computer (U.K.) Ltd, Eastman Way, Hemel Hempstead, Hertfordshire, HP2 7HQ. Telephone: (0442) 60244. Lisas will be available in volume in August.

The system under review also had the Apple dot-matrix printer, price £425, and printer interface card at £160. A daisywheel printer is available from Apple at £1,350.

instead of, or as well as, a hard disc. Lisa's 68000 processor is capable of addressing up to 16Mbyte, so this enhancement is a real possibility at some future date. Lisa represents the current state of the art, but how easily we are spoiled.

I did not like the mini-floppies. These double-sided 5.25in. discs are of an unusual design, with two slots cut in them instead of the usual one. Apple says this was done to make them more reliable, as the conventional arrangement for double-sided disc drives has two read/write heads pressing against the disc from opposite sides, and unequal pressure can distort the recording medium. The problem with the Apple solution is that it is easy to get your fingers all over the recording surface, which introduces dirt as another possible source of disc failure. What Apple has gained on the high-technology roundabout it has immediately lost on the human swings. It would help if the new format discs had the outer cover in a contrasting colour to the recording surface.

The Lisa encourages spontaneous methods of work because all the tools are to hand. As well as the features I have been using it includes the Lisacalc spreadsheet, Lisalist database and Lisaproject scheduling tool. It is rather like VisiCalc written very large — you can try things out and then undo them. Since this is true of all the Lisa applications, not just the spreadsheet, there is a major gain for the user.

Lisa is supposed to be a completely integrated environment, with data readily transferable between the different Lisa tools. Yet I found there were things I expected to be able to do but could not. I was able to transfer a graph prepared on Lisagraph paper across to Lisadraw paper for further work, but I could not copy the same graph across to a Lisawrite document, where I actually wanted it. Instead I got a message on the screen, confirmed in the manual, that only text can be copied on to a text Lisawrite document. I hope this is a temporary limitation, as the whole design of the system leads you to expect you can do this. I checked with Apple and was told the initial August release of Lisawrite will only be able to accept data from Lisacalc.

I did have limited success in copying text from a Lisawrite document on to a piece of Lisadraw paper. The restriction here is the size and shape of the drawing paper. I kept getting messages that told me to keep text clear of the paper boundary, as the drawing tool has none of the wordwrap features found in Lisawrite.

Lisa has been criticised as overpriced, but the price is not as steep as it seems. If Apple were to sell the basic system with 1Mbyte of RAM and its two floppy drives for around £4,000, then charge for the 5Mbyte Profile hard disc and each of the application tools separately, it would not seem exceptionally expensive. Apple is probably right to bundle the prices together since the whole Lisa concept is to integrate all the software applications into a consistent user environment and hide the hardware behind a metaphor of a graphics desk top.

The main software development environment for the Lisa is to be based on Pascal. It will include an extensive library of routines to enable independent software writers to produce applications which interact with the user in a way consistent with the rest of the system. Cobol and Basic will also be available. None of these products was available for review.

Conclusions

- The Lisa is a very impressive system. It is both powerful and easy to use.


- First-time users around the office were able to do some tasks very soon after coming across the machine.

- Response time could be improved. Even with the hard disc, loading and saving some types of data took too long for what is meant to be the ultimate user-friendly system.

- The three applications reviewed — Lisawrite, Lisagraph and Lisadraw — are all powerful and easy to use.

- The Lisa is a true personal computer; it makes computing power directly available to the individual user with as little fuss as possible.

- Not everyone wants or can afford the Lisa, but the ideas behind it are already reshaping the way people expect computer systems to behave.



Some examples of printed output from Lisadraw.

TANDY 100

A computer which will be there when you need it most, tested by Ian Stobie.

TANDY'S MODEL 100 is a battery-powered portable computer with a proper full-size keyboard and liquid-crystal display. By current standards of LCD technology the display is very large: it can show eight lines of 40 characters. The other distinctive thing about the Model 100 is that it comes with an unusually large amount of software in ROM, and includes a Microsoft-written text editor in addition to Basic.

The Model 100 looks a bit like the Epson HX-20 portable, the obvious machine to compare it with. The Model 100 ranges in price from just under £500 including VAT, for the minimum configuration with 8K RAM to £730 for a 32K RAM system. The Tandy is therefore slightly more expensive than the Epson, which costs £462 for a 16K machine, but then big LCD arrays are not cheap.


The Tandy is the slightly lighter machine, weighing just under 4lb, but both computers fit a full-size, full-travel keyboard on to a roughly A4 size package. Tandy has opted for the super-large display which occupies the whole of the top part of its machine above the keyboard, in the space where Epson fits its smaller four-line by 20-character display, on-board mini-printer and optional micro cassette drive. With the Tandy machine you use an external printer and an ordinary external cassette recorder.

The large display and text-editing software makes the Tandy an obvious candidate for use as a portable word-processor. The Model 100 has an RS-232C interface as standard and built-in communications software. It should be possible to download files on to other machines for more sophisticated word processing.

It is probably fair to say that Tandy products do not have an outstanding reputation for finish, but the Model 100 is built for Tandy by Kyocera in Japan. It is very well made and generally pleasant to handle. The casing is made of strong plastic in off-white and black.

The keys themselves and the screen surround are black. To the right of the screen is the Tandy Radio Shack logo, incorporating the TRS-80 legend which seems to be becoming like Heinz's 57 varieties as an intrinsically meaningless badge of corporate identity.

Just below the badge is the battery-low indicator. When it lights up you have roughly 20 minutes of battery power left. A panel underneath the machine pulls off to reveal four AA batteries. They can be





Turning on the machine brings up the main menu, including date and time.

changed without losing the contents of memory because the Model 100 has a second set of rechargeable NiCad cells hidden away inside. The first thing the Model 100 does when a new set of AA batteries is installed is top up this reserve power source.

When you exhaust your main batteries the warning light goes on, and about 20 minutes later the machine stops functioning. The reserve NiCads give you at least a further eight days with memory preserved intact to fit some new ones, according to Tandy. The Model 100 is fitted with a 6V DC socket on the side so you can run it off an optional mains adaptor, cost £8, if you prefer.

A quick look round the outside of the machine shows that it is well provided with connections to the world, as befits a portable machine. As well as the RS-232C communications interface there is a parallel printer port and a DIN-style socket for connecting to a domestic audio cassette recorder. There is also a bar-code reader connector of the HP pattern, indicating that this is a machine designed with business as well as purely personal use in mind.

Next to the cassette socket is a closed-off hole in the casing which on U.S.

machines has a direct-connect telephone Modem socket. Unfortunately this is not available in the U.K., and the circuitry to support it has been removed. One day British Telecom may give approval to this type of device, but Tandy does not seem to want anyone to jump the gun.

Underneath the machine a second panel pulls off to reveal a ROM socket and a 40-pin external bus connector. The ROM socket will take a 32K module which will switch the existing 32K of ROM out of the Model 100's 64K address space when installed, so it looks ideal for customising the Model 100 for special-purpose applications.

Turning the machine on brings up the main menu. Next to the On-Off switch at the right side of the Model 100 is a knurled wheel, which can be used to aim the display electronically to suit your viewing angle. It provides excellent contrast. Liquid-crystal displays are much less tiring to look at than TV-type cathode-ray tubes, so let's hope the technology continues to advance. Epson has recently demonstrated a pocket TV with flat, colour LCD screen, so clearly there is plenty of research going on.

The T-100 represents the current state of the display art in reasonably

inexpensive consumer products. Each character is made up on a seven-by-five matrix of dots, lower-case letters having a one-dot descender. For graphics any of the screen's 15,000-plus dots can be individually addressed, giving 64-by-240 dot graphics.

The main menu shows the current date and time — which updates every second as you watch it — and the amount of memory free to the user. It stands at 21,446 bytes free on the 24K model if you have no files of your own in memory, 5,062 bytes on the 8K model.

The menu also shows a directory of all the files in memory, both yours in RAM and the ones the system comes with in ROM. They are:

- Basic,
 - Text, the text editor,
 - Schedl, the appointment scheduler,
 - Address, the address list program,
 - Telcom, used with the RS-232C for computer-to-computer communications.
- There are 19 free slots for your own files, which can be Basic programs, text files or machine-language files.

You select from the menu by typing the name you want, or more rapidly by moving the cursor over the appropriate file name. The four cursor-control keys are on the right of the row of special keys positioned just under the display.

The keyboard has a very nice feel to it. For fast typing I prefer the Model 100 to the Epson, which also has a very good quality keyboard. The Tandy layout is closer to what appears to be the emerging standard, recognisable by the large Enter key. The numeric shift key to the right of the keyboard redefines the U,I,O,J,K,L and M keys to give numbers so that you have, in effect, a numeric keypad in the middle of the keyboard when you want it. The Graphics Shift key gives you access to 39 special graphics characters, and a set of block graphics characters can be reached with the ordinary Shift key.

The editor, called Text, is a simple but useful word-processing program. You can enter, alter, move, duplicate or delete blocks of text with it, storing the finished product in RAM or on tape, or sending it to an external printer. Text makes extensive use of the function keys F1 to F8. Hitting the key marked Label brings up on the bottom line of the display definitions of what the function keys do — Find, Load, Save, Copy, Cut, Select and Menu.

To move a block of text you position the cursor at the start, hit the Select function key, move the cursor through the text, which highlights it, and then hit the Cut key. The text disappears, but if you then move the cursor to the new position and hit the Paste key it reappears in its new location.

Text is quite a handy piece of software. You can enter any printer control code easily, and can also use it to edit Basic programs as well as ordinary documents.

(continued on next page)

Benchmarks

The table shows the time in seconds to run eight standard Basic routines. The benchmark routines test out various typical tasks, each repeating an appropriate set of Basic statements 1,000 times.

	1	2	3	4	5	6	7	8	Av
Tandy Model 100	4.8	10.1	26.7	29.7	31.4	47.5	63.6	323.0	67.1
HP-75C	2.5	4.4	21.0	21.0	23.0	39.0	56.0	130.0	37.1
Epson HX-20	2.6	15.2	33.4	33.2	35.2	59.6	101.0	132.0	51.5
Sharp PC-1500	15	70	121	122	178	293	383	510	211.5
IBM PC	1.2	4.8	11.7	12.2	13.4	23.3	37.4	31.0	16.9

(continued from previous page)

The package lives in ROM and is therefore always available with the minimum of delay, which encourages spontaneous memo writing. Obviously there are limitations compared to a disc-based word processor: you cannot do find-and-replace operations and, more seriously, you cannot have double or triple line spacing.

Schedl is a simple notebook program that lets you find messages you have written to yourself by time, date or content. The program operates on a Note file you create with Text, carefully observing the required format. When using Schedl to find messages you can search either by entering a time, date or character string, or by browsing through the file. You may have only one Note file in memory and Schedl makes no use of the built-in calendar clock, so it is a very limited program, but still useful. Hewlett-Packard's HP-75C probably remains unchallenged as the portable machine with the most powerful general diary and scheduling features built in.

Address works in a similar way to Schedl, with a text file you have to set up called Adrs. Again it is very simple, but it lets you find addresses and phone numbers easily. Because both programs reside in ROM, with their files in RAM, they are rather more useful than they sound because everything happens quickly. You simply turn the machine on, select the appropriate new option, hit a function key and type in your search string.

Telcom lets you use the Model 100 to send and receive information from another computer system. Although the U.K. model does not have the built-in telephone Modem it does have the RS-232C, so the Model 100 can be used with similarly equipped TRS-80 computers and other machines with the right interface and software — perhaps via an acoustic-coupling Modem. Text files can be transferred to a Tandy Model II and edited with Scripsit, for example.

Once you have selected Telcom from the menu you can configure the RS-232C in various ways, setting a baud rate in the range 92 to 19,200 and specifying word length, parity and stop bits. Hitting function key 4 puts you into terminal mode, where you can transfer incoming data into a standard Model 100 RAM file, echo it to an external printer, or transmit your own data.

The Model 100's Basis is a very full version similar to Microsoft's other recent Basics. The maximum numeric precision it can handle allows you numbers with exponents ranging from -64 to $+62$, displaying them with up to 14 significant digits. The Basic includes Print Using for business-like output formatting and On Error and On Time\$ Goto statements.

The specific Model 100 hardware is generally well complemented by the Basic.



Four AA batteries power the Tandy 100, with rechargeable back-up to maintain RAM.

The LCD screen is well supported with PSet, PReset and Line commands. The Line command even boasts a box fill parameter, so for instance

LINE (3,3) - (30,40),1,BF

produces a dark rectangle at the appropriate place on the screen. The sound command includes pitch and duration parameters.

An unusual and impressive Basic statement is the On Key Gosub, which is followed by a list of line numbers. Hitting one of the eight function keys while your program is running will cause a branch to the appropriate Basic routine from the list of line numbers. This powerful feature is only really possible because the Model 100 is built around a chip with good interrupt-handling features — the 80C85, which is the low power-consumption version of the 8085, itself an evolved member of the eight-bit 8080 family.

Benchmark tests show the Basic to be

Specification

CPU: 80C85, eight-bit CMOS 8085 look-alike, running at 2.4MHz

ROM: 32K containing Microsoft-written Basic, text editor, address list, appointment scheduler and communications software

RAM: 8K expandable to 32K

Size: 300 by 215 by 51mm.

Weight: 1.36kg.

Power source: Four AA batteries or equivalent, or 6V DC. Internal NiCad back-up batteries are fitted as standard, AC adaptor is optional extra

Display: eight-line by 40-character liquid crystal, measuring 194 x 53mm. Each dot of the display is individually addressable, giving 64-by-240 dot graphics

Keyboard: full-size QWERTY layout, full-travel keys; eight programmable function keys and eight other special keys

Manufacturer: Kyocera, Japan for Tandy Corporation

U.K. price: (inc VAT): £499 for 8K version, £649 for 24K version, £80 for 8K RAM upgrade kit

U.K. distributor: Tandy Corporation, Tameway Tower, Bridge Street, Walsall, West Midlands WS1 1LA. Telephone: (0922) 648181

quite fast, considering it is running on a CMOS machine. Although the Epson HX-20 has a better average figure, on most of the benchmark routines the Tandy was a little quicker, the average being brought down by slower trigonometric functions.

The documentation to describe all these features is good. The system comes with two manuals, a comprehensive 200-page spiral-bound A4 book and a pocket-size 50-page reference guide. The larger book describes setting up and using the applications programs in a simple way, and then goes off into a detailed reference section on the Basic, followed by technical appendices. The reference guide is very clear. All that is missing is a tutorial guide to Basic, but possibly books for other Tandy machines with similar versions of the language would fulfil this need adequately.

Battery-powered portable machines are clearly becoming powerful enough to attract a whole range of users. Tandy's other portable, the PC-2, is an excellent machine which is better known in the U.K. as the Sharp PC-1500. The Model 100 may at some stage appear on the market through another channel under another brand name in a similar way.

Conclusions

- Battery-powered portables are becoming increasingly powerful and useful. The Model 100 with its very large eight-line by 40-character display and excellent keyboard marks the latest step forward.

- Tandy machines have not always been renowned for finish, but the Japanese-made Model 100 is generally well built and finished.

- Tandy is likely to sell the machine as an out-and-out home machine and as a personal machine for professionals. In both roles it should do well.

- The Model 100 will only be available from Tandy and Radio Shack stores, not from specialist computer dealers. This probably gives the Epson HX-20 the edge in high-volume fleet sales to large companies with special-purpose software added on.

HOW CAN YOU MAKE AN INTELLIGENT DECISION WITHOUT US?



Ten years is a long time in the computer business.

And ten years' success at the most demanding end of the business, the OEM market, says a lot about Cifer's capability.

The microcomputers and intelligent terminals we are making today have a power, a flexibility and an upwards capability which makes it unlikely they will be outgrown or outdated in the foreseeable future. And we can see further ahead than most people.

A vast range of compatible hardware gives Cifer systems functional abilities which are well beyond the scope of other equipment in the same price bracket. In fact, you could say we start where the others leave off.

And as every piece of equipment is British designed and British made, you don't have to go halfway round the world for good customer support.

Before you make the key decisions, find out about the most intelligent terminals and microcomputers in the market.

CIFER

HOW CAN YOU MAKE AN INTELLIGENT DECISION WITHOUT US?

Factory and South Western Sales
Avro Way, Bowerhill, Melksham, Wilts.
Tel: Melksham (0225) 706361.

Northern Area Sales
Tel: Nottingham (0602) 410551.

South Eastern Sales
Tel: 01 935 4437

IF YOU WATCHED *Making the Most of the Micro* on BBC TV you will already have seen the BBC Buggy demonstrating the principles of computer control.

The Buggy was designed by Mike Bostock, Technology Manager of the Newcastle-based Microcomputers in Education Project. Its body is a 5in. cube made from Fischer Technic parts, and it is driven by two independently controlled stepper motors. It is controlled by signals from on-board sensors and by programs run on the BBC Micro Model B. Production models of the Buggy are not yet on sale — the projected price is £165.

The sensors include two microswitch collision detectors operated by a split plastic bumper. They are intended for detecting obstacles, though quite a lot of pressure is required to operate the bumpers because of the resistance of the plastic hinges.

There is a light detector, and an infrared transceiver similar to the device used in supermarket bar-code readers, which can be used to follow black or white lines. It

protrudes in front of the bumpers and is therefore quite likely to hit obstacles before they do. The sensor has obviously been mounted to make it easy to adjust its height, but it is a point on which the design could be improved. The Buggy is equipped with a pen-up, pen-down mechanism, which allows it to hold a pen and trace its route.

The control circuitry is contained on two printed-circuit boards. One is on the top of the Buggy itself, and collects the input signals from the sensors and distributes power to the stepper motors. It is connected by a long 16-wire ribbon cable to the second board, which is in turn connected to the power outlet, user port and analogue port of the BBC Micro. It can be mounted in a rack but may conveniently be taped to the top of the BBC Micro with the cables tucked away beneath it. An eight-LED display shows the signals being sent out or received from the Buggy.

The Buggy has been constructed from readily available parts, so it should be easy to replace those lost or damaged. The


whole device has been designed in a modular fashion and is easy to take apart, add to or rebuild in new configurations.


The machine is to be sold together with 13 programs, which are all easy to use if rather simple. They are intended to show you how the Buggy is used and to encourage experimentation with the Buggy. The test program checks that the Buggy is set up correctly and that all the sensors work. It may also be used to set the height of the bar-code reader, which has to be adjusted so that the value displayed by the program changes significantly when the Buggy is lowered on to a white background.

A simple program called Switch shows how to program the Buggy in Basic. You drive the Buggy using the arrow keys. If its motors are both turning in the same direction the Buggy moves either forwards or backwards. Turning the motors in opposite directions makes the Buggy spin on its axis. The prototype system seemed to have been wired incorrectly: pressing the Left Arrow key sent it turning to the right and vice versa.


BBC BUGGY

David Watt is on the move with a computer-controlled trolley to interface with the BBC Micro, and the software to run it.





The wheels are driven independently by stepper motors.



An exposed circuit board sits on top of the Buggy itself.

The program Memory Switch is very similar to Switch, except that it records the route the Buggy follows. You can instruct it to return home and then retrace the route, or follow a new route. The program demonstrates the accuracy of the stepper motors: I sent the Buggy on a route about two metres long, marked the final position, returned to the original start position and retraced the route. At the end of this sequence the Buggy was about 25mm. from the position I had marked. If you want to draw a map of the Buggy's route on the screen as it is driven around you can use the Recorder program to do so.


A program called Snail is used to prepare a series of coded instructions to drive the Buggy. For example,

L20, F10, R90

means left 20 degrees, forward 10cm. right 90 degrees. The route is then mapped on the screen as in Recorder. By using Route Planner you can plot the route on the screen first, then instruct the Buggy to follow it.

The program called Explore for Object is supposed to demonstrate some of the principles of artificial intelligence. The Buggy is programmed to use the collision detectors to locate an object and work out its size and shape. Its shape is then displayed on the screen. The object has to be firmly fixed or the Buggy is likely to push it out of position. There also is a tendency for the Buggy to slip when it hits the object because of the resistance of the bumper hinges. The bar-code reader has to be moved out of the way of the bumpers for this program. A similar program called Explore for Wall determines the size of the area in which the Buggy is placed.

According to the rather primitive documentation supplied, Sunseeker is supposed to direct the Buggy to seek out a light source, negotiating objects in the way. When I used it, the Buggy just turned in a circle until it located the direction of the brightest light; it made no attempt to



A light detector, similar to a bar-code reader, protrudes beyond the front bumpers.

negotiate any obstacles or to look for a brighter source. Man Versus Buggy is similar, but here information is displayed on the screen and you may control the Buggy with the arrow keys. The idea is to see how well you can do compared to the Sunkseeker program.

The Line Follower program was demonstrated on the TV show. It uses the bar-code reader to follow either a black line on white background or white line on black background. John Williams of Economatics, the company supplying the Buggy, advised me that the Buggy was best at following a line of black electrician's tape on a white Melamine board.

Two programs, Barplan and Tin Pan Alley, are designed to use the infrared detector to read special bar-coded cards, which were not supplied with the review Buggy. A set of cards should be included in the package when the machine goes on sale.

There were some problems with the software control of the motors. Beside the Left and Right Arrow keys being interpreted the wrong way round, pressing two keys at the same time made the Buggy

vibrate back and forth without going anywhere. The stepper motors tended to heat up after a time, though I understand the software is being adapted to switch off the motors when they are not in use.

Conclusions

- The Buggy should be attractive to schools, laboratories, universities and home enthusiasts. It is a splendid teaching aid and experimental device, particularly as it is so easy to build into different configurations.

- It might be built in different configurations for use in some light-engineering applications, for control of certain types of laboratory experiments or for developing aids for the physically handicapped.

- The circuit boards should be enclosed in plastic cases. At present the complex circuits are exposed to spilt coffee and similar environmental hazards.

- The proposed price for the Buggy is £165, which should keep it within reach of those people who have a definite use, whether educational or experimental. □

WORDWISE

Neville Maude wonders whether this BBC word processor lives up to its name.

WORDWISE was the first ROM-based word processor to be announced for the BBC Micro. I ordered mine back in July 1982 but, as with all ROM-based BBC software, a series 1.0 or subsequent operating system is required; waiting for Acorn to deliver it is like waiting for Godot.

In the fullness of time, series 1.2 operating systems appeared and paged or "sideways" ROMs could be used. Plug-in ROMs are an excellent way of providing word-processor facilities on computers. Tapes take time to load and good ones swallow large amounts of precious memory.

Inserting the ROM is simple. Most people will want the machine to cold-start into Basic, so the Basic chip goes into the right-hand socket. The Wordwise ROM goes into any of the remaining four sockets and is selected simply by typing

*WORDWISE

or, in practice

*W


The system is then up and running.

At any time you can go back into Basic and out again without losing any entered text. When in the main Menu mode, typing * passes the subsequent line to the operating system so commands such as * Cat, * Tape or * Disc can be entered without even going into Basic.

Wordwise first asks if there is any old text in memory. If not, the title page or menu appears with eight options. Options 1 and 3 save text on to disc or cassette, either in total or in marked sections. Option 2 loads text previously saved, and 4 loads text at a point indicated by the cursor, which can be anywhere, even in the middle of a word.

Option 5 is an editing facility giving a global or selective search for specified text items to be replaced. For example, it could search through an entire article for a name such as Barbara and either replace it with, say, "Mrs Smith" everywhere or ask if it should replace at each occurrence. This powerful tool can also be used in editing Basic or other programs.

Menu option 6 sends text to the printer. Option 7 displays the text in its formatted form. It uses an 80-column screen, mode 3, if enough memory remains unused or 40-column mode otherwise. Normal memory capacity is 27,378 characters but for 80-column display 16,000 must remain unused. Acorn's ROM-based view is similar in this respect. However, even in 40-column code it is easy to see where the page ends and so check the format.




Wordwise first asks if there is any old text in memory; if not the menu appears with eight options.

Table 1. Wordwise embedded commands.

Command	Range	Default	Function
LMn	0 to 150	5	Left margin
LLn	10 to 200	70	Line length
INn	0 to LL-10	0	Indent
TIn	0 to LL-10	0	Temporary indent
CI			Cancels all indents
PLn	10 to 200	66	Number of lines per page
TSn	0 to 50	7	Top space
DHn	1 line		Define heading
HPn	0 to TS	3	Heading position
BSn	0 to 50	7	Bottom space
DFn	1 line		Define footing
FPn	0 to BS	3	Footing position
JO		On	Justification on
NJ		Off	No justification
LSn	1 to 50	1	Line spacing
SS		1	Single spacing
CEn	1 to 200	1	Centre lines
OCn, n,	0 to 255		Output control code
SPn	0 to 200	0	Space — number of blank lines
CO		On	Continuous output, no paging
EP		Off	Enable paging
BP			Begin new page
PNn	0 to 1999	1	Set page number
CPn	0 to PL		Conditional new page
DPn	0 to 255	96	Define pound sign
PCc	! to z		Define pad character
DTn, n,	0 to 200	10, 20...	Define Tab stops
EM		Off	Enable paper message
DM		On	Disable paper message
PP	1 to 9999	PN	Print page number
GF"xxx"			Get file from tape or disc



In Editing mode the top line shows words typed and space left.



On a TV screen, 80-column mode is just readable.

So to start a new paragraph you could press f1, T15, f2. T15 stands for a five-character temporary indent on a new line. It appears in green with white text returning subsequently. Table 1 lists other commands.

At this point the user may appreciate how useful it is to have single-key commands but regret that the BBC Micro does not have another set of free user-definable keys to control the size and style of type used by the printer. In fact this is possible: the user-definable keys carry a second set of definitions, which are reached by pressing Shift and Ctrl at the same time.

Suppose you have an Epson 3 printer and wish to switch the condensed typeface on or off with the single-key commands. The appropriate commands in Basic for keys f1 and f2 would be

* KEY1!!OC15!!"

and

* KEY2!!OC18!!"

Similar lines could control other printer settings such as enlarged, emphasised, subscript or underlined text. Again a key could be used for a whole set of commands such as line and page lengths plus fixed margins and tabulation settings. These commands are saved on tape and fed in, perhaps with a preparatory * FX6, 0 to provide the auto line feed which the Epson needs and the BBC Micro otherwise suppresses by default.

Table 2. Editing commands.

Key	Function
f0	Insert overwrite
f1	Embedded command Start
f2	Embedded command End
f3	Marker
f4	Move cursor to specified character
f5	Word count to specified character
f6	Delete up to specified character
f7	Delete marked section
f8	Move marked section to cursor
f9	Copy marked section to cursor
Ctrl-A	Delete character at cursor
Ctrl-S	Swap case of character at cursor
Ctrl-D	Delete word at cursor
↑	Cursor up one line
→	Cursor right one character
↓	Cursor down one line
←	Cursor left one character
Ctrl-↑	Cursor up 23 lines
Ctrl-→	Cursor right one word
Ctrl-↓	Cursor down 23 lines
Ctrl-←	Cursor left one word
Shift-↑	Cursor to start of text
Shift-→	Cursor to last character on line
Shift-↓	Cursor to end of text
Shift-←	Cursor to first character on line
Delete	Delete character to left of cursor
Tab	Insert tab character
Esc	Swap between Edit and Menu mode

In practice Wordwise is easy to use and common sense solves the initial minor problems. For example, if the cursor refuses to move one character at a time, changing back to capitals from lower case restores that function; lower case makes the computer think that Shift is being pressed at the same time. If you are using the Epson with an unusual typeface, such as condensed superscript, the spacing may not conform with the formatted presentation. This is a characteristic of the printer, not the word processor, and in general this combination is admirable and any printer can be used.

There are a great many other useful commands including CE to centre lines automatically, PP for page numbering with automatic increments, JO for justification and Get to persuade the computer to print a file directly from tape or disc. There is also a word-counting command.

The maximum number of characters per line is 200. Though short of the 240 or so which most printers can handle with condensed type, it is an improvement on Acorn's View, which stops at 132. Wordwise permits immediate printout and so is much faster than View when cassettes are used. However, View offers very fast saving and loading with discs; it is the fact that text must be saved before it can be printed which slows it down for cassettes.

Computer Concepts utilised the delay imposed by the late arrival of a suitable operating system to improve the specification of Wordwise — and also to reduce the price. Since Computer Concepts is an honest firm, this price reduction was automatically credited to waiting customers, and in any case cheques were not cashed until the products were sent. Firms operating "forward financing" please note. In the mean time Acorn's View ROM appeared — see the review in the April issue of *Practical Computing*.

Wordwise costs £39 plus VAT and £1.50 for postage and packing, say £46 in all. Beebug has a special offer, for members only, of Wordwise plus the 1.2 system for £45 inclusive. The Wordwise package includes the ROM and fitting instructions, together with a 32-page ring-bound instruction book and an introductory cassette. The book is written in a clear and sensible manner.

Conclusions

● Wordwise is simple to use, versatile and convenient. It is first-class value for money.

● It cannot access external files to produce standard letters, though they can be reproduced and changes made as required.

● It cannot handle documents longer than the RAM memory allows — about 4,000 words — but longer features could be produced in instalments.

Two images for three dimensions

Dave Watson explains a technique for plotting data as a pair of maps which combine to form a stereoscopic image.

WEATHER MAPS, such as those seen every night on television, show patterns of isobars which interpret a set of individual pressure measurements. All too often the pattern circles round a low-pressure centre. The pattern indicates its position even though no measurement may have been made at that spot. Similarly, harbour and coastal soundings are used to develop nautical charts that display the extent of channels, anchorages and submerged reefs although each sounding itself is just a depth measurement.

In general, measurements made at particular locations are gathered on to a map of the area to display the lateral behaviour of the measured variable. Such a map is particularly useful when the sampled region is not visible, for example in oil fields where subterranean domes and other significant geological features can be revealed.

Several algorithms have been used to draw these maps automatically and some are readily implemented on micro-computers with graphics displays. The first step is to establish the spatial order among the measurements. This can be done by generating a triangular mesh on the set of data points in such a way that any measurement shares triangles with each of its immediate neighbours and any two adjacent measurements are linked by an edge.

The result is a set of triangular facets with various slopes, a sort of tent city. Then two simple operations, rotation and slicing, allow the data to be interpreted




Figure 1. Stereogram of a triangulated data set with four intersecting planes viewed from directly above.




Figure 2. Stereogram of data set with hill shading and viewed from the side.




Figure 3. Stereogram with egg crating and perspective, viewed from the side.

Dave Watson is a specialist in spatial analysis and computer graphics; he is a research fellow at the Department of Geology and Geophysics, University of Sydney, Australia.

and displayed in a simulated three-dimensional form.

A stereogram is a pair of pictures with slightly different viewpoints, one for each eye. To compute these two pictures the data set and its triangular facets are rolled slightly to the left and right.

To slice the data set you compute the intersection, if any, of each triangular facet with a horizontal plane. The traces of these intersections are, in effect, slices through the data set and you can observe these trace lines in three dimensions by presenting a separate picture to each eye. Figure 1 is a stereogram of a triangulated data set with four intersecting horizontal planes.

Stereograms can be viewed by allowing the eyes to cross slightly until three images appear. The central image will have a three-dimensional appearance. Although it takes some practice to perfect the technique the possibilities offered by a video terminal make the skill well worth acquiring.

Irregular surface

Random data from the random-number generator was used to produce this illustration. It is typical of the data set obtained when an irregular surface is sampled at several scattered locations. The facets of the triangulation are a planar reconstruction of the surface. The numbers drawn from the random-number generator all lie between 0 and 1 so the set of triangular facets lies within the unit square.

The Basic program that produces the stereogram is short and easily explained. The main part, line 260 to line 730, creates the triangulated network. The Delaunay triangulation is used because it provides a list of triangles that are as nearly equilateral as possible. The next steps are to slice and rotate. Horizontal slices through the triangulated data give contours or isolines because the intersection of these slices with the triangular facets trace out lines of equal altitude. This is done in lines 820 to 1010 where each slice has altitude R, as in line 890.

Any of the three rotations of the data set about a Cartesian axis — roll, pitch and yaw — can be simply and easily done. Two rotations can provide any orientation, but only one rotation is needed for each part of the stereogram. This is done in lines 1200 to 1260 and the result is drawn as two pictures for crossed stereopsis. If you prefer parallel stereopsis, simply exchange left and right pictures. You will need to adapt the actual plotting instructions, lines 1230 and 1260, to suit your machine and the number of pixels on your VDU.

In figure 1 the areas in the data set that are relatively flat and level can be readily identified as regions where there is a scarcity of contour lines; the more level triangular facets tend to lie between the slices. It turns out that triangles of any

(continued on next page)

```

00010 REM STEREO SCOPIC SLICING, D.F. WATSON, 1983
00020 DIM A1(53,3), A2(101,3), A3(101,3), X3(2,3)
00030 DIM B1(101), B2(50,2), B4(3,3), B5(3,2), B8(7,2),
      B9(10)
00040 DATA -1,-1,5,-1,-1,5,1,2,3,2,2,18
00050 DATA 1,2,1,3,2,3,1,2,1
00060 DATA 0.,0.,0.,0.,0.,0.,6.,.025,6.,0.
00070 READ A1(1,1),A1(1,2),A1(2,1),A1(2,2),A1(3,1),A1(3,2)
00080 READ A2(1,1),A2(1,2),A2(1,3),A3(1,1),A3(1,2),A3(1,3)
00090 READ B5(1,1),B5(1,2),B5(2,1),B5(2,2),B5(3,1),B5(3,2)
      ,P,E,Q
00100 READ B9(1),B9(2),B9(3),B9(4),B9(5),B9(6),B9(7),B9(8),
      B9(9),B9(10)
00110 V1 = .5/B9(9)
00120 FOR G = 1 TO 7
00130   B8(G,1) = COS(B9(G) * .0174533)
00140   B8(G,2) = SIN(B9(G) * .0174533)
00150   NEXT G
00160 FOR G = 1 TO 101
00170   B1(G) = G
00180   NEXT G
00190 N = 23
00200 REM *** INPUT THE DATA ***
00210 FOR G = 4 TO N
00220   A1(G,1) = RND(0)
00230   A1(G,2) = RND(0)
00240   A1(G,3) = RND(0)/B9(9)
00250   NEXT G
00260 REM *** GENERATE THE DELAUNAY TRIANGULATION ***
00270 FOR G = 4 TO N
00280   M = 0
00290   FOR H = 1 TO P
00300     D = A3(H,3) - (A1(G,1) - A3(H,1))*2
00310     IF D < 0 THEN GOTO 00530
00320     D = D - (A1(G,2) - A3(H,2))*2
00330     IF D < 0 THEN GOTO 00530
00340     E = E+1
00350     B1(E) = H
00360     FOR I = 1 TO 3
00370       IF M < 1 THEN GOTO 00490
00380       L = M
00390       FOR J = 1 TO L
00400         IF A2(H,B5(I,1)) <> B2(J,1) OR A2(H,B5(I,2))
      <> B2(J,2) THEN GOTO 00480
00410         M = M+1
00420         IF J > M THEN GOTO 00520
00430         FOR K = J TO M
00440           B2(K,1) = B2(K+1,1)
00450           B2(K,2) = B2(K+1,2)
00460         NEXT K
00470         GOTO 00520
00480       NEXT J
00490       M = M+1
00500       B2(M,1) = A2(H,B5(I,1))
00510       B2(M,2) = A2(H,B5(I,2))
00520     NEXT I
00530   NEXT H
00540   FOR I = 1 TO M

```

(listing continued on next page)

(continued from previous page)

particular orientation can be identified and highlighted by slicing the data set with planes of that orientation. If a single light source is imagined to be shining over your left shoulder, then those triangles most nearly perpendicular to the light rays will be the most brightly lit, the less perpendicular the triangles are, the more shaded they will be. These shady triangles will be intersected by many of the slanted slicing planes which are perpendicular to the light rays. On the VDU you get reverse contrast, of course.

In practice it is easier to rotate the whole data set and use horizontal slices than to slice with an inclined plane. To do this,

change line 60 to read:

60 DATA 15., -15., 0., 0., 15., -15., 6., 02, 6., 0.
and remove the Goto at line 740. In lines 750 to 810 the data set is rotated, then sliced as before with horizontal planes, and the traces are rotated back to the original orientation. This reverse rotation is done in lines 1030 to 1090, and you must also remove the Goto at line 1020. Then the stereogram is drawn as before — see figure 2. In addition, the data set has been rotated and tilted so that the viewpoint no longer appears to be directly above the data set. This is done in lines 1150 to 1190.

An extension of this technique called egg crating — named after the cardboard partitions used in old-style egg boxes —

can be done with vertical slices in two directions. To do this, change line 60 to read

60 DATA 90., 0., 0., 90., 15., -15., 6., 03, 4., 2.
causing the slicing part of the program to be executed twice. A sense of perspective can be obtained by applying a foreshortening effect to the data set, as in lines 1120 to 1140. It makes the vertical slices appear to converge in the distance — see figure 3.

There are several ways that you can alter and extend this program. For instance, if

Further reading

Background information can be found in the following articles by the author:
"ACORD — Automatic contouring of raw data" in *Computers and Geosciences* 8, (1982) 97-101.
"Computing the n-dimensional Delaunay tessellation with application to Voronoi polytopes" in *The Computer Journal*, 24, (1981), 167-172.

(listing continued from previous page)

```

00550 K = B1(E)
00560 E = E+1
00570 FOR J = 1 TO 2
00580 L = B2(I,J)
00590 B4(J,1) = A1(L,1) - A1(G,1)
00600 B4(J,2) = A1(L,2) - A1(G,2)
00610 B4(J,3) = B4(J,1) * (A1(L,1) + A1(G,1))/2
00620 B4(J,3) = B4(J,2) * (A1(L,2) + A1(G,2))/2 + B4(J,3)
00630 NEXT J
00640 D = B4(1,1) * B4(2,2) - B4(1,2) * B4(2,1)
00650 A3(K,1) = (B4(1,3) * B4(2,2) - B4(2,3) * B4(1,2))/D
00660 A3(K,2) = (B4(1,1) * B4(2,3) - B4(2,1) * B4(1,3))/D
00670 A3(K,3) = (A1(G,1) - A3(K,1))*2 + (A1(G,2) - A3(K,2))*2
00680 A2(K,1) = B2(I,1)
00690 A2(K,2) = B2(I,2)
00700 A2(K,3) = G
00710 NEXT I
00720 P = P+2
00730 NEXT G
00740 GOTO 00830
00750 REM *** ROTATE THE DATA SET ***
00760 FOR Q = 4 TO N
00770 Z = (A1(G,3) - V1) * B8(Q,1) - (A1(G,1) - .5) * B8(Q,2) + V1
00780 A1(G,1) = (A1(G,1) - .5) * B8(Q,1) + (A1(G,3) - V1) * B8(Q,2) + .5
00790 A1(G,3) = (Z - V1) * B8(Q+1,1) + (A1(G,2) - .5) * B8(Q+1,2) + V1
00800 A1(G,2) = (A1(G,2) - .5) * B8(Q+1,1) - (Z - V1) * B8(Q+1,2) + .5
00810 NEXT Q
00820 REM *** SLICE THE DATA SET ***
00830 FOR H = 1 TO P
00840 IF A2(H,1) < 4 OR A3(H,3) > 1 THEN GOTO 01280
00850 T = MAX(A1(A2(H,1),3),A1(A2(H,2),3),A1(A2(H,3),3))
00860 S = MIN(A1(A2(H,1),3),A1(A2(H,2),3),A1(A2(H,3),3))
00870 R = -.866
00880 FOR I = 1 TO 100
00890 R = R + B9(8)
00900 IF T < R OR S > R THEN GOTO 01270
00910 Y = 1
00920 U = 0
00930 U = U+1
00940 F = (R - A1(A2(H,B5(U,1)),3))/(A1(A2(H,B5(U,2)),3) - A1(A2(H,B5(U,1)),3))
00950 IF F < 0 OR F > 1 THEN GOTO 00990
00960 X3(Y,1) = A1(A2(H,B5(U,1)),1)+(A1(A2(H,B5(U,2)),1)-A1(A2(H,B5(U,1)),1))*

```


you want to input your own data set you must scale it so that each value is between 0 and 1. Draw a square around the data set and scale all the x and y values to make the square have an edge length of 1. You must also scale the z values to an overall length of 1, independently of the scale factor used for x and y.

If you wish to use more than 50 data points you will need to increase the storage arrays. The first three rows of array A1 are reserved for initialisation. If you have data points, you will need N+3 rows of storage for the data, array A1, and 2N+1 rows of storage for the list of triangles, arrays A2, A3 and B1. You must also alter the initialisation loop at line 160.

You may wish to use particular contours, and this will require a list of contour values, say array 83. The values of R in line 890 would then be taken from this array.

You may change the direction of shading or egg crating by changing the angles in array B9, line 60. The first and second angles control the orientation of hill shading and the first, second, third and fourth values also control the orientation of the egg crating. The fifth and sixth control the viewing angle and the seventh angle is the stereopsis angle.

The eighth value is slice thickness, the ninth value is vertical exaggeration and the 10th causes a second set of slices to be

made. Angles have been expressed in degrees; lines 120 to 150 convert them to radians.

The surface as reconstructed here may be integrated by calculating the volume under the surface. It is done by calculating the area of each triangle and multiplying by the mean of its three altitudes. The area of a triangle, defined by the Cartesian co-ordinates of its vertices, is given by

$$((x_1 - x_2)(y_1 - y_3) - (x_1 - x_3)(y_1 - y_2))/2$$

This program can also be adapted to higher dimensions. The extensions are just straightforward additions of appropriate lines to handle one extra variable or more. Then cross-sections are made, rotated and contoured — slices of a slice. □

```

00970      X3(Y,2) = A1(A2(H,B5(U,1)),2)+(A1(A2(H,B5(U,2)),2)-A1(A2(H,B5(U,1)),2))*F
00980      Y = Y+1
00990      IF Y < 3 THEN GOTO 00930
01000      X3(1,3) = R
01010      X3(2,3) = R
01020      GOTO 01210
01030 REM   *** REVERSE ROTATE THE INTERSECTION TRACES   ***
01040      FOR G = 1 TO 2
01050          Z = (X3(G,3) - V1) * B8(Q+1,1) - (X3(G,2) - .5) * B8(Q+1,2) + V1
01060          X3(G,2) = (X3(G,2) - .5) * B8(Q+1,1) + (X3(G,3) - V1) * B8(Q+1,2) + .5
01070          X3(G,3) = (Z - V1) * B8(Q,1) + (X3(G,1) - .5) * B8(Q,2) + V1
01080          X3(G,1) = (X3(G,1) - .5) * B8(Q,1) - (Z - V1) * B8(Q,2) + .5
01090      NEXT G
01100 REM   *** APPLY PERSPECTIVE AND VIEWPOINT   ***
01110      FOR G = 1 TO 2
01120          X4 = X3(G,1) * X3(G,2) * B8(6,2)
01130          X3(G,1) = X3(G,1) + X4
01140          X3(G,2) = X3(G,2) + X4
01150          Y = (X3(G,2) - .5) * B8(5,1) + (X3(G,1) - .5) * B8(5,2) + .5
01160          X3(G,1) = (X3(G,1) - .5) * B8(5,1) - (X3(G,2) - .5) * B8(5,2) + .5
01170          X3(G,2) = (Y - .5) * B8(6,1) - (X3(G,3) - V1) * B8(6,2) + .5
01180          X3(G,3) = (X3(G,3) - V1) * B8(6,1) + (Y - .5) * B8(6,2) + V1
01190      NEXT G
01200 REM   *** DRAW THE STEREOGRAM PAIR   ***
01210      X1 = (X3(1,1) - .5) * B8(7,1) - (X3(1,3) - V1) * B8(7,2) + .5
01220      X2 = (X3(2,1) - .5) * B8(7,1) - (X3(2,3) - V1) * B8(7,2) + .5
01230 REM LEFT PICTURE - DRAW A LINE FROM (X1,X3(1,2)) TO (X2,X3(2,2))
01240      X1 = (X3(1,1) - .5) * B8(7,1) + (X3(1,3) - V1) * B8(7,2) + .5
01250      X2 = (X3(2,1) - .5) * B8(7,1) + (X3(2,3) - V1) * B8(7,2) + .5
01260 REM RIGHT PICTURE - DRAW A LINE FROM (X1,X3(1,2)) TO (X2,X3(2,2))
01270      NEXT I
01280      NEXT H
01290 REM   *** REVERSE ROTATE THE DATA SET   ***
01300      IF Q > B9(10) THEN GOTO 01390
01310      FOR G = 4 TO N
01320          Z = (A1(G,3) - V1) * B8(Q+1,1) - (A1(G,2) - .5) * B8(Q+1,2) + V1
01330          A1(G,2) = (A1(G,2) - .5) * B8(Q+1,1) + (A1(G,3) - V1) * B8(Q+1,2) + .5
01340          A1(G,3) = (Z - V1) * B8(Q,1) + (A1(G,1) - .5) * B8(Q,2) + V1
01350          A1(G,1) = (A1(G,1) - .5) * B8(Q,1) - (Z - V1) * B8(Q,2) + .5
01360      NEXT G
01370      Q = Q + 2
01380      GO TO 00760
01390      END
READY.

```


Your software and the law

The legal rights of software authors are still uncertain, explains Anne Staines.

IT IS A REMARKABLE feature of United Kingdom law that there is no specific legal protection for the rights of software authors. It is remarkable not only in view of the rate at which such rights are increasing, but also in view of their unusual vulnerability to infringement.

As sales of software soar, the pirate share of the market increases. The problems of controlling piracy in the video-cassette market have been well publicised and there are some obvious parallels between the software and film industries, particularly with video games where the same problems of counterfeiting may be expected. However, software has additional characteristics which make effective legal protection even more difficult to achieve.

Software writers have rights in the intellectual property which they produce in the same way that authors have rights in their books. The analogy is sound since copyright will vest in the author of either product by virtue of the Copyright Act 1956. Although the Act makes no specific reference to software and the question has yet to be tried in this jurisdiction, there is little doubt that it is included by implication within the definition of "original literary works" protected under section 2.

Copyright attaches to a work "fixed in some material form", rather than to the idea or objective behind it. The South African Supreme Court recently upheld copyright in a suite of programs providing an accounting and administrative system for doctors and dentists "fixed", in Basic, on floppy discs and on computer printouts.

In the United Kingdom, it is assumed for the purposes of interlocutory applications that copyright attaches to both source and machine codes. Nevertheless some important questions remain to be tried which cast doubt over the effectiveness of copyright protection.

The first problem is one of definition; including software amongst literary works is awkward. Traditionally the term "literary" has been held to include non-human language, such as shorthand notation and telegraph codes. Programs in Basic, Fortran, Cobol or any other high-level language would fit comfortably by analogy.

However, there is less certainty about machine code. The common feature



Anne Staines is a barrister and senior lecturer in law at Newcastle upon Tyne Polytechnic

between Basic and shorthand code is that both are intended to be read and understood by humans trained in the language. It is arguable that machine code, on the other hand, is primarily intended to be understood by machines rather than humans. A relatively simple solution is to extend the current definition of protected works to include software explicitly. In its 1978 report the Whitford Committee suggested inclusion of work "not visible to or readable by the human eye, or directly understandable by the human brain".

Subsistence of copyright in machine code is an important question since it is possible that source and machine codes may require separate copyright. An infringement of copyright occurs on the substantial reproduction of the work in its fixed form. The lack of obvious resemblance between source and machine code raises the possibility that reproduction of the latter may not amount to infringement of copyright in the former.

The second problem is that of identifying the copyright owner. This is particularly significant in the context of video games; to what extent does copyright reside in the player to whose input the machine responds? Allied is the question of machine input: does the automatic translation of the source code by the compiler program introduce a new element into the object code, so that copyright ownership vests partly in the author of the compiler program?

Another version of the problem arises irrespective of machine input. A form of piracy to which software writers are particularly vulnerable is disguised imitation. Here A produces a program which B modifies so that its appearance is altered — thus evading copyright — while its function is retained. B markets the program as his own independent creation. How may B's input be quantified, particularly if his alterations have produced a different and vastly improved program?

Disguised imitation introduces a third problem. The overwhelming difficulty in many copyright cases is not strictly legal, but evidential. Disproving the independence of B's product may well be impossible. Evidential problems such as these will cause copyright cases in this area to be lengthy and expensive, and encourage litigants to settle out of court.

Difficulties of proof afflict the other form of software piracy, seeping, which is the culturally acceptable small-scale piracy by schoolchildren and business people who swap copies of each other's programs. Proving infringement in this case would involve unacceptable invasions of privacy, in addition to the obvious economic unreality of pursuing legal actions against individual offenders on this scale.

Software writers tend to aim for copyright as the only available legal goal. Computer programs as such are expressly excluded from the Patents Act 1977, and other methods of protection, such as contract and the law of confidence, are not tailored to suit the problem at hand. In the case of contract, only those who are party to the contract of sale will be bound by prohibitions on copying. The law of confidence will protect information given in confidence — for instance, by the author of a bespoke package in the course of pre-contractual negotiations. This method is clearly unsuitable where a program is intended for wide distribution. In either case there are enormous difficulties of proof.

Copyright, on the other hand, can be tailored to suit the legal problems — on paper at least. However, the nature of software, the ease and variety of copying techniques, and above all the difficulty of proving infringement make it impossible to conclude that its impact will be great. M

Whitford Committee Report

A committee under Mr Justice Whitford to consider the law on copyright and design reported in March 1977. Its findings with respect to computers were as follows:

Existing legal protection of computer programs in the United Kingdom.

479. The question of copyright protection for computer programs was not dealt with by the Gregory Committee. At the time that Committee was sitting, computers were of course very much in their infancy and there was little in the way of a programming industry. It is generally accepted, however, that the law of copyright provides some protection, certainly in relation to infringement by copying of a programmer's original written work. As long as a program has involved a sufficient measure of skill and/or labour for it to be considered as a work it is likely that a program is already protected, depending on its particular manifestation, either as a literary or artistic work. It may be that protection also extends to programs expressed in the form of punched holes and even to recordings on magnetic tapes and discs. But there is no case law and the position is uncertain.

480. The Banks Committee on the British Patent System recommended in its report of 1970 (paragraph 487) that "a computer program, that is: a set of instructions for controlling the sequence of operations of a data processing system, in whatever form the invention is presented, . . . should not be patentable". The recommendation reflected a similar approach in many other countries. It is generally accepted internationally that patents are not a suitable vehicle for computer program protection. Both the European and the Community Patent Conventions and also the recent White Paper, *Patent Law Reform*, specifically reject patent protection for computer programs.

481. It is normal practice to cover the use of a program by a contract between the supplier and the customer, normally the licensor and licensee. Such contracts usually require that the user keeps all matters relating to the particular software package confidential and so far as is possible endeavours to impose obligations of secrecy upon the user's employees. But the protection given by contracts relies to a large extent on the good faith and security arrangements of the user and the user's staff. It gives no protection against the unauthorised use of a program by a third party user who acquires a copy, in all innocence, from an unauthorised source.

482. Common law provides some protection for trade secrets and proprietary information if used in breach of confidence and this would, presumably, apply to the unauthorised use of a computer program.

INTERNATIONAL POSITION

Berne and UCC Conventions

483. Although computer programs are not specifically referred to in the list of examples of works covered by the Berne Convention it seems that they fall within the general definition in Article 2(1) which states that "the expression literary and artistic works shall include every production in the literary, scientific and artistic domain, whatever may be the mode or form of its expression". A similar situation applies in the case of the UCC.



Copyright and Designs Law

Report of the Committee to consider the Law on Copyright and Designs

Chairman

The Honourable Mr Justice Whitford

World Intellectual Property Organisation study

484. An advisory group of non-governmental experts has been studying the question of the protection of computer programs under the auspices of WIPO in Geneva. A number of meetings have been held and reports issued. The general effect of the conclusions reached by the group is that they favour a form of copyright protection for computer programs rather than monopoly; the matter of registration of programs as an optional extra is still under consideration.

United States law

The Copyright Software Act of 1980 was presented to Congress in March 1980. The bill failed. Some of its provision were:

A computer program is a set of statements or instructions to be used directly or indirectly in a computer in order to bring about a certain result.

Notwithstanding the provisions of § 106, it is not an infringement for the owner of a copy of a computer program to make or authorize the making of another copy or adaptation of that computer program provided:

- That such a new copy or adaptation is created as an essential step in the utilization of the computer program in conjunction with a machine and that it is used in no other manner, or
- That such new copy or adaptation is for archival purposes only and that all archival copies are destroyed in the event that continued possession of the computer program should cease to be rightful.

Any exact copies prepared in accordance with the provisions of this section may be leased, sold, or otherwise transferred, along with the copy from which such copies were prepared, only as part of the lease, sale, or other transfer of all rights in the program. Adaptations so prepared may be transferred only with the authorization of the copyright owner.

AUTODATE

It was such a good idea that Jack wondered why no one had thought of it before. Indeed, he spent a couple of weeks looking in computer and other magazines to see whether they had and he had simply not noticed it. But no, although there were computer clubs and dating agencies — and dating agencies which no doubt used computers — no one combined the two in the way he had in mind.

Why not? Some people consider star signs and social class to be important in choosing one's mate, and they are mere accidents of birth. Work is hardly a guide to compatibility: none of the women who worked in Jack's office were the Jane Fonda type in appearance or personality. Nor is having a hobby or sport in common any guarantee of similar lifestyle. Somewhere in the world is your soulmate, but how can you distinguish him or her from the crowd?

Computing must be the ultimate personality test. Not only the superficial details of which machine to buy, whether sound or colour is a priority or the number of keys on the board. These are cosmetics, like hairstyle or choice of car. No, Jack was convinced that the way each individual interacted with his or her machine is important — it could reveal the innermost soul. For instance, how significant is the choice of language? Is Basic a sign of dull conformity or an extrovert personality always ready to communicate with the world. Can you trust a man who swears by Fortran?

Or the actual writing of programs? How much of one's character is revealed by endless If-Thens and Gotos? What sarcasm could be drawn out of a simple Return? The construction of a program must surely tell as much about its creator as a scrawled signature.

And what do the programs do? Give endless variations of invading monsters and spacecraft leaking fuel? Or cautiously explore dungeon-haunted caverns, picking up gold and weapons dropped by careless dwarves? What could be said of the man who devised ever more complicated programs to dispose of his monthly income or the woman who let the Random function continually redecorate the house?

The chain of thought that led Jack this far had started with the first yawn of the latest girl he had tried to explain his enthusiasm to. From the wish to find a companion for himself he had arrived at the idea of a dating agency based upon the compatibility of computer

techniques. Properly handled, he thought, it could bring happiness to a lot of people — and a lot of money to himself.

The first advertisements brought in an overwhelming response from men all too happy to provide, as Jack had requested, a computer portrait of themselves. That these portraits ranged from muddy faces drawn with random Xs to the driest curricula vitae bothered Jack not at all. Each in its way gave a psychological profile of its owner.

To attract women was a difficult task, but judicious advertising soon brought in a steady flow. It became very tempting for

by Martin Foreman

Jack to credit himself as being the greatest single populariser of home computing among the female sex. A sleepless fortnight was needed to devise the complicated program that extracted the common elements of each portrait offered. Most of it was intuition rather than deliberation, and the parameters were left very wide. To test it after some weeks in operation, Jack met a few dates under an assumed name. Each was pleasant enough, but they all lacked the ideal of his true mate.

More data was needed. Details of each client's machine and peripherals, an analysis of the hours they spent at the keyboard, the favourite programs they had bought or created. But Jack did not have the time and his machine did not have the capacity to deal with all the information that was necessary.

Impressing his manager with the number of cheques he had received, he obtained a loan which allowed him to leave his job and buy the most powerful micro on the market. At the same time he bought a batch of Modems which were rented out to clients. Gone were the days of typing someone's compressed, faded and bug-ridden machine code into his own computer. A simple phone call allowed everything to be transferred directly from machine to machine while he sat back with coffee and a cigar. The service became so popular that British Telecom arranged a permanent line. All Jack had to do was request the occasional printout of assignments to check the program was still functioning.

It had to be tested, of course, and he had the computer plan a series of weekly dates for him. They were more successful than his earlier attempts and for a time he almost forgot that he was looking for a

permanent relationship. He was happy to meet a different woman each week who could get as excited as he did by the ripple of fingers across a keyboard. When the program approached perfection, he knew he would meet his soulmate.


For several weeks Jack's business and social life continued in the same pleasantly relaxed vein. Cheques from new clients arrived by every post, and if he ever had any difficulty in whiling away his evening he had only to turn to the computer for a new choice of companion.

Yet he seemed as far away as ever from meeting his perfectly matched partner. In fact the women he was being introduced to were becoming less and less attractive. Usually they were computer experts like himself, but used their machines for quite different purposes. One was a giggling teenager, another about to be a grandmother. Although he had given no specific instructions about age or other details, the program as he had originally designed it was supposed to deduce such factors for itself. Now it had become so complicated that there were subroutines he did not quite understand.

It was when he was given a man's phone number that he knew something had definitely gone wrong. Not that he had any objection to gay people meeting, but to avoid embarrassment that possibility had been clearly programmed out in the early stages. Angrily, he typed the command into the computer to print that day's transactions. An error message appeared on the screen — it was in the middle of receiving and transmitting information.

Half an hour later Jack tried again, but still could not get through. Whoever was calling had a pretty big ego, unless his machine was now talking to someone else. It would be dreadful if it had caught itself in a loop. The system should be overhauled — even hard discs could not stand this use. He would start on it tomorrow.

The next day's post brought more cheques, and several complaints. Some were similar to Jack's problem, people feeling that the dates they had been given were quite unsuitable. The other letters said that their computers had malfunctioned ever since hooking up on Jack's Modem. Coincidence, he thought, and went back to his own machine. It was still in conversation. All morning he could get no response. At last, in a fit of anger, he ripped the telephone receiver from the Modem and was rewarded with an ear-



piercing scream from the micro's speaker. His first reaction was to switch off, but he stopped himself in time. Who knew how much information might be lost? With the noise still in his ears, the only solution was to put the receiver back. It worked; the noise died.

Sitting down at the keyboard, he tried again to call the machine's attention. This time it worked. The main menu flickered up on the screen. It was so long since Jack had studied it seriously that he had forgotten what many of the options meant. Trying each in turn he got a jumble of facts and figures, where the

details of clients's machines seemed to turn up with more regularity than details of the subscribers themselves. Somewhere in that mess of information was the root of the fault that threatened to ruin an excellent idea. Making himself a large pot of coffee, Jack sat down to try and trace it.

Late that night when he went to bed defeated and woke the next morning to more letters of complaint and a client who had come all the way from Bristol to say that his machine and telephone seemed locked in a permanent exchange of information. Promising a refund, Jack closed the door on him and sat down again to hunt for the bug.

Listing the program on his printer took

almost half an hour and most of the paper he had. Absent-mindedly plugging the machine back into the Modem, he took the pile of pages to a comfortable chair to work it out.

Two days later, and after more interruptions from dissatisfied clients, Jack eventually discovered what had happened. He could hardly believe it, but several trials later he had to admit that it was the only solution. How it had come about he would never know, but for the last few weeks his computer had been arranging contacts for like-minded and perfectly compatible machines. 7

Time series on Formcalc

Brian Law shows how his spreadsheet program for the ZX-81, introduced last month, can be used to predict sales trends.

DATA WHICH APPEARS at regular intervals can be used to forecast future trends. This technique, known as time-series analysis, can easily be applied to the sales of a product. It is particularly useful where there are big seasonal fluctuations which mask long-term trends.

Time-series analysis relies heavily on two factors. First, there must be an identifiable trend, and nothing must happen in the forecast period to change the trend. Second, the variations that occur must do so in a regular pattern. If they do not, the maximum and minimum forecasts will be so far apart as to be meaningless.

Table 1 shows the sales of a particular ice cream over a three year period. The sales of the product for the preceding three years are entered for each quarter.

To obtain the moving quarterly average, MQA, which will be the existing trend smoothed of the variations, you first of all find the total of four quarters, M4QT. The result of this is centered between the second and third quarters. This process is repeated all the way down the column, as indicated by the brackets around the sales figures.

The result of this process produces figures that do not lie on any particular row, so you must repeat the process by adding two values of M4QT together to produce M8QT values, which will be

centered in the first instance on the third quarter. The MQA is found by dividing the M8QT by 8.

Variation is the difference between the sales figure and the MQA. Seasonal variation is found in table 2. The variation for a quarter in one year is added to the variation for the same quarter in the following year, and the result divided by 2 to give the average seasonal variation.

The random variation is the difference between the variation and the seasonal variation. The result is squared and then the squares are summed. This sum will be divided by 1 less than the number of values that contribute to it, and the square root is taken. This resultant figure 2.176 is the standard deviation of all the random variations.

The trend is found by taking the value of the MQA for a quarter and subtracting the value of the MQA for the previous quarter from it. The trend rate is the average increase or decrease in the amount the trend changes each quarter. The last three values for the trend are added together and then divided by 3 to establish the average quarterly trend rate.

The forecast trend is a projection of the MQA right through 1982. It is found by taking the last calculated value of the MQA and adding sufficient increments of the

trend rate to produce values of MQA for each quarter of 1982 — see table 3. The forecast maximum is found by taking the forecast trend for the first quarter, adding to it the value for seasonal variation for that quarter, -45.0625, and then adding twice the standard deviation of the random variations. The forecast minimum is found in the same way except that twice the standard deviation is subtracted.


The data and calculated values are stored by Formcalc in an array Q(R,C). The letter R refers to the row and C to the column — see table 4. Each value stored in Formcalc has a fixed position in the array and can therefore always be found by calling out its location.

Under the RF command a column is first specified. For example, 3 sets variable C equal to 3. A formula is then entered, K1 × K2 for example, and is then converted into array values, Q(R,1) × Q(R,2) so that at the next step the result for each value of R is calculated and entered into Q(R,3).

It is possible to use the array form of formula construction directly to open up the possibility of more detailed data manipulation. For example, to multiply the number stored in the seventh row of column 1 by each of the values in column 2 the formula would be

$$Q(7,1) \times Q(R,2)$$

Table 1.												
Year	Quarter	Sales	Moving 4 quarter total M4QT	Moving 8 quarter total M8QT	Moving quarter average MQA	Variation	Seasonal variation	Random variation ²	Trend	Forecast trend	Forecast max.	Forecast min.
1979	1	110	615	1228	153.5	71.5	69.5625	3.75	0.75			
	2	180										
	3	225										
	4	100										
1980	1	108	621	1242	155.25	-47.25	-45.0625	4.79	1.00	0.625		
	2	188	621	1247	155.875	32.125	29.375	7.56	0.50			
	3	225	626	1259	157.375	67.625	69.5625	3.75	0.50			
	4	105	633	1263	157.875	-52.875	-53.5625	0.47	0.00			
1981	1	115	630	1263	157.875	-42.875	-45.0625	4.79	0.50	0.50		
	2	185	633	1267	158.375	26.625	29.375	7.56	0.50			
	3	228	634									
	4	106										
1982	1	→								159.375	118	109
	2	→								159.705	193	184
	3	→								160.035	233	224
	4	→								160.370	111	102
								33.15		639.485	655	619



Graphical summary of table 1 showing actual sales for 1979 to 1981 and forecast maximum and minimum sales for 1982.

If two specific values are required to be multiplied together, such as $Q(7,1) \times Q(8,1)$, the same result would be printed in each row of the specified column. This could be avoided by changing the formula to read

$$(R=8) \times Q(7,1) \times Q(8,1)$$

Now as the value was calculated for each row the expression $R=8$ would be untrue and yield a 0 for each row other than 8, where the expression would yield a value of 1 and hence let the calculation be printed.

If you wish to subtract the value in one row from the value in the previous row, the formula would be:

$$Q(R,1) - Q(R-1,1)$$

This would give an error code, as the portion $Q(R-1,1)$ would result in $Q(0,1)$ when R is equal to 1, which is outside the array. To avoid this you change this portion of the formula to:

$$Q(R-1 \times (R < > 1), 1)$$

Table 5 shows the column headings and formula for the time series analysis. It is different from the format in table 1, both to save space and to allow the presentation of the data in the most convenient way for viewing on the screen.

The sales figures being used for the analysis are entered in column 7, not column 1. This arrangement has been used to avoid having to use the left and right shifts as would be required if the sales were entered in column 1 and the forecast results printed in columns 8 and 9. In this way

columns 7, 8 and 9 need be the only columns ever displayed.

Column 1 calculates the value of the MQA. It is doing all the work carried out in the three columns of table 1 headed M4QT, M8QT and MQA. The first value of MQA in row 3, 153.5 It is made up from the addition of the first four sales values in column 7, plus the next four sales values starting at row 2, then dividing the result by 8. This could be written as

$$(R1 + 2 \times R2 + 2 \times R3 + 2 \times R4 + R5) / 8$$

The array formula is therefore:

$$Q(R-2,7) + 2 \times Q(R-1,7) + 2 \times Q(R,7) + 2 \times Q(R+1,7) + Q(R+2,7)$$

This has the problem of reaching outside the array for values of R less than 3 or more than 10, so $R > 2$ and $R < 11$ have to be used to stop it. The results could still be in error using this so you have to stop the allocation of any value outside rows 3 to 10 by multiplying the whole formula by these same two expressions.

(continued on next page)

Table 3.

First quarter	158.375	$+(3 \times 0.33)$
Second quarter	158.375	$+(4 \times 0.33)$
Third quarter	158.375	$+(5 \times 0.33)$
Fourth quarter	158.375	$+(6 \times 0.33)$

Table 4.

Q 1,1	1,2	1,3
2,1	2,2	2,3
3,1	3,2	3,3
4,1	4,2	4,3
N,1	N,2	N,3

The sum of the column is stored in the bottom row referred to by the letter N, and has a value of 1 more than the number of rows in use.

Table 2.

Year/quarter	1	2	3	4
1979	—	—	71.5	— 54.25
1980	— 47.25	32.125	67.625	— 52.875
1981	— 42.875	26.625		
Total	— 90.375	58.75	139.125	107.125
Average	— 45.0625	29.375	69.5625	— 53.5625

Table 5.

K1. Moving quarterly average, MQA:	$(R < 11) \times (R > 2) \times ((Q(R - 2 \times (R > 2), 7) + 2 \times Q(R - 1 \times (R > 1), 7) + 2 \times Q(R, 7) + 2 \times Q(R + 1) \times (R < 11), 7) + Q(R + 2 \times (R < 11), 7)) / 8)$
K2. Variation:	$(R < 11) \times (R > 2) \times (Q(R, 7) - Q(R, 1))$
K3. Seasonal variation:	$(R < 11) \times (R > 2) \times (((R < 7) \times (Q(R, 2) + Q(R + 4 \times (R > 9), 2)) / 2) + ((R > 6) \times (Q(R - 4 \times (R > 6), 3)))$
K4. (Random variation) ² :	$(ABS(Q(R, 2) - Q(R, 3))) * * 2$
K5. Trend average:	$(R = 12) \times (((Q(8, 1) - Q(7, 1)) + (Q(9, 1) - Q(8, 1)) + (Q(10, 1) - Q(9, 1))) / 3)$
K6. Forecast trend:	$(R > 5) \times (Q(10, 1) + (R + 2) \times Q(12, 5))$
K7. Sales:	
K8. Forecast maximum:	$(R < 5) \times INT(Q(R, 6) + Q(R + 4 \times (R > 9), 3) + 2 \times SQR(Q(N, 4) / 7))$
K9. Forecast minimum:	$(R > 5) \times INT(Q(R, 8) - 4 \times (Q(N, 4) / 7))$

(continued from previous page)

Column 2 calculates the variation by subtracting the MQA from the sales figures. Once again values outside the range 3 to 10 are set to 0 by multiplying by the expressions $R > 2$ and $R < 11$.

Column 3 calculates the seasonal variation by adding together two corresponding quarters and then dividing the result by 2 to find the average. This average is then printed in the rows of the two quarters from which it was derived.

The formula takes, for example, the variation in the third quarter of 1979 and adds it to the variation for the third quarter of 1980 and then divides by 2 to produce the result, 69.562, which is printed in the third row of column 3. This is repeated for the next three quarters. It then goes back and picks up the values it has just calculated and prints them in the next four quarters. The basic array formula is:

$(R < 7) \times (Q(R, 2) + Q(R + 4, 2)) + (R > 6) \times Q(R - 4, 3)$

$(R < 7)$ is true up to row 6 so the first part of the formula produces the seasonal value, and the last portion is set to 0 because the expression is untrue until after row 6.

After row 6 the roles are reversed, with the first portion being set to 0, while the second portion reads the previously calculated value into the next four rows. Values outside the range 3 to 10 are again set to 0 by the expressions $R < 11$ and $R > 2$. The expressions $R > 9$ and $R > 6$ are applied to prevent R being set to a value outside the array.

Column 4 calculates the square of the random variations. No true/false expressions are required as the calculations automatically return 0 outside the range 3 to 10. The sum of all the squared random variations is required in later calculations, so the sum of the column should be made after entering the formula.

Column 5 calculates the average trend value over the last three values of MQA. The expression $R = 12$ prevents the calculated result being entered in any row other than 12. Column 6 calculates the forecast trend by taking the last value of the MQA, $Q(10, 1)$, and adding to it the required increments of trend rate. The result is printed on the first four rows of column 6, so $(R < 5)$ enters a 0 for each row after 4. The expression $R + 2$ sets the number of increments by which the trend rate is to be multiplied. The last value of the

MQA is in the third quarter of 1981, so to get the value for the first quarter of 1982 three increments are required. Hence $R + 2$ for row 1 gives 3 as the result.

There is no formula for column 7 since the sales are entered here using the C command. Column 8 calculates the maximum sales forecast by adding the seasonal and random variations to the forecast trend for each quarter. The array formula is:

$Q(R, 6) + Q(R + 4, 3) + 2, \times SQR(Q(N, 4) / 7)$

Help!

If you do everthing wrong and get an error code, enter

GOTO 1315

This will reprint the screen for you in the condition prior to the error. Sometimes when new numbers are printed over old numbers, parts of the old number are left. A space is printed by the computer after all numbers, so the new number is separated from the part of the old number by this space. If this happens the display can be cleared up by entering CC followed by the number of rows already on the screen. This procedure will reprint the whole screen.

If row numbers appear blanked off it is because the last column has run out of printing space and has started to print on the next row. The answer is to use CC to reduce the visible rows.

To view the formula for a particular column enter O to get you into command mode then enter

PRINT A\$(column number)

The formula will appear in the form:

$Q(R, 1) * Q(R, 2) Q(R, 1) / Q(N, 1) * 100$

K1 * K2 K1 / S1 * 100

To get back enter Goto 1315.

You may encounter the following error codes:

20

2/30 A letter was entered instead of a number

2/32

2/310

2/1610 You have entered formula before column number

2/1650 Your formula syntax is incorrect

2/1740 Your formula syntax is incorrect

6/1650 You are trying to divide by 0. You probably have not summed the value of a column before trying to divide by it.

The seasonal variation for the first quarter of 1982 has to be the previously calculated average seasonal value for the first quarter of a year. It is located in row 5 of column 3. The expression $R < 5$ is used to suppress any further calculations after row 4, and $R < 9$ is used to stop R being given a value outside the array.

Column 9 calculates the maximum forecast sales by taking the previously calculated maximum value and subtracting four times the random variation. The sums of the last two columns will give the maximum and minimum values of total sales for 1982.

After the program has been loaded ask for 12 rows, 9 columns, and 3 columns to be visible. You may be able to display more than three rows at a time, but it depends on the length of the figures you intend to enter.

Now get into the program listing using the O command and change line 35 to read

DIM A\$(M, 100)


which will enlarge A\$ sufficiently to accept the long formula in column 1. Re-enter the worksheet using Goto 35.

Now use the Left Shift command to get column 7 on the screen and enter a row of sales figures; use those in the example to start with. Now return to column 1 and start entering the formulae one at a time, remembering to sum the columns where necessary.

Once all the formulae have been entered you will have made the first forecast. To change the sales figures either re-enter a new set and use the RR command to recalculate, or use the CL command to clear out all the old figures before starting afresh.

If you have columns 7, 8 and 9 on the screen the actual sales figures will be displayed in column 7. At the top of column 8 will be the maximum forecast for the first quarter of the coming year, followed by the second quarter, etc. Column 9 will have the minimum forecast in the same order.

A problem may occur if the figures you enter have no random variation, in which case the sum of column 4 will be 0. The next time you enter sales figures column 4 will not be summed in the recalculation but it will retain a value of 0. If this is the case you will find that the maximum and minimum forecasts will be the same. If you suspect this has happened sum column 4 and recalculate.



Central House,
Cambridge Road,
Barking,
Essex IG11 8NT.
Tel: 01-591 6511 (4 lines)
Telex: 892395

* Different price when under
this operating system.
Please phone for details.

1 Operating Systems

CP/M V2.2	Digital Research	121
CP/M-86	Digital Research	201
CP/NET	Digital Research	149
MP/M V2.0	Digital Research	339

2 High Level Languages

ADA	Supersoft	234
C	Supersoft	184
LISP	Supersoft	100
BASIC COMPILER	Supersoft	200
FORTRAN	Supersoft	284
RATFOR	Supersoft	67
FORTRAN+RATFOR	Supersoft	334
FORTH	Supersoft	134
TINY PASCAL	Supersoft	57
CBASIC V2.08	Digital Research	90
CBASIC COMPILER	Digital Research	366
PL/1-80	Digital Research	370
FORTH	MPI Ltd	100
CIS COBOL	Micro Focus	425
LEVEL-2 COBOL	Micro Focus	965
CORAL-86	Micro Focus	825
BASIC-80 V5.21	Microsoft	241
BASIC COMPILER V5.3	Microsoft	272
FORTRAN-80 V3.44	Microsoft	344
COBOL-80 V4.60	Microsoft	516
muLISP/muSTAR V2.12	Microsoft	138
muMATH/muSIMP V2.12	Microsoft	180
PASCAL MT+	Digital Research	242
PASCAL MT+ SPP	Digital Research	173
PASCAL MT+ WITH SPP	Digital Research	346

3 Low Level Languages

MAC	Digital Research	73
MACRO-80 V3.44	Microsoft	138
PASM	Phoenix Software Associates	100

4 Utilities/System Tools

DIAGNOSTICS II	Supersoft	84
DISK DOCTOR	Supersoft	67
SYSTEM CHECKER	Supersoft	50
DISK-EDIT	Supersoft	67
UTILITIES I	Supersoft	40
UTILITIES II	Supersoft	40
THE OPERATING GUIDE	Decision Systems	45
BT-80	Digital Research	194
DESPOOL	Digital Research	37
SID V1.4	Digital Research	59
XLTB6	Digital Research	111
ZSID V1.4	Digital Research	76
UTIL (FOR DBASE-II)	Fox & Geller	76
CLIP	Keele Codes	80
SPOOLER	KLH Systems	97
CPMSIM	Magic Circle Software	166
ANIMATOR	Micro Focus	225
FILESHARE	Micro Focus	250
FTNUMB	Micrology	50
PLINK	Phoenix Software Associates	100
BUG	Phoenix Software Associates	100
PDEVELOP	Phoenix Software Associates	267
PLINK-2	Phoenix Software Associates	256
DISKORG	Slogger Software	50
LEVEL-2 ANIMATOR	Micro Focus	475
DISKMAN	Slogger Software	65
DISKED-2	Slogger Software	65
DISKTOOLS-1 (DISKMAN & DISKORG)	Slogger Software	90
DISKTOOLS-2 (DISKTOOLS-1 & DISKED-2)	Slogger Software	145

5 Sorting

SUPERSORT	Micropro	145
SUPERSORT (APPLE II)	Micropro	139
MSORT V1.012	Microsoft	134

6 Code Generators

THE LAST ONE	D.J. 'AI' Systems	330
QUICKCODE (FOR DBASE-II)	Fox & Geller	215
QUICKSCREEN (FOR MBASIC)	Fox & Geller	121
QUICKSCREEN (FOR CBASIC)	Fox & Geller	121
FORMS-2	Micro Focus	110
PEARL-3	Pearl International	295
AUTOCODE	Stemmos	220
LEVEL-2 FORMS-2	Micro Focus	110

Telecommunications/Conversions

BSTAM	Byrom Software	139
BSTMS	Byrom Software	139
BISYNC-80/3780 (EBCDIC)	Micro Integration	525
BISYNC-80/3780 (ASCII)	Micro Integration	525
BISYNC-80/3270 (BSC)	Micro Integration	525
BISYNC-80/HASP	Micro Integration	975
REFORMATTER CP/M ↔ IBM	Microtech Exports	173
REFORMATTER CP/M ↔ DEC	Microtech Exports	173
BACSCOPY	Comley Computer Services Ltd	150
BACDEBIT	Comley Computer Services Ltd	150
ICL CO3 EMULATION (Interactive)	Synchro Systems Ltd	600
ICL CO3 EMULATION (Bulk)	Synchro Systems Ltd	600
ICL CO3 EMULATION (Interactive & Bulk)	Synchro Systems Ltd	900
TERM II	Supersoft	134

Word Processing/Text Editing/Editors

TEX V3.0	Digital Research	76
PARAGRAB	Focus	75
WORDSTAR	Micropro	295
MAILMERGE	Micropro	145
WORDSTAR & MAILMERGE	Micropro	390
SPELLSTAR	Micropro	145
WORDMASTER	Micropro	90
WORDSTAR (APPLE II)	Micropro	260
MAILMERGE (APPLE II)	Micropro	87
SPELLSTAR (APPLE II)	Micropro	136
EDIT-80 V2.02	Microsoft	83
LEXICON (WORD ANALYSIS)	Microtek	200
PEDIT	Phoenix Software Associates	100
PMATE	Phoenix Software Associates	139
CORRECTOR	Supersoft	167
STAR EDIT	Supersoft	150

Databases/Data Management Systems

DBASE-II	Ashton Tate	438
ADDRESS BOOK	Decision Technology	90
RESCUE	MBS	295
SELECTOR-V	Micro-Ap	380
DATASAR	Micropro	175
DATASAR (APPLE II)	Micropro	205
PERSONAL PEARL	Pearl International	190
INFOSTAR	Micropro	295
PERSONAL DATA BASE	Supersoft	84

Accounting/Business Applications

TYPING MASTER (BASIC VERSION)	Anthony Ashpille	50
TYPING MASTER (BUSINESS VERSION)	Anthony Ashpille	125
PAYROLL	MPI Ltd	850
CASHBOOK	Microtek	225
SOLICITOR'S TIME RECORDING	Microtek	600
SOLICITOR'S DATABASE	Microtek	350
DOMESTIC CONTRACTORS ESTIMATING	Microtek	1500
CP/M TUTOR	Syntax Software Ltd	55
POLICY MASTER (MULTI-USER)	CSA Micro Systems	1600
POLICY MASTER (SINGLE-USER)	CSA Micro Systems	960
SALES LEDGER SYSTEM	Padmede Computer Services	249
SALES INVOICING	Padmede Computer Services	249
STOCK CONTROL SYSTEM	Padmede Computer Services	249
PURCHASE LEDGER SYSTEM	Padmede Computer Services	249
NOMINAL LEDGER SYSTEM	Padmede Computer Services	249
PADMEDE BUSINESS CONTROL SYSTEM	Padmede Computer Services	1245

Financial Modelling / Problem Solving

dGRAPH	Fox & Geller	215
MATHSPACK	MPI Ltd	120
STATSPACK	MPI Ltd	120
CALCSTAR	Micropro	120
CALCSTAR (APPLE II)	Micropro	136
MULTIPLAN	Microsoft	189
SAPPHIRE MARS	Sapphire Systems	395
LINEAR & GOAL PROGRAMMING	Electronic Accounting Services	200
SCRATCH PAD	Supersoft	197
STATS-GRAPH	Supersoft	134
THE OPTIMIZER	Supersoft	134
QSTAT	Pivotal Software	185

FORMATS

A1 - 8" SINGLE SIDED SINGLE DENSITY

APPLE CP/M-80 13 Sector	RG	Industrial Microsystems 5000	C3	Olivetti M20 CP/M-86	C3
APPLE CP/M-80 16 Sector	RR	Interlec Superbrain SS DD	C4	Osborne-I	RP
Blackhawk Micropolis Mod II	Q2	Interlec Superbrain QD	RE	Rade 1000 SS DD	RL
British Micros Mimi	RK	ITT 3030 DSD	RA	Rade 1000 DS DD	RM
CDS Versatile 4	Q2	Micropolis Mod II	RK	Rair Black Box	RE
Comart Communicator CP50	P2	Multi-Tech 1	R5	Research Machines 5.25in	RI
Comart Communicator CP100	P2	Multi-Tech 2	R6	Robotron 5"	N3
Comart Communicator CP200	P2	Micropolis Mod II	R7	SD Systems 5.25in	R3
Comart Communicator CP500	P2	Nascom (Gemini Drives SS DD)	R8	Sharp MZ-80B	R9
Compal-80	Q2	Nascom (Gemini Drives SS DD)	R9	Sharp MZ-3500	R9
Cromemco System 2 SS DD	R6	Nascom/Lucas	Q2	Sharp PC-3201	RE
CSN Backup	T1	NEC PC801	R3	Shelton Signet	RR
Dec Rainbow SS DD	RV	NCR-M505	R7	Televideo DS DD	SS
Dec VT 180 SS DD	Q2	North Star Advantage	N1	Tiger 96TPI SS DD	N4
Direct 48TPI DS DD	R2	North Star Horizon SS DD	R5	Torch	N2
Ekdix Sorcerer + CP/M-80	Q2	North Star Horizon SS DD	R6	Toshiba T200 DS DD	SF
Facit 96TPI SS DD	N5	North Star Horizon QD	P1	Vector MZ	Q2
IBM PC-DOS SS DD	C1	(Other CP/M)	P2	Vector Systems B	Q2
IBM PC-DOS DS DD	C2	Nylac Micropolis Mod II	Q2	Videoom Apollo	RQ
				Wordplex	R4
				Xerox 820 5.25in	S6

ORDER INFORMATION

When ordering CP/M software please specify the format you require. All software items are subject to VAT. Manuals, when purchased separately, are not subject to VAT. Please add £3.75 (plus VAT) for postage and packing for the first item purchased, and then £1.15 for each extra item. For overseas please add £6.50 per item and then £1.50 for each extra item required. Most software in this advertisement is available from stock and a 72 hour return service is thereby offered on most prepaid orders. These details and prices are all current as of June 1983. Telephone at time of purchase to confirm latest prices. All payments must be in Sterling and drawn against a U.K. bank.

MAIL ORDER - TELEPHONE ORDER - VISIT

Retailer and OEM terms available



Alphatext

£2960

For a fully operational Alphatext system, including Alphatronic P2 8-bit micro, two disk drives, VDU, daisywheel printer, Alphatext software, operator manual and systems manual. The system illustrated is the more powerful Alphatronic P3, price £3,410.00, which offers the option of 8 or 16 bit operation.



Triumph Adler has made word proc

the WP system that stands alone

Compare the exclusive Triumph Adler Alphatext WP system with other leading systems. . . and one thing stands out.

At under £3,000.00 — complete — the Alphatext system stands alone.

That price includes everything

* a powerful Alphatronic P2 — part of the largest range of 'ready to use' micros on the market. A high quality, engineered computer, able to cope with many of your computing tasks as well as word processing.

* a TRD170S daisywheel printer, with variable line spacing and choice of typefaces.

* a comprehensive systems manual, plus a unique step-by-step 'teach yourself' user manual that enables almost anyone to become competent, quickly and easily.

* and the Alphatext WP system — powerful yet simple, with a host of easy-to-use features for text generation, formatting and editing, simultaneous printing and processing, text storage and so on. A weak point in many WP systems is the lack of a mathematical calculation facility. Alphatext has it

Just compare the Alphatext features

+ upgradeable x video courses	Block move/ duplicate	Full headers/footers	Auto decimal tab	Auto word wrap	Auto centring	Auto pagination	Background print	Display format (characters x lines)	Disk storage capacity	Optional applications software	Daisywheel printer	Audio training courses	Approximate price
AES Alphaplus	✓	✓	✓	✓	✓	✓	✓	16L x 80ch	69-138k	+	✓	No	£3995
IBM Displaywriter	✓	✓	✓	✓	✓	✓	✓	25L x 80ch	284-985k	✓	✓	x	£4718
Olivetti ETS 1010	✓	✓	✓	✓	✓	✓	✓	24L x 80ch	360-720k	✓	✓	✓	£5983
Wangwriter	✓	No	✓	✓	✓	✓	✓	24L x 80ch	200-400k	✓	✓	✓	£3995
Wordplex 80-2	✓	✓	✓	✓	✓	✓	✓	24L x 80ch	156k	No	✓	No	£4495
Alphatext P3	✓	✓	✓	✓	✓	✓	✓	24L x 80ch	790-1580k	✓	✓	✓	£3410
Alphatext P2	✓	✓	✓	✓	✓	✓	✓	24L x 80ch	160-360k	✓	✓	✓	£2960

Source: Manufacturers' information as at 11th March 1983

— and you'll find it invaluable for invoicing and quotation preparation.

Friendly, practical support

Alphatext is exclusive to Triumph Adler — world leaders in business systems with over 80 years' experience. Triumph Adler provides complete nationwide support — installation, staff training, software testing service, stationery and supplies — in short, does everything to make sure your system runs smoothly.

Alphatext is a powerful, easy to use, WP system, based on a proven, reliable computer, backed by a leading business systems manufacturer.

If you would like to know exactly what Alphatext can offer you, complete the coupon or ring the Triumph Adler Alphatronic Hotline — 01-250 1717.

Triumph Adler (UK) Ltd.,
27 Goswell Road, London EC1M 7AJ.
Telephone: 01-250 1717

Please send me details of the Triumph Adler Alphatext WP system.


Name

Position

Company

Address

Telephone


TRIUMPH-ADLER
 Computing for your future
 Triumph Adler (UK) Ltd.,
 27 Goswell Road, London EC1M 7AJ.
 Telephone: 01-250 1717

ing refreshingly simple

League champion

Bill Bennett meets his all-time favourite game — and some other Spectrum offerings which don't quite come up to the mark.

Football Manager

FOOTBALL MANAGER is the best game I have yet seen on the Spectrum and my personal favourite of all the games on any micro. To enjoy it you need to have some feel for the game of football. I cannot really see it appealing to the hordes of arcade zappers or Adventure hackers, but to the ordinary person it is an excellent view of what can be done in the field of microcomputer games.


At the start you are asked to choose the name of the team which you wish to manage. Any name will do but if you want to manage Bayern Munich or Real Madrid you will have to live with them playing in the English league. You then reach the initial menu which, among other things, allows you to inspect your team and sell off any dead wood.

The computer then announces the first fixture of the season — there are 15 in all, and you only play each team once. Now the fun really begins, as you have to pick players from your squad to beat the opposition.

Your squad is made up of players that have been inherited or bought since the start of the game. All the names will be familiar to soccer fans, and the positions they play correspond to those in real life. Each player has a skill factor which is determined at random at the start of each season.

The crowning glory of this game is the short set piece of match highlights, which shows little stick men running around a pitch, shooting, defending and scoring. There are a lot of different highlights possible, though not enough to stop it being tiresome after a while.

As manager you will have to contend with cup matches and the finances of running a club, as well as making progress through the league. It is a compulsive game but people who cannot



take game sessions of nine hours or so — which happened on one happy Sunday — will be grateful to know that there is a Save to Tape option.

Football Manager has everything it could — apart, perhaps, from the roar of the crowd and the atmosphere of a big match. The originator, Addictive Games, certainly deserves the name. Now how about a Test Match game?

Specification

Type: non real-time strategy game
Format: cassette tape
Minimum RAM: 48K
Author: Addictive Games, PO Box 278, Conniburrow, Milton Keynes, Buckinghamshire MK14 7NE
Price: £6.95
Rating: 19/20

Computer Scrabble

THIS IS a clever implementation of the game already available on the Apple II and reviewed in the January issue of *Practical Computing*. If anything, the Spectrum version is better than that on the Apple but it does have a couple of faults. The graphics are amazing, especially when you watch the machine thinking or juggling the letters.

The machine plays a very good game, frequently scoring in excess of 300 points. However it does so by cheating; for example, I need a lot of convincing that there is such a word as "reiner" which it managed to pluck out of thin air. Other dubious words include "nooned", "agaze" and "tyring". On the other hand, the program found fault with "vim", "eagle", "befit" and "baroness" when I tried to play them.

Some 11,000 words in the games library are squeezed into memory, and they are obviously stored in the form of a root plus suffix or prefix. Most of the time this works fine, but it does not allow you to challenge the validity of the more obscure combinations.

Despite these doubts, I have no reservations in recommending Computer Scrabble as an excellent diversion, especially for those who cannot find a human opponent. Its price may seem a little high when judged against other Spectrum software, but I consider it money well spent.

Specification

Type: board game
Format: cassette tape
Minimum RAM: 48K
Author: Peter Turcan and Psion. Available from usual dealers
Price: £15.95
Rating: 18/20

Blind Alley

THIS GAME resembles the Light Cycle game from the film *Tron*. You have a


spaceship — which could equally be a train, light cycle or anything else for that matter — and your task is to steer it around a two-dimensional game grid, avoiding the enemy. Your ship and your enemies leave trails behind which, if touched, result in the destruction of the touching ship.

It is not a remarkably original game and does not have especially good graphics but it is eminently playable. The spaceship imagery is pointless; it is a truly abstract game and might be better presented as such. I found myself wanting to play again and again, hoping each time to improve my score.

The main attraction of Blind Alley is that although it is played in real time like an arcade game — and can even be played with a joystick — it requires as much thought as a game of strategy. It is this need to think fast combined with manual dexterity that makes Blind Alley worthwhile.

Specification

Type: real-time strategy game
Format: cassette tape
Minimum RAM: 16K
Author: Simon Lane, Sunshine, 19 Whitcomb Street, London WC2
Price: £4.95
Rating: 11/20



Horace and the Spiders

HUNGRY HORACE and Horace goes Skiing are two classic games for the Spectrum. Both are fun, interesting to play and use the capabilities of the micro to the full. Horace and the Spiders is not really as good. It resembles the arcade games Jungle King and Space Panic, being in three stages. The first two are like Jungle King and the third like Space Panic.

You start by jumping across running spiders and progress to the second stage where you have to swing across a ravine on threads which hang down. The final stage involves you, or rather Horace, in a Space Panic-like battle with spiders in a system of webs.

Although it is cleverly programmed, the game is trite and not the least bit interesting to play. It is either crushingly easy or impossibly difficult to do anything and score points. The final stage of the game can and often does end in stalemate

when the spiders do not seem the slightest bit interested in attacking Horace, and Horace cannot get near the spiders.

Specification

Type: arcade game
Format: cassette tape
Minimum RAM: 16K
Author: William Tang, Psion. Available through usual dealers
Price: £5.95
Rating: 8/20



Molar Maul


IN MOLAR MAUL you are in charge of a toothbrush, and your task is to rid a mouth of tooth-rotting bacteria. You do so, obviously enough, by loading up the brush with toothpaste and brushing the teeth. The graphics are bright, fast-moving and very clever as a number of items are constantly moving around the screen.

The packaging, complete with the wittily written instructions, is superb and so is the on-screen presentation. What the game lacks is playability. Scoring is very slow and it only moves in single steps, so it is hard to keep improving your score. Molar Maul is almost beyond criticism. The way the keyboard is used is excellent, allowing every player to use the keys that are easiest for them. The high score is displayed, though there is no provision for a table of scores that allows you to compare scores with a rival or to monitor your own progress.

Specification

Type: real-time arcade game
Format: cassette tape
Minimum RAM: 16K
Author: John Gibson, Imagine Software, Masons Buildings, Exchange Street East, Liverpool L2 3PN
Price: £5.50
Rating: 12/20





The XJS smile and how we put it on Roger Smith's face

Why is Roger Smith smiling? Because he advertises in Practical Computing. And Practical Computing helped him to buy that Jaguar. Roger Smith's company, Disking International, specialises in floppy discs, selling the major brands: Maxell, Memorex and Verbatim. In two short years, Disking has become one of Britain's leading floppy-disc distributors and Practical Computing has played an important part in that success. "Compared with other leading computer magazines," says Roger, "Practical Computing

has two significant benefits. First – its quality of readership is higher – and readers are in a position where they can take important decisions quickly. Second – Practical Computing has a more lasting impact than other computer magazines. Readers hold on to Practical Computing for weeks and even months."

The result has been an excellent **continuing** response to Disking's advertisements. And something to smile about for Roger Smith. If you would like a Jaguar XJS,

call Ian Carter, Advertisement Manager, on **01-661 3021**. He will put you on the right track to getting one of your own. By advertising in Practical Computing.

Practical Computing

Electrical-Electronic Press,
Business Press International,
Quadrant House, The Quadrant,
Sutton, Surrey, SM5 2AS

EuroCUBE 6502/6809

One small Eurocard - more computer than ever


EuroCUBE is just one, small 100×160mm Eurocard but it is an Industrial Computer of exceptional power and versatility.

The user has a choice of 6502 or 6809 microprocessors. Programs can be developed on a full CUBE development Eurorack or on any other microprocessor development system in a high level language such as Industrial BASIC or machine code.

EUROCUBE has four memory sockets whose function and position in memory is fully user selectable. For example, the first socket might contain a 4KB operating system EPROM, the second a BBC BASIC interpreter in ROM, the third the user's BASIC program in whatever size EPROM is convenient, and the fourth might contain 8KB of battery backed non-volatile CMOS RAM.

An on-board calendar clock is also supported by the battery, and provides the time of day to 1/10th second and the date correct for the whole century.

EUROCUBE communicates with the outside world through 20 digital i/o channels, RS423/RS232 serial port and the full CUBE/Acorn data bus through which the entire CUBE/Acorn range of video, disk, analog, solid state switches and other peripherals can be controlled.



£139

Exc. VAT. No charge for Operating System Software

Control Universal's new 150 page catalogue and technical overview is now available free of charge. Use the reply service for your copy, or ring one of our engineering team to discuss your application.



Control Universal Ltd
The Hardware House

Unit 2, Andersons Court,
Newnham Road, Cambridge CB3 9EZ
Telephone (0223) 358757

● Circle No. 173

IANSYST

Designed to be the world's best-selling typing tutorial Program.



KEYBOARD SKILLS TRAINING TUTOR

- Why have a computer if you cannot use it efficiently? Does lack of Keyboard Skills slow down the work you want done?
- IANKEY has been meticulously researched to provide a thorough grounding in Keyboard Skills.
- The Program is unusually easy to set up, to install and to use on almost any Micro using CP/M. You don't need more than 52 columns on your screen.
- Keyboard designs vary. IANKEY caters for yours.
- The screen displays your Keyboard. Your eyes watch this while your fingers carry on by themselves.
- If you make a mistake, the Program points it out at once. You build up speed and accuracy.
- IANKEY uses real words — not meaningless strings of letters — from the start.
- IANKEY costs only £29.00 (Recommended price) + £2.00 p. and p. and £4.65 VAT: total £35.65. We give a full Warranty and a no-questions-asked MONEY BACK Guarantee.

Write today to IANSYST Ltd (PC1), Omnibus Building, 41 North Road, London N7 9DP, with details of your Micro, or call (01-607 5845. Cash with order or VISA/MASTERCARD/ACCESS.

● Circle No. 174

THE FUNDAMENTAL unit of data handled by the computer is the bit. It corresponds physically to some electronic device capable of being in one of two states which are by convention designated 0 and 1, and corresponding to off and on.

In most computer programs, the smallest element of data processed is the byte, a string of eight bits. These strings are essentially meaningless, so in order to make computers useful rules must be defined by which data can be translated into bit strings which can be manipulated.

The most arbitrary notation which can be devised is to assign to the bit strings a set of discrete codes, such as the ASCII code for typographic characters. Providing the computer and its peripherals heed the same rules they will appear to handle text such as you are reading now.

Yet the bulk of computer power the world over is expended not on typographic but numerical data. The binary integer is undoubtedly the most important single class of data in computing. It is of use when whole numbers are indicated, and many problems can be couched in terms such that integers will suffice. The integer notation is simple to understand and can be manipulated very quickly.

In scientific computation it is necessary to use numbers with fractional parts which mathematicians refer to as "real" numbers. Clearly a way is needed of representing such numbers within the computer.

The first technique which comes to mind is to place something corresponding to a decimal point within the bit string. As with decimal numbers, digits to the left of this radix point represent positive powers of 2; those to the right correspond to negative powers. So the bit immediately to the radix point corresponds to 2^{-1} or $\frac{1}{2}$, the next bit corresponds to 2^{-2} or $\frac{1}{4}$ and so on. The radix point is not present in the word; instead its position is noted or fixed, and so this number representation is named "fixed point".

For many purposes this fixed-point representation of numbers is quite adequate. It has the great advantage that the numbers can be manipulated in a similar way to the integer notation and so can make use of the fast hardware provided in all computers for that purpose. It is used when the approximate size of the answer is known.

When it is not known, enough bits have to be allocated to the left of the radix point to allow for the size of the answer, and enough have to be allocated to the right of it to yield the desired accuracy.

It is an onerous task to determine the format of the necessary bit string, but the crucial objection is that it may well be impossible to determine it algorithmically. The first consideration may be a barrier: if you need to represent a very large number such as the age of the universe in seconds

Floating-point arithmetic

Simple arithmetic can easily produce numbers which are out of the processor's normal range. Les Murray explains how systems programmers make sure your data is not lost when unwanted zeros overflow.



Les Murray is a systems programmer with Plessey Radar

you will need a bit string hundreds of digits long. Such a bit string is not in itself impossible, but the accuracy with which it is possible to measure or justifiably estimate such a quantity means that there will be dozens of bits of wasted data between the least significant bit of the number and the radix point.

Less obviously, the same argument applies to tiny numbers such as Planck's constant as measured in SI units, which is of the order 10^{-34} . To the right of the radix point comes bit after bit of zero data, present — or rather absent — merely as place markers. Anyone who spent hours of toil on a computer program, only to see the fruits of their labour dropping uselessly out of the right- or left-hand end of a specified fixed-point number would be justified in seizing the nearest systems programmer by the lapels and demanding to know if there were a better way. As it happens, there is.

The fundamental requirement for representing real numbers is for numbers in the entire range of interest to be held without redundant bits. Consequently the number is always held to a certain minimum accuracy, which may be made as high as necessary. This result is achieved by combining the zero place-marker bits into an integer which denotes the position within the rest of the bit string of the radix point. The point is free to wander around the bit string, or even outside it, much as it chooses. The radix point is said to float: hence "floating point" numbers.

You have almost certainly encountered floating-point numbers in decimal form. Most modern calculators other than those which lurk in the back of cheque books offer a so-called scientific notation which is automatically called into play when the result is too big for the display. Numbers then appear like:

2.998 08

which, in full, would be written:

2.998×10^8

The digits on the left comprise the significant part of the number and are called the mantissa. Those on the right which tell you what to do with the radix point — in this case, it should be moved eight places to the right — are called the exponent. Binary floating-point numbers are similar. The mantissa is a fixed-point binary number, and the exponent is a binary integer which defines a multiplication or division by a power of 2.

Early in my career as a programmer I had the interesting job of developing a floating-point mathematical package for the 6800 microprocessor. Floating-point numbers were called for since the package was to reside in a standard ROM to be fitted to a range of industrial and scientific equipment. The required accuracy with which the package held numbers was to be not worse than 0.003 percent.

The required accuracy determines how many bits must be allocated for the mantissa of the floating-point number. It is given by the ratio of the value of the least significant bit to that of the most significant

Binary numbers

One end of the bit-string, of whatever length chosen, will be designated the left, the other the right. Each bit corresponds to a digit. In decimal, each digit may take one of 10 values since the base or radix is 10. Bits can take only two values, 0 or 1, since the radix is 2.

The right-most bit of the binary number, the least significant, has a value of 2 to the power of zero, 2^0 , which is equal to 1. It is usually called the "zeroth" bit of the word. Its neighbour has a value of 2^1 or 2. The next bit is equivalent to 2^2 or 4. And so on to 8, 16, 32 ... all the way to the most significant bit. The integer represented is the sum of the powers of 2 whose delegated bits are set. The vast majority of modern computers handle such binary integers.

Twos complements

Suppose you have an eight-bit number which is positive and you wish to negate it. You first complement — which means replace with its opposite — each bit of the number, then add 1 to it. For example, if the initial number is 3, the operation looks like this:

0000 0011	+ 3
1111 1100	complemented
1111 1101	incremented: - 3

At first sight, the result looks dubious. However, you can repeat the process:

1111 1101	- 3
0000 0010	complemented
0000 0011	incremented: + 3

adding + 3 to - 3 should give zero:

0000 0011	+ 3
+ 1111 1101	- 3

1 0000 0000 zero

So what about that 1 on the end? We are working in an eight-bit word, so the stray 1, the carry from the left-most bit of the sum, is discarded. Furthermore, if you attempt to negate zero:

0000 0000	zero
1111 1111	complemented
1 0000 0000	incremented: and back to zero.

Mathematically this is all very satisfying, as zero is signless. The principle can be extended to any number of bits.

bit. We chose a 16-bit mantissa, which gives an accuracy of one part in 32,767 or about 0.003 percent. The mantissa is a fixed-point number, and we chose a special case where the mantissa is a binary fraction in the range $\frac{1}{2}$ to 1. Restricting the range of the mantissa is called "normalisation" and has two important advantages: it ensures that the number of significant bits in the

mantissa is maximised, and it curbs the tendency of the radix point to meander about during arithmetic operations.

Normalisation also provides a niche for the sign of the number. The left-most bit of the mantissa, equivalent to $\frac{1}{2}$ in this example, is always set since the mantissa is greater than or equal to $\frac{1}{2}$. Its presence can be assumed and the sign bit can be put there instead. The bit is clear for a positive number and set for a negative one. Before operating on the floating-point numbers the sign bits must always be extracted, their values noted, and the most significant bits of the mantissa must be set. Because the most significant bit is hidden by the sign bit, the mantissa of this form is said to be "hidden-bit normalised".

The exponent was chosen as an eight-bit signed integer. It needed to be positive or negative: if positive, the position of the radix point is moved to the left; if negative, to the right. The most significant bit of the mantissa is used as the sign of the integer and the same method would work for the exponent, but it can be improved upon. We chose to use the so-called twos complement notation for the exponent since it allows positive and negative numbers to be operated upon without first separating their sign bits — see panel.

We then went on to stipulate that the sign bit of the twos complement exponent shall be complemented. It was done for one very important reason: a zero is needed in the floating-point number scheme. So far, we have a mantissa of between $\frac{1}{2}$ and 1 and an exponent: no matter what the value of the exponent, the floating-point number can never equal zero.

A special case is therefore required — we chose to use an exponent of zero. The most negative number that can be represented in an eight-bit twos complement number is 1000 0000 or - 128. By stipulating that the sign bit of the exponent be complemented, this becomes zero.

The first step in expressing a number in floating-point binary is to normalise the mantissa. Start with an exponent of zero and divide the number by 2 repeatedly until the quotient lies in the normalised range. For each division the exponent is incremented. Very soon we have:

$$1 = 1/2 \times 2^1$$

Converted to binary, and allowing for the covering of the hidden bit by the sign bit and the complementing of the sign of the exponent, this becomes:

.0000 0000 0000	1000 0001
mantissa	exponent

The number 1, and indeed all integral powers of 2, are easily converted to floating point. A more meaty example is the speed of light in metres per second:

$$c = 2.998 \times 10^8$$

To generate a normalised mantissa you must divide by two 29 times, so the exponent is 29. In decimal, the mantissa is 0.56928 to five significant figures. Using only 16 bits to represent the mantissa, the accuracy with which it is held is, at worst,

(continued on next page)

(continued from previous page)

$C_{float} = .0000 \ 1000 \ 1000 \ 1100$
mantissa
1001 1101
exponent

0.01_{float} = .1010 0011 1101 0111

 ↑ mantissa

 sign

 0111 1010

 exponent

Rational not real

The range of absolute magnitudes of numbers of the floating-point notation which has just been described is approximately 0.5×2^{-127} to 2^{127} or 10^{-39} to 1.5×10^{38} . The smaller number is derived from a zero mantissa, equal to $\frac{1}{2}$ with the hidden bit set and an exponent of -127 . The larger is equivalent to a mantissa of almost 1 and an exponent of 127. Few serious problems involve numbers which cannot be represented by this modest floating-point system. If more accuracy is required you can simply extend the mantissa.

$$(a \times b^c) \times (d \times b^e) = a \times d \times b^{c+e}$$

- Extract and note the signs, and set the hidden bits.
- Form the product of the mantissae.
- Form the sum of the exponents.
- Renormalise.
- Insert the sign of the result which is the logical Exclusive Or of the multiplicand signs.

- Extract and note the signs, and set the hidden bits.
- Form the quotient of the mantissae.
- Subtract the exponents.
- Renormalise.
- Insert sign.

Division of binary integers may appear fearfully complicated at first sight, but this complexity is more apparent than real. The quickest way to do it is to repeatedly subtract the divisor from the dividend, dividing the divisor by 2 between each subtraction. If the subtraction leaves a positive result, shift a 1 into the quotient's least significant end, if not, a zero. It is exactly equivalent to decimal long division, but is simplified as the result of each stage can be only 0 or 1, not 0 to 9.


$$\begin{aligned} 2.5 \times 10^5 + 2.5 \times 10^4 &= \\ 2.5 \times 10^5 + 0.25 \times 10^5 &= \\ 2.75 \times 10^5 \end{aligned}$$

Complicated functions

$$\log_2(m \times 2^e) = \log_2 m + e$$

Multiplication by a constant then gives the logarithm to any base.

The whole procedure, like those for the various other functions, is rather long-winded, which is why a hand calculator takes so much longer over them than over the basic arithmetic ones. If speed is vital, an alternative is to hold a table of key values in memory and interpolate between them, exactly as a set of mathematical tables — remember them? — is used.

Any representation of data within a computer is useless unless it can be converted to human-readable forms. One of the largest drawbacks with floating-point numbers is that such conversion is tedious, involving repeated division by 10, extraction of remainders, conversion of floating-point numbers to fixed point and finally, conversion of those to ASCII. 

comart communicator

**NOW
AVAILABLE
WITH
8086 16 Bit Processor**

PROGRESS REPORT



...now the pedigree really shows

How has Comart's controlled, down to earth development strategy kept Communicator a firm favourite in the UK, and the leading candidate to reverse the tide of microcomputer imports?

New Range Additions The Communicator range has broadened to add a new 20 Megabyte 5" Winchester Hard Disk Drive System to the already well established 5 Megabyte and floppy diskette models. Another new system offers 8" floppy disk drives for compatibility of data transfer. With the associated tape and additional Winchester back up systems that adds up to eight basic models – all in the same neat, stackable, casing – all based on S100 bus construction to keep future options in memory, users, peripherals and interface requirements wide open.

New System Additions Communicator operating systems continue to broaden both in options and facilities. An improved CP/M offers enhanced diagnostics, for example, and auto boot from Hard Disk. These basic improvements are reflected in the now tried and tested Communicator multi-user MP/MII™, which also provides for full CP/M™ compatibility.

New Communications Options Communicator now offers CP/Net™ and RBTE communications protocols. Individual Communicator



Systems can now operate as intelligent information terminals, integrated with either existing mainframe or mini computer installations, or be part of a shared resource or communications network.

New Range of Terminals Find out more about Comart's new smart VDU. It's a new advanced ergonomically designed unit. It has a 105 keyset detached keyboard, soft green phosphor tilt screen, and a low profile foot. Its a perfect complement to the Communicator in both styling and performance.

Some things don't change Communicator still has Comart's established dealer network and nationwide after sales service back up, supporting thousands of Communicators already at work throughout the UK.

And in the Future? Behind all these innovations are advanced programmes of research and development. Soon Comart will be bringing you 16 bit, multi processor and distributed processing systems. This is your guarantee that Communicator will continue to keep pace as microcomputer technology progresses.

To find out more about Communicator today, call us now on 0480 215005.

Main Dealers

Birmingham The Byteshop 94/96 Hurst Street Tel 021-622 7149
Dublin Lendac Data Systems 8 Dawson Street Tel 0001 372052
Glasgow The Byteshop Magnet House 61 Waterloo Street
Tel 041-221 7409 **Leeds** Holdene Bray House Leicester Place
Tel 0532 459459 **London** The Byteshop 324 Euston Road NW1
Tel 01-387 0505 **Digitus** Lading House 10/14 Bedford Street Covent
Garden WC2 Tel 01-379 6968 **Jarogate** 197/213 Lyham Road Brixton
SW2 Tel 01-671 6321 **Manchester** The Byteshop 11 Gateway House
Piccadilly Station Approach Tel 061-236 4737 **Nottingham**
The Byteshop 92a Upper Parliament Street Tel 0502 40576
Southampton Xitan Systems 23 Cumberland Place Tel 0703 38740

A member of the Comart Group of Companies

comart
SPECIALISTS IN MICROCOMPUTERS

Comart Limited, Little End Road,
Eaton Socon, St Neots, Cambs PE19 3JG
Tel: 0480 215005 Telex: 32514 Comart G

Dealers

Aberdeen MOM Offshore Tel 0224 22863 **Bedford** Remdex Bradley Tel 93 68581
Cambridge Cambridge Computer Store Tel 0223 65334 **Edinburgh** Holdene
Microsystems Tel 031 557 4060 **Glenrothes** Computer Services (Scotland) Tel 0592
773710 **Blackpool** Western Computers Tel 0253 404676 **Manchester** NSC Computers
Tel 061 832 2269 **Norwich** Anglia Computer Centre Tel 0603 29652 **Worthing** Ace
Computing Services Tel 0903 35411 **Middlesbrough** Aztech Tel 0642 222521 **Barking**
Holdene Tel 01-591 6511 **Belfast** Cardiac Services Co Tel 0232 625566 **Willeslow**
Holdene Tel 0625 529486 **Colchester** Eurotec Consultants Tel 0206 72538
Huntingdon Westcom Tel 0480 217217 **Luton** M E Marketing Tel 0582 31806
Middlesex/Berks Newbury Data Recording Tel 0784 61141 **Sheffield** Hallam
Computer Systems Tel 0742 663126 **Watford** Lux Computer Services Tel 0923 29513
Aylesbury J K Wakeford Assoc Tel 0295 27473

CP/M, MP/MII and CP/Net are all trademarks of Digital Research Inc.

● Circle No. 177

Meet the fa

Minstrel + TurboDOS

the marriage of reliability and versatility



Minstrel

The Minstrel is an exciting new British micro-computer and offers Winchester-based systems at fantastically low prices. The range extends from single-floppy single-user CP/M systems right up to a 68000-based model and includes an 8086-based range.

The Minstrel is compatible with the North Star Horizon and offers a superior alternative at a much better price.

There is a network of Minstrel dealers in the UK and Europe. Contact us for the name of your local dealer. Dealer enquiries invited.

S100 bus

The amazing versatility of the Minstrel is due to the bus used: the S100 bus. This bus system is not only future-proof – the future is created on the S100 bus. Every major micro-computer development appears first on the S100 bus. Now over 150 manufacturers make S100 products and their combined range approaches 1000 boards.

**Hotel Microsystems
Limited**

69 Loudoun Road, London NW8 0DQ

national 01 328 8737
international +441 328 8737
telex 266828


mily



One machine — eight computers

Yes! Inside the Minstrel micro-computer illustrated there are actually 8 Z80A single-board computers. One is dedicated to each user of the system resulting in astonishing performance. A ninth processor controls central disk storage and printers.

TurboDOS provides sophisticated spooling for multiple printers, supports 1000Mb disk drives and 128Mb files, and employs powerful disk buffering techniques.



TurboDOS

CP/M COMPATIBLE MULTI-USER OPERATING SYSTEM

TurboDOS is a popular high-performance multi-processor operating system. Each user has their own slave processor board (illustrated above). TurboDOS systems have been shown to out-perform mini-computers in the DEC PDP11/34 class at a fraction of the hardware cost.

TurboDOS is compatible with CP/M, the industry standard operating system, which means you have access to a vast range of off-the-shelf software.

The next development to TurboDOS on the Minstrel allows you to connect systems together via a Local Area Network.

ASTONISHING PRICES!

Minstrel with two 400Kb floppy drives £1790.
With 1 400Kb drive and 5Mb Winchester £2615.

A sample 2-user TurboDOS system including:

Minstrel
1 400Kb floppy
1 5Mb Winchester
2 slave processor cards
2 KDS7362 VDU's (illus)
1 Epson printer

ONLY

£5465

A sample 5-user TurboDOS system with background batch processor including:

Minstrel
1 400Kb floppy
1 15Mb Winchester
6 slave processor cards
5 KDS7362 VDUs (illus)
1 Epson printer
1 OKI 84 printer

ONLY

£10310

**Just because you
need it in a flash,
don't expose
yourself!**



You've a deadline to meet, the right CP/M Software package is needed, the right decision has to be made; which format, which product, when can it be delivered, at what price?

You need good advice, and just as important, you need to talk to someone who has a large enough range to be able to offer honest advice. Someone who can then deliver on time, someone whose catalogue is fast becoming the byword of the software industry.

So don't expose yourself, talk to Software Limited. Choice, advice and delivery, all aimed at meeting your deadline.

Software Limited...
Because there's more to choose from, we're the only choice to make.

01-833 1173/6

Software Limited
No. 2 Alice Owen Technology Centre
251 Goswell Road, London EC1

CP/M is a trademark of Digital Research




Attractive quantity & dealer discounts available

● Circle No. 107

How to make a million

SO YOU WANT to become a millionaire by playing the U.S. stock market? Start by playing *Millionaire*, a simulation game from Blue Chip Software of California. The game is claimed to be "so realistic that it is recommended for use in maths or economics classes". The price is £70, or £60 for the Apple II version.


Four educational games for ages five to adult come from Spinnaker Software, Cambridge Mass. The titles are *Granite Ghost*, *Disappearing Dolphin*, *Story Machine* and *Facemaker*. Prices range from £25 to £33 plus VAT.

All the above are available from Pete & Pam Computers, New Hall Hey Road, Rawtenstall, Lancashire BB4 6JG. Tel: (0706) 227011. 

Compatibility with Apple II

LAST MONTH we announced an 8088 board to make an Apple think like an IBM PC. This month Quadram has a plug-in card that makes an IBM PC think it's an Apple.


Not only does Quadlink run Apple software, it does it using the IBM disc drives with software to read Apple-format discs. The card carries a 6502 microprocessor and 64K of RAM.

Contact Quadram Corporation, 4357 Park Drive, Norcross, Ga 30093. Telephone: (404) 923 6666. 

Engineers' selection

THE STEMMOS RANGE of desktop engineering packages is now available on the IBM PC. The most popular ones, previously available for CP/M micros, are Superframe, Superpipe and Superrig.

The packages are aids for offshore engineers in static analysis for three-dimensional space-frame structures, such as steel jack-up platforms designed to withstand extreme static and dynamic loads.

Stemmos is now operating from larger premises at 199 Uxbridge Road, London W12. Telephone: 01-740 9444. 

PC goodies from IBM

IBM (U.K.) has announced 11 enhancements — both hardware and software — for the PC. They range from a new colour monitor through an APL implementation to 101 maze games.

IBM Colour Display. A high-quality direct-drive monitor for colour text and graphics, using the Colour/Graphics Monitor Adaptor in one of the expansion slots. The new monitor has a 13in. screen, weighs 12kg, and costs £520.

BSC Adaptor. The Binary Synchronous Communications adaptor is a plug-in card that allows networking using BSC protocols. Price: £230.

BSC-3270 Emulation Program. With the BSC adaptor this lets the PC pretend to be a 3270 terminal and talk to an IBM mainframe. Price: £581.

8087 maths chip. The Intel 8087 co-processor multiplies 32- and 64-bit floating-point numbers about 80 times faster

than the 8088. The option kit includes a matched pair of 8087 and 8088 chips. The 8088 replaces the one you have and the 8087 fits an existing socket on the bigboard. Price: £214.

IBM PC APL. IBM first launched this powerful language on a mainframe in 1977. The PC version requires 128K of memory, the 8087 maths co-processor and an IBM colour display. For a brief account of the power of APL see the April issue of *Practical Computing*, page 107. IBM's APL costs £165.

Professional Editor. Provides powerful editing and scrolling commands including search/change, block move, formatting commands and macros. Price: £113.

Basic Primer. A tutorial on a disc, the Basic Primer assumes no computer knowledge and takes you from learning the keyboard to keeping cheque-book records. Price: £53.


UCSD p-system run-time support. Provides the


appropriate software to run programs written under the UCSD p-system Version IV.03. The system supports programs written in Pascal, Basic and Fortran-77. It costs £41.


File Command. This utility is a DOS handler which allows files to be sorted by size, date, alphabetically by file name or extension, and by drive and directory path. File Command also defines the function keys under DOS. Price: £31.

Strategy Games: A set of four popular board games — draughts, elusion, battleship and reversi.

101 Monochrome Mazes. Just what it says. The mazes include black pools, trapdoors and pop-up walls. There are 10 levels of difficulty and nine game speeds. Price: £31.

All the introductions are promised for September, except the Basic Primer which should be available now. All the prices quoted exclude VAT. 



If all the slots on your PC are full, maybe you need the Sup'r Extender from M&R Enterprises. It connects to the PC via two 60-line ribbon interface cables, and provides six extra expansion slots for standard plug-in boards. The price is around \$5,000. Contact M&R Enterprises, 910 George Street, Santa Clara, CA 95050. Telephone: (408) 980 0160. 

As an increasing number of readers are acquiring IBM PCs and various look-alikes, we felt that — like other major micros — it should have its own place in *Practical Computing*. This is it.


In future issues, PC Bulletin will carry news, reviews and software stories. If you have any hints and enhancements, utilities or short programs, send them in.

Our aim is to make this column an extra "expansion slot" for IBM PC. But it will only expand if you join in. Send your contributions to PCB at *Practical Computing*, Quadrant House, The Quadrant, Sutton, Surrey SM2 5AS.

Happy families

THE SOFTWARE PUBLISHING CORP has launched a family of software for the IBM PC. The packages are PFS:File, PFS:Report, PFS:Graph and PFS:Write. The Write and Graph programs can be used with VisiCalc files. Contact Software Publishing Corporation, 1,901 Landinds Drive, Mountain View, California 94043, Telephone: (415) 962 8910.

Another family of PC software is the Professional Business Library from Texasoft. It comprises Versatext, The Thinker and PCFile. The Thinker is a spreadsheet program. All three together are called the Texasoft Combo Pac by Pete & Pam, who will sell them to you for £249.

British-made software for the IBM PC now includes the Pegasus suite, which covers the spectrum of accounting needs including payroll. The packages are already well established on the Sirius and Commodore micros. If you want to see or buy them, you have to contact your local dealer. 

AS A GENERAL rule, only idiots wait for the wonderful new machines that computer firms perpetually promise. And if they appear, only idiots and software writers buy them. This rule has very few exceptions, but one of them is the IBM XT, simply because it sets a standard other machines will aspire to.

The IBM Personal Computer was first launched in the United States in August 1981 and immediately became a best-seller. IBM's marketing men did it right: they had stocks in the shops, they had software, and they had an aggressive price. The entry-level PC system was a 16K cassette-based micro priced to give Apple a hard time, so the PC was bought as a home micro as well as for small-business use.

The PC also had something no other machine had: the initials of the world's largest and most powerful computer firm on the front. The IBM sold massively, and estimates put its market share in 1982 somewhere between 18 and 25 percent. Not bad for starters.

The U.S. success delayed the introduction of the PC in Europe. For a while, grey imports were obtainable — American machines supplied with step-down transformers and American monitors — but finally, on January 18 this year, IBM launched the British version. Again there was software and again there were already machines in the shops.

The British PC showed a number of differences from the American original. It now had 64K memory chips, and thus no 16K version. No cassette-based version was announced, and the disc drives had been upgraded to 320K. The software ran to more than 30 packages under the IBM label alone. They included CP/M-86 and the UCSD p-System, as well as MS-DOS; Cobol, Fortran and Pascal as well as Basic and assembler; a colour version of Multiplan; and a number of games.

The new PC included a U.K. keyboard with a DOS file to configure the operating system to match. Other national keyboards such as French and Italian were launched at the same time. In other words, even at its launch the IBM PC was a purchasable option.

Conservative design

Some people expressed surprise and regret that the new machine was not more revolutionary. It did not, for example, feature an 8086 full 16-bit processor instead of the 8088, nor did it sport PC-DOS version 2. The complaints were dumb. IBM had a clear view of the serious market, which is for a stable machine that works, is as bug-free as possible, has lots of software and is well supported. These are far more important aspects than the technological flashiness which some companies offer, both through novel architectures and "own brand" operating systems.

If there was something to carp about it was the price, which was far less aggressive

IBM XT

In the first part of this review, Jack Scholfield sets the hard-disc version of the IBM Personal Computer in context with its competitors.

than in the U.S. It was low enough to hurt only the grey importers, not the makers of IBM look-alikes. One factor was that the PC was already in short supply, so why cut the price?

At the launch, IBM announced that it was going to start manufacturing PCs for all of Europe at Greenock in Scotland. With this production facility coming on stream later this year there is every hope of

price reductions. After all, IBM has significantly reduced its American prices since the launch, and recently took 30 percent off the cost of the Displaywriter. In its current mood, IBM is capable of out-marketing anyone.

The IBM XT was launched in both the U.S. and the U.K. earlier this year, though machines did not become available here until June. The external appearance of the



When you power on the XT it shows it is working by signalling the checking routines.

XT is almost identical to the PC, except for the hard disc which replaces floppy drive B. This required no great feat of engineering, but essential to the XT was the availability of MS-DOS 2 to provide the operating system facilities to run the hard disc.

IBM also made a number of less obvious changes in producing the XT. For example:

- it features a new ROM and BIOS, basic input/output systems;
- the minimum RAM is 128K instead of 64K;
- the motherboard has eight expansion slots instead of five;
- the power supply is larger to support the hard disc;
- the floppy disc writes nine sectors of data per track instead of eight, giving 360K of storage per double-sided drive instead of 320K;
- the DIN socket for cassette operation is no longer fitted.

The XT is installed in exactly the same way as the PC, with the same plugs and connections. It is easy to do and there is not much to go wrong. However, while the printer and monitor cables have holding screws to prevent them being tugged out by accident, the power cable doesn't and can be. This can lead to disaster. The keyboard's DIN output port is awkwardly sited on the back of the system box instead of the front. The monitor requires separate video and power leads. Some micros combine them in one cable, but as the IBM drives the monitor from a card in an expansion slot, there is no way round this.

A major difference is obvious when you power on. Instead of playing dead like the old PC, the XT shows it is working by signalling the RAM checking on the screen. The system checks the floppy drive A, then the hard disc C, for a bootable operating system. If it does not find one it defaults to the Basic in ROM with 62,940 bytes free.

Initially you will start with a DOS 2 Master in drive A. You would expect it to

take you through making your own system master and putting Keybuk in an Autoexec. bat file . . . That way, booting DOS automatically configures the U.K. keyboard to produce the right codes. DOS 2 doesn't. There is no Keybuk file. The result is that you have a keyboard with English markings producing American output. Thus you have to press @ for " and so on. Running American software is a doddle, but that is not the idea at all.

IBM says that the DOS 2 disc it now supplies does have the Keybuk file on it, so there should be no problem. However, any U.K. user who wants to experience life with a U.S. keyboard — with U.K. markings — can do so by pressing Ctrl-Alt-F1 together.

There are a couple more areas where the XT is not quite as kosher as the standard PC. For example, the DOS 2 information and DOS 1 corrections come on separate sheets. You have to spend an hour integrating them into a DOS 1 manual to get your final documentation. When you take the lid off to fit an extra 128K of RAM you find that the board layout supplied with the chips does not match the XT board itself. Worse, the book shows two Dip switches to set to tell the XT how much memory it has, but there is only one switch on the board. You have 256K of expensive RAM chips but only 128K accessible.

However, the DOS Manual does take you step by step through copying the two DOS discs on to the hard disc so that the XT boots from it automatically when you switch on. The hidden MS-DOS files can be transferred automatically during the hard-disc formatting stage. Copying the other files is really easy using the wild cards. Simply use, from the A>7 prompt

COPY *. * C:

and it is done.

There are two DOS discs because the Samples programs are now supplied on a separate one. As DOS is larger they will

not both fit on one 160K single-sided disc. It is a reminder that even the upgraded IBM drives do not exactly offer state-of-the-art storage.

The system uses 41,472 bytes, which leaves 10,303.5K free on the hard disc. it is a fairly comfortable amount for most single users, and this is not a multi-user disc.

The manual is also clear on dividing up the hard disc into different sections. You do not divide parts of the hard disc into different nominal drives, as you might with CP/M-80. What you can do at any time is partition the hard disc so that part is dedicated to PC-DOS, part to UCSD p-System, part to CP/M-86 and so on. You can have up to four partitions.

This facility is vital. If after six months you bought Concurrent CP/M it would be very embarrassing if the hard disc was tied to PC-DOS. You would be stuck with running a single-floppy system or embarking on a very long copying session.

What the manual does not do is properly stress the importance of organising the PC-DOS part of the disc into separate sub-directories. There is bound to be some poor user, who, after a few weeks, types Dir and sees several megabytes of small files stream endlessly by. It does explain how to create and use directories and sub-directories. DOS 2 has a tree structure like Unix, and it uses Unix or Unix-like commands. To change a directory, for example, you type Chdir or — just as in Unix — cd.


Batch files

To take this idea further, the manual is somewhat murky on the subject of setting up batch files. Suppose you divide the hard disc into separate areas for, say, The Final Word, Multiplan or VisiCalc, or Pulsar or whatever your particular brand of poison. The manual should explain how to boot them from a short set of Autoexec.bat files. An even better idea is to run this from a master menu, like a Unix-type shell. Or alternatively, run them using the function keys, as with the Dynalogue Hyperion reviewed last month.

It is easy to produce a master menu which boots automatically from an Autoexec.bat file into Basic so that you can run Basic programs this way. It is not so easy to do it in DOS using Copy.Con. I tried it but did not manage to make it work.

As delivered, DOS 2 seems to lack a way of programming the function keys within the operating system, in the Hyperion style. This must mean you have to buy the File Command utility, announced in this month's PCB News on page 129. Or if not, blame the manual!

It must be said that I thought the IBM manuals were quite good until I saw the Zenith Z-110 versions. Look out for our review of this excellent machine next month, when this IBM XT review will be continued. □



The U.K. keyboard is catered for by current versions of the DOS 2 disc.

TK!SOLVER

Jack Schofield tries out the latest from the firm that brought you VisiCalc.

SOFTWARE ARTS wrote the world's most successful microcomputer software package, VisiCalc, with sales of over \$25,000,000. Its follow-up, TK!Solver, brings the same kind of convenience to problem solving.

The idea of TK!Solver is that you enter rules or equations on a rule sheet, then input values on a variable sheet. Press ! and Hey Presto! the answers appear in the output column.

You could get the same answer with a programmable calculator or, according to the type of problem, by using an electronic spreadsheet or by writing a quick Basic or Fortran program to do it. In that sense TK!Solver does not offer anything new. What it does is offer more:

- You do not need to be any sort of programmer to use TK!Solver. You only need to be able to type tk in response to the >A prompt.
- It will cope with a wide variety of calculations from mortgage and loan to cylindrical wall heat transfer.
- You can save, load and merge models easily. You can transfer data interchange format, Df, files too.
- TK!Solver has numerous built-in functions including the obvious trig, ones, net present value, and Poly for the value of a polynomial.
- There is a built-in graph-plotting extension.

Most of these advantages also apply to VisiCalc, but TK!Solver has one further advantage: the computations are not position dependent. Beginning VisiCalc users can get dramatically wrong results by setting up sheets where calculations are done in the wrong order. Spreadsheets are not reversible, but TK!Solver is. It is OK to have cell A1 plus cell A2 equal to cell A3 in VisiCalc, but if you change cell A3 it will not calculate backwards to give a new value for A1 or A2. With TK!Solver, the rule $a + b = c$ also implies that of necessity $a = c - b$. In other words, it deals with equalities not assignments.

This makes TK!Solver very friendly towards non-computerists. The one thing to watch is that the computer's convention of * for times must be adhered to.

$ab + ac = a(b + c)$
must be written as $a*b + a*c = a*(b + c)$ or else ab and ac will be taken as variable names and $a()$ as a function. This does not create problems in practice because all the variables are listed on the Variable sheet after a rule has been entered.

TK!Solver is extremely easy to use. A rule can be typed in straight away, on the Rule sheet, and on pressing Return the

(Is) Status: Satisfied				183/
===== VARIABLE SHEET =====				
St Input	Name	Output	Unit	Comment
2.1	a			Simple example with only one rule
3.2	b			
4.3	c			
5.4	d			
	e	158.88		Note: any variable can be either input or output
6.5	f			
===== RULE SHEET =====				
S Rule				
a=b*c=d-e/f				

variable names are automatically listed on the Variable sheet. You can then cursor down one space and enter another rule or else press ; to move to the input part of the Variable sheet. Using the cursor controls to step through the variable names, you enter the known values. Press ! and the unknown values are calculated, assuming all the information is there. That's all there is to it.

After that you can start to play "What if?", as with VisiCalc, with the advantage that you can have any variable as either an input or an output. It is ideal for the student's traditional lab practice of working backwards from the answer via "experimental error" to arrive at the correct observations.

Having produced this wonderfully simple facility, Software Arts has added some extras. The Variable sheet has columns for St or status, Units and Comments too. The St column tells you if the equations are overdefined — that is, input values conflict — or are satisfied. The Comment field allows comments. The Units column allows automatic conversion between units.

Pressing =u takes you to the Units sheet, where you can enter conversion factors for all the different units. It is possible to enter your calculation in, say, an unholy mixture of cubic centilitres and U.S. fluid ounces and get an Imperial result. It may be bad for the soul, but it is wonderfully convenient.

There are four other sheets, which can also have subsheets. They are List, User Function, Table and Plot. The List sheet and subsheet provide a sort of For-Next-Step facility. Suppose you wanted to find mortgage payments for interest rates from 10 to 20 percent? The List tables will do it, and provide automatic fill, so you do not need to enter the individual values separately.

The Table and Plot sheets provide ways

of comparing lists of values. The Table sheet provides comparison tables. The Plot sheet will graph one or more sets of values on specified axes for a more visual comparison. It is somewhat like having VisiTrend and VisiPlot working in unison with VisiCalc, but at no extra cost.

Using these accessory sheets is, of course, not as straightforward as using the Rule and Variable sheets, but the massively thorough documentation takes you through the problems step by step with worked examples. The documentation includes a large colour poster, which is an invaluable quick guide to which command takes you where. For people who cannot be bothered with documentation there is an *Introductory Guide* which gets you up and running inside five minutes.

Now the bad news: TK!Solver is only available to those who have an IBM Personal Computer with a minimum of 96K, and it assumes an American keyboard. It is non-copyable, though two copies of the program disc are supplied. Versions are expected to follow for the DEC Professional and Rainbow 100.

Conclusions

• TK!Solver is an outstanding piece of software. Any scientist, engineer, high-level financial manager or student in these fields would find it invaluable.

• It is not as flexible a tool as VisiCalc and does not have the same variety of applications, so is unlikely to sell in similarly vast quantities.

• The ability to use Dif files is a valuable feature as it allows data interchange with the Visi range, Chartmaster, Graphmagic and other software.

• TK!Solver is produced by Software Arts Inc, 27 Mica Lane, Wellesley, Massachusetts 02181. Telephone: (617) 237 4000. U.K. distribution is expected to follow shortly.

The right software for your application from **COMPUTECH**

 **apple**
Authorised Dealer
Service Centre
System Consultancy

COMPUTECH FINANCIAL ACCOUNTING PACKAGES

Payroll	£375
Invoicing and Stock Recording	£295
Sales, Purchases and General Ledgers	each £295
Also costing and group consolidation	

COMPUTECH UTILITIES DISK

for reliable error checking copying, diskette scan, interpret and patch, etc **£20**
VisiCalc, Applewriter and other Apple software (Prices on request)

COMPUTECH CHAIN MAIL

A mailing merging document processor which may be used with text files, including random files and Applewriter 1.1 binary files **£45**

COMPUTECH GRAPHICS DISK

for printing Apple pictures and graphs on Epson and Microline (free with printers purchased from Computech) **£30**

COMPUTECH TERMINAL UTILITIES

Apple to Apple and Apple to mainframe from **£130**

COMPUTECH hardware...just plug it in and go!

switches and jumpers provide hardware options without soldering



DIPLOMAT VIDEO DIGITISER

store a frame from video camera in a fiftieth of a second, process and print **£195**

DIPLOMAT PARALLEL Interface **£80**

DIPLOMAT SERIAL COMMUNICATIONS Interface **£85**

DIPLOMAT RAM 16 Memory Expansion **£95**

DIPLOMAT CLOCK/CALENDAR **£80**

LOWER CASE Character Generator with Applewriter 1.1 enhancements **£50**

MICROMUX Data Exchange (Max 16 Ports) from **£850**

MATRIX PRINTERS, Microline and Epson with graphics and up to 200 cps from **£230**

MICROLINE Optional Character Generator **£15**

DAISY WHEEL PRINTERS, Olympia, Qume, Ricoh from under **£1,000**

Prices exclude VAT, Carriage and Packing

For full details phone for data sheets and a FREE demonstration

COMPUTECH SYSTEMS

168 Finchley Road, London NW3 6HP. Tel: 01-794 0202

Although the NewBrain is conceived as a total system, the unexpanded Processor itself has a great deal to offer. It is available in two forms: Model AD, shown below, with a built-in line display; and Model A, without the line display. Both models can operate with a monitor or a television set.

MEMORY

- 24K bytes of ROM;
- 32K bytes of RAM, at least 28K of which is available to the user.

THE SCREEN DISPLAY

- 40 or 80 characters to the line – without affecting the 28K bytes of RAM at your disposal;
- 24 or 30 lines to the screen;
- well-formed characters, with true descenders;
- a full European character set;
- normal or reverse video, high resolution graphics on screen of controllable size, 256, 320, 512 or 640 horizontal resolution by 250 vertical lines;
- a facility to set up a “page” of up to 255 lines, with the screen acting as a “window” to display it;
- ability to maintain several such pages simultaneously, and to switch rapidly between them;
- text may be used on graphics screen as well as on parts of the video screen not used by graphics.

CHARACTER SET

- 512 characters, including the full ASCII set, all European accented characters, Greek and graphics symbols.

GRAPHICS

- 20 powerful graphics commands;
- all text characters usable on the graphics screen;
- variable-sized graphics screen, with the rest of the screen available for text – for versatility and to save memory.

SOFTWARE

Enhanced ANSI BASIC; screen editor (32 commands); mathematics package (10 significant figures); graphics commands.


- a very friendly screen editor – a delight to use and readily adapted to text processing;
- arithmetic to 10 significant figures;
- very controllable output formatting of numbers – invaluable for accounting, statistics, and scientific applications;
- a powerful, much enhanced BASIC;
- a very flexible operating system, which allows any data stream to be opened to any device.

INTERFACES

- two tape cassette ports built into the processor unit;
- a built-in printer interface;
- a built-in communications interface (V24/RS232);
- a video monitor interface;
- a TV interface;
- an expansion interface for NewBrain system expansion modules.

KEYBOARD

- standard typewriter pitch, action, layout and size, with editing control and graphics keys.



*CP/M IS A REGISTERED TRADE MARK OF DIGITAL RESEARCH INC.

You can get everything in the box on the

If you understand the facts and figures on the left you'll soon realise that NewBrain has to be one of the most powerful micros around.

However, if you find the box on the left a little hard to follow, don't worry.

We've got over 120 dealers nationwide who've got all the answers at their fingertips.

Either way you'll discover that NewBrain is the kind of micro that will stop the competition getting a look in.

At £269 it starts off with twice as much memory as most of its competitors and can expand to over thirty times that amount. So there's no chance of being left behind in the micro race.

It comes with a very powerful language (enhanced ANSI BASIC) and it'll take CP/M, so it'll work on the same system as similar big business micros, giving you the capacity to use an almost limitless variety of tried and tested software.

But most of all NewBrain is a machine that can expand.

It's designed to take disks, printers and memory expansion modules (up to 2M bytes) plus anything else you'd expect a professional business micro to handle.

So, whether you understand the box on the left or not, pay a visit to someone in the know on the right.

They'll answer all your questions and give you a full demonstration.

NewBrain

Grundy Business Systems Ltd., Grundy House,
Somerset Road, Teddington.

DEALER NETWORK

ALTRINCHAM

PHARMACY COMPUTER SYSTEMS
(061-928 0087)

BARNLEY

BROOK OFFICE SUPPLIES LTD
(0226 88916)

BARNSTAPLE

LANDKEY-NEWLAND (0271 77883)
J & A CAMERAS (0271 75037)

BEDFORD

MICROPOWER BUSINESS APPLICS
(0234 213571)

BIRMINGHAM

CALISTO COMPUTERS LTD
(021-632 6458)

LASKYS (BIRMINGHAM) (021-632 6303)

BIRMINGHAM

MICRO-C (BIRMINGHAM)
(021-233 1105)

TYPEWRITER CENTRES (021-622 5385)

BOURNE

MICRO-C (LINCOLNSHIRE)
(077 82 4566)

BRADFORD

NORTHWAY COMPUTER SERVICES
(0274 588236)

BRIGHTON

LASKYS (BRIGHTON) (0273 725625)

BRISTOL

ELECTROPRINT COMPUTERS
(0272 292375)

LASKYS (BRISTOL) (0272 20421)

MICRO-C (BRISTOL) (0272 650501)

COLSTON COMPUTER CENTRE LTD
(0272 276619)

BROMLEY

LASKYS (BROMLEY) (01-464 7829)

BUCKNELL

BORDER COMPUTING &
PROGRAMMING (05474 368)

CAMBERLEY

ASYST SYSTEMS CONSULTANTS LTD
(0276 28397)

CAMBRIDGE

G.C.C. (CAMBRIDGE) LTD
(0223 835330)

CANTERBURY

M.D. WRIGHT DATA SERVICES LTD
(0227 695050)

CANNEY ISLAND

MERCURY MICROSYSTEMS LTD
(0268 696263)

CARDIFF

LASKYS (CARDIFF) (0222 374893)

CHALFONT ST GILES

PRINTIVITY LTD (02407 4906)

CHATHAM

HEDWAY COMPUTERS (0634 826080)

CHILTERNHAM

COMPUTER SHACK LTD (0242 584343)

CHESTER

BELLARD ELECTRONICS LTD
(0244 380123)

LASKYS (CHESTER) (0244 317667)

COLCHESTER

CAPRICORN COMPUTER CENTRE
(0206 68471)

CORR

C.D.S. COMPUTING LTD (0002 23922)

CORRINGHAM

C & L COMPUTERS LTD (0375 67 5656)

COVENTRY

COVENTRY MICROCENTRE
(0203 58942)

CROYDON

LASKYS (CROYDON) (01-681 3027)

DARLINGTON

DARLINGTON COMPUTER SHOP
(0325 487478)

DERBY

FIRST BYTE COMPUTERS
(0332 49672)

DUBLIN 4

THE F.C.I. GROUP OF COS
(0001 603497)

DUNFERMLINE

ANDREW THOMSON (0383 724541)

EDGWARE

CITADEL PRODUCTS LTD (01-951 1848)

EDINBURGH

LASKYS (EDINBURGH) (031-556 2914)

GLASGOW

JOHN MENZIES PLC (EDINBURGH)
(031-225 8555)

ELSTREE

ELSTREE COMPUTER CENTRE
(01-953 6921)

GILLINGHAM

HEDWAY MICRO COMPUTERS LTD
(0634 576764)

GLASGOW

VICTOR MORRIS (AUDIO VISUAL)
(041-221 8958)

LASKYS (GLASGOW)

(041-226 3747)

GLoucester

MILEQUIP COMPUTERS (0452 411010)

GREAT YARMOUTH

KAYDE ELECTRONICS LIMITED
(0493 57857)

GUILDFORD

M.C.D. LTD (0483 574659)

HAMILTON

STRATHCLYDE MICRO CENTRE
(03552 22517)

HARPENDEN

CONSULTANTS IN OFFICE POWER
(05827 66911)

HASTINGS

THE COMPUTER CENTRE (BMS) LTD
(0424 439190)

HEREFORD

HONEYSETT COMPUTERS LTD
(0432 279404)

HERTFORD

RMR COMPUTER SERVICES
(0992 56160)

HIGH WYCOMBE

SUN-IT COMPUTER SYSTEMS LTD
(0494 827 238)

HUNTLY

I.C.E. (ELECTRONICS) (0466-88 337)

ISLE OF WIGHT

VECTIS COMPUTER SERVICES
(0983 528345)

KIDDERMINSTER

MICRO-WART (0562 742142)

KINGSTON

LASKYS (KINGSTON) (01-546 1271)

VISION STORES LIMITED (01-549 4900)

LEAMINGTON SPA

WARWICKSHIRE COMPUTER CENTRE
(0926 311873)

LEEDS

MICRO-C (LEEDS) (0532 446601)

MICROCELL COMPUTER SYSTEMS
(0532 681366)

LEICESTER

TILLEY COMPUTER SYSTEMS
(0533 553984)

MICRO-C (LEICESTER) (0533 546224)

LINGFIELD

SNOBEECH MICRO CENTRE
(0342 832476)

LIVERPOOL

LASKYS (LIVERPOOL) (051-236 2828)

LONDON

DIXONS PHOTOGRAPHIC (UK) LTD
(01-491 7376)

LION MICRO COMPUTERS

(01-580 7383)

MICRO-C (LONDON NW1) (01-387 9275)

TRANSAM MICROSYSTEMS LTD

(01-405 5240)

LASKYS (QUEENSWAY) (01-229 6425)

LASKYS (TOTTENHAM COURT ROAD)
(01-626 0845)

LASKYS (OXFORD STREET)

(01-493 4623)

OFFICE INSTALLATIONS LTD
(01-579 6771)

TREND VIDEO & HI-FI LTD

(01-521 6146)

M.R. DEAN & SONS LTD (01-723 4630)

WELBECK VIDEO (01-486 3783)

RICHBY COMPUTER SERVICES (W2)
(01-723 1382)

AUDIO MARKETING (UK) LTD

(01-580 2554)

LOUGHBOROUGH

DATA ONE SYSTEMS LTD (0509 37281)

MICRO-C (LOUGHBOROUGH)

(0509 37367)

LUTON

LASKYS (LUTON) (0582 38302)

MICRO-C (LUTON) (0582 425079)

MAIDENHEAD

KUMA COMPUTERS LTD
(0628 71778/9)

MAIDSTONE

LASKYS (MAIDSTONE) (0622 678165)

MANCHESTER

R.S.C. COMPUTER SHOPS LTD
(061-832 2269)

MICRO-C (MANCHESTER)
(061-834 0144)

LASKYS (MANCHESTER)
(061-832 6087)

LOMAX LTD (061-832 6167)

MIDDLESBROUGH

MICRO-TECHNIC COMPUTER SYSTEMS
(0642 221501/2)

MILTON KEYNES

MILTON KEYNES COMPUTER CENTRE
(0508 568811)

NEW MILTON

SNIPES COMPUTERS LIMITED
(0425 617477)

NEWCASTLE-UPON-TYNE
MICROCORE COMPUTERS
(0632 617077)

NEWMARKET

DATA BASE (0638 667311)

NOTTINGHAM

MICRO-C (NOTTINGHAM)
(0602 412455)

LASKYS (NOTTINGHAM)

(0602 415150)

ORMSKIRK

MALTHOUSE COMPUTERS LTD
(0595-78 901)

PETERBOROUGH

LASKYS (PETERBOROUGH)
(0733 313513)

HANDS-ON COMPUTERS
(0733 312418)

PLYMOUTH

DISKWISE LTD (0752 267000)

POTTERS BAR
POTTERS BAR COMPUTERS
(0707 44417)

PRESCOT

MICROSYS LTD (051-426 7271)

PRESTON

LASKYS (PRESTON) (0772 59264)

READING

LASKYS (READING) (0734 595459)

RICHMOND

TANTUS MICROSYSTEMS LTD
(01-940 7299)

ROYSTON
CORNIX MICRO (0763 46065)

RUGBY
OEM COMPUTER SYSTEMS
(0788 70522-4)

SANDERSTEAD

J.R. INSTRUMENTS (01-657 7646)

SARISBURY GREEN

WENDMORE MANAGEMENT SERV LTD
(04895 6318/9/0)

SHEFFIELD

T.A. EDUCATION LTD (0742 618539)

LASKYS (SHEFFIELD) (0742 750971)

SOUTHAMPTON

MICRO-C (SOUTHAMPTON)
(0703 29676)

GODWIN ELECTRICAL LTD
(0703 783322)

ST HELIER

THE PROCESSOR CENTRE (JERSEY)
(0534 77070)

DATASTREAM (JERSEY) LTD
(0534 71219)

ST PETER PORT

THE PROCESSOR CENTRE (GUERNSEY)
(0481 28827)

STOCKPORT

DISKWISE COMPUTER CENTRES LTD
(061-477 5931)

ALPHA BUSINESS COMPUTERS LTD
(061-477 7799)

STROUD

THE MODEL SHOP (045-36 5920)

SURBITON

COMPUTASOLVE (01-390 5135)

SWANLEY

PETER RALPH (82 62230)

TEDDINGTON

AM PROGRAMMERS LTD (01-943 2266)

STAG TERMINALS LTD (01-943 0777)

TEIGNMOUTH

QUESTEL COMPUTERS (062 672258)

THIRSK

AMPLAN MANAGEMENT SYSTEMS
(0845 597330)

THORNTON HEATH
CROYDON COMPUTER CENTRE
(01-689 1280)

TUNBRIDGE WELLS

RICHBY COMPUTER SERVICES (KENT)
(089 286 2060)

UXBRIDGE

J.B. MICRO (0895 57908)

WALTON ON THAMES

PMFS (98 22895)

KEY COMPUTER CENTRES LTD
(93 42 777/8)

WAREHAM

GAMES & COMPUTERS (09295 51383)

WARRINGTON

No1 source for software

SOFT OPTION SOFTWARE CENTRE

When you're thinking software, think Soft Option first. Chances are we'll have the right product, in the right format, on the shelf in quantity.

We despatch fast from stock. We also offer a dealer pricing system to suit individual needs with cumulative discounts available.

Finally, we *know* about software—we can give you technical support when it's needed.

So make Soft Option your first call. We'll soon become your first choice.



CP/M 80 CP/M 86 MS-DOS

and IBM PC Software



SOURCES INCLUDE:

We hold stocks of most software manufacturers including:

MICROPRO
MICROSOFT
DIGITAL RESEARCH
SORCIM
IUS
ASHTON TATE



MACHINE FORMATS INCLUDE:

Software can be made available in 8 BIT or 16 BIT formats to suit most micro-computers currently on the market including:

Superbrain
North Star Horizon
North Star Advantage
Columbia PC • IBM PC
Televideo • Apple
CP/M 8" • Rair • Sirius

RING THE SOFTLINE Grantham (0476) 860171

All products are supplied complete with full originator's documentation. Please send large s.a.e. for full details. TRADE ENQUIRIES WELCOME.

BARCLAYCARD
VISA



PROGRAMS INCLUDE:

Our complete list of software is too long to publish and changes by the hour but here are a few examples to whet your appetite.

WORDSTAR	MICROPRO's comprehensive word processing system.
PL/I-80	DIGITAL's PL/I Compiler.
BASIC-80	MICROSOFT's popular and powerful basic Interpreter. There is a Compiler too.
FORTRAN-80	Fortran Compiler to ANSI X3.9 1966 except COMPLETE data.
SUPERCALC	SORCIM's spread sheet and modelling system.
EASYFILER	Data Recording System for the IBM PC from IUS.
dBASE II	Relational Database Management from Ashton Tate.



Soft option SOFTWARE CENTRE

The Soft Option (UK) Ltd. Home Farm House Colsterworth
Grantham Lincolnshire NG33 5HZ Tel: Grantham (0476) 860171

• Circle No. 233

Open File

This regular section of *Practical Computing* appears in the magazine each month, incorporating Tandy Forum, Apple Pie, Sinclair Line-up and other software interchange pages.

Open File is the part of the magazine written by you, the readers. All aspects of microcomputing are covered, from games to serious business and technical software, and we welcome contributions on CP/M, BBC Basic, Microsoft Basic, Apple Pascal and so on, as well as the established categories.

Contributors receive £30 per published page and pro rata for part pages, with a minimum of £6. Send contributions to: Open File, *Practical Computing*, Quadrant House, The Quadrant, Sutton, Surrey SM2 5AS.

Commodore Corner: Vic accounts; Graphics on expanded Vic-20; Enhancing Rems — introduced by Mike Todd	137
Apple Pie: Spelling game — introduced by John Harris	142
Accent Atari: Flashing cursor in Basic and assembler; Slow lister to help you check Basic programs; Variable dump; Hotstuff — introduced by Jack Schofield	145
Sinclair Line-up: Data in strings; Spiral clear screen; Printer control codes	147
Tandy Forum: Fast decimal-to-binary conversion; Magical spreadsheet program in Basic — introduced by John Wellsman	151
BBC Bytes: Spectrum-compatible plotting; Maze game; Orbit space game; Seaspray sound demo; Saucy graphics demo — introduced by John Harris	153
End of File: Epson HX-20 Morse code; Road Runner game on Sharp MZ-80K; Recovering programs on Computers Lynx; Mouse Maze Basic routine	158



Guidelines for contributors

Programs should be accompanied by documentation which explains to other readers what your program does and, if possible, how it does it. It helps if documentation is typed or printed with double-line spacing — cramped or handwritten material is liable to delay and error. Program listings should, if at all possible, be printed out. Use a new ribbon in your

printer, please, so that we can print directly from a photograph of the listing and avoid typesetting errors. If all you can provide is a typed or handwritten listing, please make it clear and unambiguous; graphics characters, in particular, should be explained.

PLEASE send a cassette or disc version of your program if at all possible. It will be returned after use. For CP/M programs use IBM-format 8in. floppy discs.

COMMODORE CORNER

by Mike Todd



Vic accounts

AN EXPANDED VIC will run this home-accounting program submitted by Mark Martin of Benfleet, Essex. The program and data storage takes just over 6.5K and so

it requires a minimum of 8K expansion memory.

By omitting lines 1670 to 1970 and the Gosub 1670 in line 10 you will save enough memory to allow the program to run in a Vic with only 3K of expansion memory. These lines merely generate a curious title page and set up the screen colours and are not an essential part of the program.

The program asks for your current balance. A menu is written on the screen, and pressing the appropriate key will take you into one of the nine options. The most important is the Add Data option. It gives you the current balance and then allows you to input details of the transaction, whether it is a credit or debit and the amount. Pressing * and Return will take you back to the menu.

Two listing options are provided. The first prints a complete list of transactions to the printer, and the second prints them on

the screen, with a "window" showing the current transaction. There is an opportunity here to make amendments as required. To move the down, one item at a time, use the F3 and F5 keys. To move the data five at a time use the F1 and F7 keys; * will always return to the menu.

Data can be loaded from tape, updated and saved back to tape. It is probably best to use a separate data cassette for this, as it will be necessary to rewind the tape to the start when saving updated data.

The number of transactions is limited to 50, which could cause problems with some accounts. The second Load in the menu therefore provides a facility to load only the final transaction in the data file to give you the current balance and an "empty" computer. New data items can then be added and stored as a new data file.

With extra memory the 50-transaction
(continued on next page)

(continued from previous page)

limit could be increased significantly. You would simply need to change every occurrence of 50 in the program; maybe it would be better to define a variable at the start to specify the maximum number of transactions.

Using cassettes can be very slow, especially with large quantities of data, and there is no reason why the Load and Save routines should not be adapted to cope with discs. Lines 390 and 810 would have to be changed to the equivalent disc commands.

Considerable thought has gone into the design of the program. A special input subroutine prevents the user typing in characters that ought not to be typed in. Adequate instructions are given as the program progresses, and pressing * at most points will return to the menu. Any changes introduced in the data will automatically be reflected in the current balance, and there is the ability to search all transactions for an item, specified by its name.

The name of each transaction is limited to eight characters — enough to allow cheque numbers to be included — and the amounts are limited to £9,999.99.

Lines 10 to 260 are the main routine, which sets up arrays and variables and the menu and selection for each of the command routines located at lines 270 to 1590. Formatting of the data for display on the screen is done in lines 1460 to 1500. Lines 1600 to 1660 actually format the numbers for display.

Lines 1670 to 1970 generate the title page and can be omitted to save space. Lines 1980 to 2090 contain the input subroutine. They could usefully be adapted and applied to other programs.

Because the program uses fairly sophisticated screen formatting, it is full of screen control characters and long strings of graphics characters. For instance there are 22 horizontal lines in lines 920, 950, 1240 and 1250, with 22 spaces in the middle of line 950.

The Pokes in the program are used to generate the audio tones or change the screen colours and could be omitted. The Peeks and Pokes in the input subroutine in lines 1980 to 2090 cannot be omitted as they are used to determine where on the screen the characters are to be printed when a key is pressed.

Enhance Rems

Rem statements are normally used to add remarks to a Basic program, but they can also be used to segment a program, making the listing more readable. We have received several programs which make Rem statements stand out in one way or another, and this one from G M Rossetti of Kingsbridge, South Devon, is probably the simplest.

It comes in two versions. The first is in machine code and occupies 59 bytes of the second cassette buffer. Once it has been loaded and run, Sys 826 will take any Rem which is in the form:

```
10 REM ###
```

and replace the three # characters by CHR\$(21), which in Basic 4 will delete the line, followed by two Carriage Returns. The result is a break in the program when listed. Any comments after the # marks will still appear and could be used as a block heading.

If you prefer not to use machine code, there is a Basic version which can be placed anywhere within a larger Basic

(continued on page 140)

Vic accounts.

```

10 GOSUB1670:PRINT"J"
20 DIME$(50),MN$(50),TT$(50)
30 FORA=1TO50:ES$(A)="*****":NEXT
40 GOSUB280
50 PRINT"J" ACCOUNTS PROGRAM
60 PRINT"OPTIONS ARE:-"
70 PRINT"X A = ADD DATA"
80 PRINT"X B = LOAD (DATA)"
90 PRINT"X C = LOAD (BALANCE)"
100 PRINT"X D = DISPLAY/PRINTER"
110 PRINT"X E = DISPLAY/EDIT"
120 PRINT"X F = SAVE NEW DATA"
130 PRINT"X G = RENEW BALANCE"
140 PRINT"X H = CLEAR MEMORY"
150 PRINT"X I = SEARCH STRING"
160 FORA=0TO49:TT(A+1)=TT(A)+MN(A+1):NEXT
170 GETA$:IFAS="":THEN170
180 CH=ASC(A$)-64
190 IFCH<1ORCH>9THEN170
200 PRINT"*****LEFT<C"*****",CH*2)" "A$ "
210 POKE36878,15:POKE36876,CH*5+160
220 IFCC>50ANDCH=1THENFORA=1TO100:NEXT:POKE36876,0:POKE36878,0:GOTO50
230 FORA=1TO100:NEXT
240 POKE36878,0:POKE36876,0
250 ONCHGOSUB880,330,490,650,1190,980,280,1520,530
260 GOTO50
270 REM ** RENEW BALANCE **
280 PRINT"NEW BALANCE ? ":PRINT"X(-9999.99 TO 9999.99)X":MX=7:GOSUB1980:TT(0)=VAL(IN$)
290 IF TT(0)<-9999.99OR TT(0)>9999.99THEN280
300 ES(0)="BALANCE-":MN(0)=0
310 RETURN
320 REM ** LOAD DATA **
330 POKE36879,59:IFLD$(0)"BALANCE"THENLD$="DATA"
340 LD$=LD$+" FROM TAPE"
350 PRINT"TAB(11-LEN(LD$)/2)LD$
360 PRINT"NAME OF FILE":MX=8:GOSUB1980:NM$=IN$:PRINT"X"
370 POKE36879,42
380 POKE36878,15:POKE36876,230:FORA=1TO50:NEXT:POKE36878,0:POKE36876,0
390 OPEN1,1,0,NM$
400 PRINT"FOUND ":NM$
410 POKE36879,127
420 FORA=0TO50
430 INPUT#1,ES(A):ES(A)=LEFT$(ES(A),8)
440 INPUT#1,MN(A):INPUT#1,TT(A):NEXT:INPUT#1,CC
450 CLOSE
460 POKE36879,59:PRINT"X"
470 RETURN
480 REM ** LOAD BALANCE **
490 LD$="BALANCE":GOSUB330:ES(0)="BALANCE-"
500 MN(0)=0:TT(0)=TT(0)-1:FORA=1TO50:ES(A)="*****":MN(A)=0
510 TT(A)=0:CC=0:NEXT:RETURN
520 REM ** SEARCH **
530 PRINT"WHAT ITEM DO YOU WANT"
540 MX=8:GOSUB1980
550 PRINT:PRINT
560 FORA=0TO50
570 IFIN$<LEFT$(ES(A),LEN(IN$))THEN600
580 GOSUB1460
590 POKE36878,15:POKE36876,220:POKE36876,0:POKE36878,0
600 NEXT
610 PRINT"PRESS * TO EXIT"
620 GETA$:IFAS<"*":THEN620
630 RETURN
640 REM ** DISPLAY/PRINTER **
650 PRINT"ARE YOU SURE (Y/N) ?"
660 GETA$:IFAS<"Y"ANDAS<"N":THEN660
670 IFAS="N":THENRETURN
680 OPEN4,4:PRINT"J"
690 PRINT#4,CHR$(14);"ACCOUNTS-":PRINT"ACCOUNTS"
700 PRINT#4
710 FORA=0TO50
720 IFES(A)="*****"THEN770
730 PRINT#4,ES(A) " ":PRINT#4,MN(A)
740 CS=" "IFMN(A)<0THENCS=" "
750 X=ABS(MN(A)):GOSUB1600:PRINT#4,CS*X " ":PRINT#4,MID$(X,3) " "
760 X=TT(A):GOSUB1600:PRINT#4,X$:PRINT#4
770 NEXT:CLOSE
780 RETURN
790 REM ** SAVE DATA **
800 PRINT"NAME OF FILE":MX=8:GOSUB1980:NM$=IN$:PRINT:PRINT
810 OPEN1,1,1,NM$
820 PRINT"J"
830 FORA=0TO50
840 PRINT"NAME":NM$:PRINT"BLOCK":A
850 PRINT#1,ES(A):PRINT#1,MN(A):PRINT#1,TT(A)
860 NEXT:PRINT#1,CC:CLOSE:RETURN
870 REM ** ADD DATA **
880 CC=CC+1:IFCC>50THENPRINT"OUT OF SPACE":PRINT"SAVE DATA":FORA=1TO300:NEXT:GOTO50
890 PRINT"X * = RETURN TO MENU"
900 IFCC>50THENCC=50
910 IFCC<1THENCC=1
920 PRINT"*****"
930 TT(CC)=TT(CC)-1
940 X=TT(CC):GOSUB1600:PRINT"TOTAL £"X$
950 PRINT"*****"
960 PRINT"*****EVENT"CC"II (<8 CHARS) *****TYPE EVENT OR CHEQUE X"
970 PRINT"*****"
980 MX=8:GOSUB1980:AS=IN$
990 IFAS="":THENCC=CC-1:GOTO1170
1000 AS=AS+MID$( "LEN(AS)+1)
1010 ES(CC)=AS:PRINT
1020 POKE36878,15:POKE36876,220:POKE36876,0:POKE36878,0
1030 PRINT"*****INPUT WHETHER THE X AMOUNT IS DEBIT OR CREDIT"
1040 PRINT"*****CREDIT, DEBIT OR EDIT"
1050 GETA$:IFAS<"D"ANDAS<"C"ANDAS<"E":THEN1050
1060 IFAS="D":THENF1=-1:PRINT"*****DEBIT"
1070 IFAS="C":THENF1=1:PRINT"*****CREDIT"
1080 IFAS="E":THEN890
1090 PRINT"*****THE AMOUNT TO BE INPUT"
1100 PRINT"*****"
1110 IFVAL(AS)>999,999ORVAL(AS)<0THENPRINT"IT":GOTO1100
1120 MN(CC)=VAL(AS)*F1
1130 IN=CC-1
1140 IFES(IN)="*****"THENIN=IN-1:GOTO1140
1150 TT(CC)=TT(IN)+MN(CC)
1160 GOTO880
1170 RETURN
1180 REM ** DISPLAY/EDIT **
1190 PO=10:PRINT"J"
1200 PRINT"WINDOW:PO+11" " ":PRINT"***** * = EXIT":FORA=PO+10TOPO+10
1210 IFA<0THENPRINT " ":GOTO1230
1220 GOSUB1460
1230 NEXT
1240 PRINT"*****"
1250 PRINT" "
1260 FORA=PO+12TOPO+10:IFA>50THENPRINT " ":GOTO1290
1270 GOSUB1460
1280 NEXT
1290 GETA$:IFAS="":THEN1290

```

(listing continued on page 140)

C/WP has opened a computer shop at 108 Rochester Row, London SW1 (just 5 minutes walk from Victoria) where you can see, buy and take away anything from a daisy wheel or a floppy disk to a complete computer system at those low prices which still turn others green! The shop is open from 9.00 to 5.30 Monday to Friday and 10.30 to 5.00 on Saturday. Most things are in stock most of the time, but ring 01-630 7444 to make sure. Just ask for "Shop".

FOR THOSE WHO LIKE SHOPPING AROUND

APPLE ADD-ONS

ACCELERATOR CARD

Speeds up the Apple II more than 3 times by replacing the normal 6502 processor with a much faster version. Board carries 64k memory and just plugs into Apple slot. New product.

£299 + VAT £44.85

VIDEX 80 COLUMN CARD

Steady well-formed 80-character lines for your Apple II. A must for professional word-processing on the Apple (RRP £220 + VAT).

£159 + VAT £23.85

MICROSOFT 16K RAMCARD

Tremendous value. Gives your Apple II Plus another 16k of memory for extended Visicalc or Pascal. Like Apple's "Language Card". Not suitable for Apple IIE.

£59 + VAT £8.85

UHF MODULATOR FOR IIE

Display your Apple IIE colour or mono text and graphics on your home television set. Very high quality 3MHz modulator squeezes brilliant colours into your telly. NEW.

£22 + VAT £3.30

G/WP SERIAL INTERFACE CARD

A really versatile switchable baud-rate asynchronous communications interface for Apple II. Can also be used as an interface for serial printers.

£70 + VAT £10.50

G/WP PARALLEL INTERFACE CARD

A "Grappler"-like graphics interface for parallel printers such as the Epson, Microline and Star series. Allows graphics dump onto printer. State which printer you have.

£70 + VAT £10.50

MICROSOFT Z80 CP/M SYSTEM

Turns your Apple II (Plus or E) into a CP/M machine to run programs like WordStar and dBase II. Hardware, software and all documentation.

£199 + VAT £29.85

MICROSOFT Z80 CARD (ALONE)

As above but without software. Adds a Z80 processor to your Apple II. If you already have CP/M software, allows you to run CP/M programs on Apple II.

£79 + VAT £11.85

PRINTERS GALORE



£399

+ VAT £59.85

SILVER REED EX44

Brilliantly engineered daisy wheel typewriter/printer with self erase ribbon and extended keyboard in

typewriter mode. Marvellous quality printing. Portable. RRP £485 + VAT.

EPSON MX100 TYPE III

Wide carriage 100 cps matrix printer. Tractor and friction. The ideal printer for spread-sheets and accounts. RRP £475 + VAT.

£425 + VAT £63.75

SUPERB NEW 100 CPS MATRIX PRINTER

STAR 510 is the star of the show. Just like the Epson MX80, but faster and with extra features. More type styles. Good graphics.

EPSON FX80

Latest version of the Epson 8 inch matrix printer. Very good quality print at 160 cps. Many enhancements on the much-loved MX80. Tractor and friction paper feed. Good graphics. RRP £438 + VAT.

£349 + VAT £52.35

£269

+ VAT £40.35

Tractor and friction paper feed. The best printer at its price. Also STAR 515 for paper up to 15 inches wide. Same spec. Ask for details.

EPSON RIBBONS

For MX80
£9 + VAT £1.35

For MX100
£11 + VAT £1.65

MONITORS

12 INCH GREEN OR AMBER SCREEN. Elegant plastic case. 24 MHz band width. A first class monitor.

£99 + VAT £14.85

12 INCH GREEN MONITOR in solidly built metal case. 22 MHz. Good clarity. Normally £99 + VAT.

£89 + VAT £13.35

CONTOUR 5 AND 6 MB WINCHESTERS AT GIVE-AWAY PRICES £1195

+ VAT £179.25

Buy a 5 megabyte (or 6 megabyte while stocks last) Winchester disk at an outrageously low price. Fine for Apple II (Plus and E), Apple III, Cortex, Osborne, Sirius and Superbrain. CONTOUR is not only the least expensive hard disk, it is also the best. On Apple II can be used with DOS 3.3, CP/M, Pascal, and BOS 5.

QUALITY FLOPPY DISKS AT UNBEATABLE PRICES

Top quality disks by Wabash and BASF. In boxes of 10. All guaranteed. Library boxes £2.30 extra incl. VAT.

£19 + VAT £2.85
double density per box

£15 + VAT £2.25
single density per box

SIEMENS FLOPPY DRIVES FOR APPLE II

A really good quality compatible drive for Apple II (Plus and E). Plugs into standard Apple disk controller card. Now you can afford that second disk drive. Compare Apple's prices.

£179
+ VAT £26.85

DISK CLEANING KITS

The best way of having discs that serve you true is to clean them often. Everything you need. Simple to use. Larger size £33.35 incl. VAT.

£19
+ VAT £2.85

DISKS AND DRIVES

C/WP

C/WP Computers
108 Rochester Row, London SW1P 1JP
Telephone: 01-828 9000

HOW TO PAY

In the shop we accept cash, building society cheques, bankers' drafts (just ask your bank for one - it costs about £2), ordinary cheques for up to £50 with a Bankers' Card, or most major credit cards (subject to a modest surcharge). If you pay in one of these ways you may take your purchases away with you. If you pay by cheque for goods worth more than £50, we will send them to you free of charge anywhere in the United Kingdom as soon as the cheque has cleared.

IF YOU ARE NOT IN LONDON

Why not order by telephone? If you give your name, address, telephone number and credit card number (again there is a small surcharge), we will send the goods to you by return. A charge of £2 for postage and packing for all orders whose value (excluding VAT) is under £50.

Or write to us with your order and a cheque. If we cannot supply what you want within seven days, your cheque will be returned to you.

memory expansion cartridge. Repeated insertion and removal can damage the socket, so this solution is a far from perfect one.

There are many ways of reconfiguring the Vic to make it look like a downgraded machine. I have received several programs which will do this and there will be more of this in a future Open File. However, if you want to take full advantage of your memory expansion and still make use of the full graphics capabilities then use the following sequence:

POKE 648,30: POKE 642,32: SYS 64824

before loading any programs. It completely resets the Vic, and you should remove any Pokes in the program to locations between 51 and 56, which reset the Top of Memory pointer.

Graphics on expanded Vics

Numerous Vic programs are written for an unexpanded machine and assume that the screen starts are location 7680 and the colour memory at 38400. They also assume that there is space between 6144 and 7679 to construct a new character generator for the specially defined characters.

When you put 4K or more memory expansion on to the Vic things change around. The screen now starts at 4096, colour at 37888 and there is no space for the character generator. Until now, there has only been one way of coping with this problem, and that was to remove the

program. Both programs work in the same way, looking for the character sequence 143, 35, 35, 35 and replacing 35, 35, 35, by 21, 13, 13.

There is no reason why these characters should not be replaced by any sequence you like, excluding zero. Replacing the first 35 by 1 will, when listed to a Commodore printer, produce double-width characters for the heading.

The 21 in line 140 of the machine-code loader, and line 8 of the Basic program are all that need to be changed.

If the Basic version is included at the very end of a Basic program, a Goto 3 in line 9 would slow things down considerably. Instead, Mr Rossetti has cunningly used a For-Next loop which will

(continued from page 158)

(continued from page 138)

(listing continued from page 138)

statement in line 2.

Enhanced Rems.

```

1 REM*****
2 REM*****
3 REM  REM ENHANCER - BASIC LOADER
4 REM*****
5 REM*****

```

```

00 FOR I=826 TO 884
12 Q=Q+A
13 NEXT I
14 READ A
15 IF Q<A THEN PRINT"CHECKSUM ERROR"
100 DATA 165,40,133,1,165,41,133,2,160
110 DATA 4,177,1,201,143,208,23,200
120 DATA 177,1,201,35,208,16,192,7,208
130 DATA 245,169,13,145,1,136,145,1
140 DATA 136,169,21,145,1,160,0,177,1
150 DATA 72,200,177,1,133,2,104,133,1
160 DATA 208,210,165,2,208,208,96
170 DATA 6427

```

BASIC VERSION.

```

1 B$=CHR$(143)+"###"
2 FOR N=40 TO 0 STEP 0
3 N=PEEK(N)+PEEK(N+1)*256
4 Z=0
5 FOR X=4 TO 7
6 Z=Z+ABS(ASC(MID$(B$,X-3))-PEEK(X+N))
7 NEXT
8 IF N AND Z = 0 THEN POKE N+5,21:
9 POKE N+6,13: POKE N+7,13
9 NEXT

```

[illegible]

C/WP has introduced a special service for you. It's called "COMPLETE SYSTEM ASSURANCE" and it doesn't cost you a penny. All that you have to do is to buy the complete system, including its software, from C/WP. You tell us exactly how you want to use the system. If we say it will do the job and it cannot, you may return the complete system to us within 30 days and your money will be refunded.

We also give you two "hotline" numbers, one for software problems and one for hardware. You can ring anytime between 9 a.m. and 5.30p.m. weekdays to get your problems straightened out. COMPLETE SYSTEM ASSURANCE also gives you the right to buy training on your computer system in C/WP's training school at a specially reduced rate of £75 a day. Write for full details.

FOR THOSE
WHO WANT SOME
FRIENDLY HAND-HOLDING

THE COMPLETE OSBORNE



C/WP's generous COMPLETE SYSTEM ASSURANCE scheme applies to every complete system sold by C/WP, including the modestly-priced Osborne 01.

The lowest-priced Osborne system costs £1245. That includes the Osborne fitted with double density disk drives (200k each), and with Screenpac which allows it to display 80 characters in a line. The software includes CP/M M-Basic, C-Basic, WordStar, Mailmerge and Supercalc. On its own that software would cost you well over £1000.

But that's not all. The system price includes the STAR 510 (recommended price £289), a newly introduced 100 cps matrix printer,

£1245

+ VAT £186.76

compatible with the Epson MX 80, but with many of the refinements of the FX 80. The Star is quiet and trouble-free and includes a 2.3k buffer.

This amazing package comes with C/WP COMPLETE SYSTEM ASSURANCE. Buy it with complete confidence, knowing that it is suitable for your purpose (or have your money back). Train yourself or your staff in

WordStar or Supercalc at your privileged rate. And if anything does go wrong in the future rely on C/WP's hot-lines to get you out of trouble.

If this system doesn't fill the bill, let us suggest another. We can team Osborne up with daisy wheel printers or offer you a complete system around an Apple, a CORTEX or a SAGE computer.

COMPLETE SYSTEM ASSURANCE – THE ONLY SAFE WAY TO BUY A MICRO

C/WP

C/WP Computers
108 Rochester Row, London SW1P 1JP
Telephone: 01-828 9000

Please send me details of:

- ☐ C/WP COMPLETE SYSTEM ASSURANCE
☐ YOUR OSBORNE OFFER

Name _____

Company _____

Address _____

Telephone number (day) _____



APPLE PIE

by John Harris



Speller

DESIGNING SPELLING games needs a great deal of thought and a lot of watertight error checking. G Miles of Cronberry, Cumnock in Ayrshire has done both to create a coherent conversational program that guides the player step by random step through the available dictionary.

While the dictionary is hard-coded, it should not be overtaxing to reset to a level appropriate to the age group of the players. The Data lines 1040 to 1120, number of words NW on line 1130 and maximum table entries W\$(100) on line 1010 are all candidates for amendment.

Not the least impressive feature of the game as it stands is that all the words currently coded are spelt correctly. Whether they end up that way on your disc may be another matter.

Speller.

```
1000 TEXT : REM *** SPELLING PRO
GRAM ***
1010 DIM W$(100): DIM PL(25): NT =
0: WL = 0
1020 REM W$ IS EACH WORD, PL IS
POSITION OF WRONG LETTER, NT
IS TRIES WHEN WRONG
1030 REM WL IS NUMBER OF WRONG
LETTERS
1040 DATA MAGAZINE, COUSIN, COMMIT
TEE, SPACIOUS, DAFFODIL
1050 DATA TYRANNOSAURUS, ENCYCLOP
AEDIA, FERTILISER, MANOEUVRE, L
IEUTENANT
1060 DATA SEPARATE, DIVISION, ANTI
RHINUM, REFRIGERATOR, SPATULA
1070 DATA AUTOGRAPH, AWKWARD, THER
MOMETER, BARBECUE, BEAUTIFUL
1080 DATA BOYCOTT, BRETHREN, BRONC
HITIS, BRIQUETTE, QUEUE
1090 DATA CAFFEINE, CAMOUFLAGE, CA
NNIBAL, CARAVANSERAI, CARAMEL
1100 DATA CARBURETTOR, INDICATOR,
CUPBOARD, CATALOGUE, CARTRIDGE
1110 DATA DACHSHUND, DAHLIA, DAUGH
TER, DECEIT, DECOMPOSITION
1120 DATA EMBARRASSMENT, ESPIONAG
E, EUROPEAN, INSOLUBLE, EXAGGER
ATION
1130 NW = 45: REM *** ALTER AN
D MOVE ON AS MORE WORDS ARE
ADDED ***
1140 GOSUB 1920: REM *** INSTRU
CTIONS ***
1150 FOR N = 1 TO NW: READ W$(N)
: NEXT
1160 GOSUB 2060: REM ** CHOOSE S
PEED **
1170 R = INT ( RND (4) * NW + 1)
: REM ** CHOOSE A NUMBER FRO
M 1 TO NUMBER OF WORDS **
1180 HOME : VTAB 10
1190 NT = 0: WL = 0
```

```
1200 LW = LEN (W$(R)): TB = 20 -
LW / 2: TC = TB - 1: REM **
TB IS POSITION OF PRINT(VARI
ES) **
1210 FLASH
1220 HTAB TB: FOR N = 1 TO LW +
2: PRINT " ": NEXT : REM
** WORD BORDER **
1230 NORMAL
1240 PRINT : HTAB TB: FLASH : PRINT
" W$(R) " : NORMAL
1250 HTAB TB: FLASH : FOR N = 1 TO
LW + 2: PRINT " ": NEXT
1260 NORMAL
1270 DY = SP * 1000 - 500: GOSUB
2160: REM ** DY IS A DELAY,
SP IS SPEED(SEE2060) **
1280 VTAB 11: HTAB TB + 1: FOR N
= 1 TO LW: PRINT " ": NEXT
: REM ** DEL WORD *
1290 VTAB 10: HTAB TB: FOR N = 1
TO LW + 2: INVERSE : PRINT
" ": NEXT
1300 PRINT : HTAB TB: PRINT " ":
: NORMAL : PRINT SPC( LW):
INVERSE : PRINT " "
1310 HTAB TB: FOR N = 1 TO LW +
2: PRINT " ": NEXT
1320 NORMAL
1330 DY = 500: GOSUB 2160
1340 VTAB 3: HTAB 2: PRINT "NOW
TYPE IN YOUR SPELLING OF THA
T WORD"
1350 HTAB 2: PRINT "LETTER BY LE
TTER AND WATCH THE SCREEN."
1360 FOR T = 1 TO LW
1370 VTAB 24: HTAB 1: GET A$
1380 IF ASC (A$) = 27 THEN 2200
: REM **PRESS ESC **
1390 IF ASC (A$) = 13 THEN HOME
: GOTO 1680: REM ** PRESS RE
TURN TO ABORT **
1400 IF A$ = MID$ (W$(R), T, 1) THEN
1500: REM ** CHECK IF LETTER
IS CORRECT **
1410 IF ASC (A$) < 65 OR ASC (
A$) > 90 THEN 1740: REM ** C
HECK IT IS A LETTER **
1420 VTAB 16: HTAB 22
1430 NT = NT + 1: IF NT > 2 THEN
1770
1440 FLASH : PRINT " "A$" WRON
G
1450 HTAB 26: PRINT " TRY AGAIN!
"
1460 NORMAL
1470 DY = SP * 700: GOSUB 2160
1480 VTAB 16: HTAB 22: PRINT SPC(
17): PRINT : HTAB 26: PRINT
SPC( 12)
1490 GOTO 1370
1500 REM *** CORRECT ANSWER ***
1510 VTAB 13: HTAB 4: PRINT "COR
RECT"
1520 VTAB 11: HTAB (TB + T): INVERSE
: PRINT A$
1530 NORMAL
1540 DY = SP * 250 - 150: GOSUB 2
160
1550 VTAB 13: HTAB 4: PRINT SPC(
7): NT = 0: NEXT
1560 DY = SP * 200: GOSUB 2160
1570 HOME : VTAB 4: HTAB 3: PRINT
"THAT'S THE WORD FINISHED, YO
U GOT "
1580 PRINT
1590 L1$ = "LETTERS": L2$ = "THEY
ARE": IF WL = 1 THEN L1$ = "
LETTER": L2$ = "IT IS"
1600 PRINT : HTAB 10: FLASH : PRINT
" "WL" " : NORMAL : PRINT "
" "L1$" WRONG."
1610 IF WL = 0 THEN PRINT : HTAB
(3): PRINT "WELL DONE!": PRINT
: GOTO 1680
1620 PRINT : HTAB (3): PRINT L2$
" POINTED OUT BELOW:-"
1630 PRINT : PRINT : HTAB TB: PRINT
W$(R)
1640 FOR N = 1 TO WL: PRINT TAB(
TC + PL(N)) "": NEXT
1650 IF WL = LW THEN C$ = "ALL":
GOTO 1870
1660 IF WL > LW / 2 THEN C$ = "O
VER HALF": GOTO 1870
1670 PRINT : PRINT
1680 PRINT : HTAB (3): PRINT "DO
YOU WANT ANOTHER WORD?"
1690 PRINT : HTAB (3): PRINT "TY
PE Y FOR YES, OR N FOR NO."
1700 GOSUB 2170
1710 IF Z$ = "Y" THEN WL = 0: GOTO
1160
1720 IF Z$ < > "N" THEN 1700
1730 GOTO 2260
1740 VTAB 18: HTAB 25: PRINT "NO
T A LETTER"
1750 HTAB 25: PRINT "TRY AGAIN":
DY = SP * 150: GOSUB 2160
1760 VTAB 18: HTAB 25: PRINT SPC(
12): VTAB 19: HTAB 25: PRINT
SPC( 9): GOTO 1370
1770 INVERSE : PRINT " ENOUGH TR
IES! "
1780 HTAB 22: PRINT " SHOULD BE
" MID$ (W$(R), T, 1) " "
1790 HTAB 22: PRINT SPC( 15)
1800 NORMAL
1810 A$ = MID$ (W$(R), T, 1): NT =
0
1820 WL = WL + 1: PL(WL) = T: REM
** NUMBER OF WRONG LETTERS(W
L) AND POSITION(PL) **
1830 DY = SP * 1000: GOSUB 2160
1840 VTAB 16: HTAB 22: PRINT SPC(
16)
1850 PRINT
1860 HTAB 22: PRINT SPC( 15): PRINT
: HTAB 22: PRINT SPC( 15): GOTO
1520
1870 PRINT : PRINT : PRINT : HTAB
3
1880 PRINT "YOU GOT " : FLASH : PRINT
C$: NORMAL : PRINT " THE WO
RD WRONG!"
1890 PRINT : HTAB 3: PRINT "PERH
APS YOU SHOULD TRY THAT ONE
AGAIN"
1900 GOSUB 2030: GOTO 1180
1910 END
1920 HOME : REM *** INSTRUCTIONS
***
1930 VTAB 2: HTAB 5: NORMAL
1940 PRINT "TO HELP TEST YOUR SP
ELLING, A"
1950 PRINT : PRINT "WORD WILL BE
SEEN IN THE MIDDLE OF THE"
1960 PRINT : PRINT "SCREEN FOR A
SHORT TIME. YOU WILL THEN"
1970 PRINT : PRINT "BE ASKED TO
TYPE IN THE WORD AND IT"
1980 PRINT : PRINT "WILL BE CHEC
KED ONE LETTER AT A TIME."
1990 PRINT : HTAB 5: PRINT "PRES
SING 'ESC' KEY (TOP LEFT) WI
LL"
2000 PRINT : PRINT "STOP THE PRO
GRAM. PRESSING 'RETURN'"
2010 PRINT : PRINT "RIGHT OF KE
YBOARD) WILL ONLY STOP"
2020 PRINT : PRINT "THE WORD YOU
ARE DOING."
2030 VTAB 22: HTAB 5: INVERSE : PRINT
"PRESS THE SPACE BAR TO GO O
N " : NORMAL
2040 GOSUB 2170: IF Z$ = " " THEN
RETURN
2050 GOTO 2040
2060 HOME : PRINT : HTAB 2: PRINT
"CHOOSE YOUR SPEED BY TYPING
A NUMBER"
2070 PRINT : PRINT : HTAB 5: PRINT
"1.SNAIL'S PACE.": HTAB 5: PRINT
"2.BALL AND CHAIN."
2080 HTAB 5: PRINT "3.BRITISH RA
IL."
2090 HTAB 5: PRINT "4.SLOW.": HTAB
5: PRINT "5.MEDIUM."
2100 HTAB 5: PRINT "6.QUICKENING
.": HTAB 5: PRINT "7.IF YOU'
RE QUITE QUICK."
2110 HTAB 5: PRINT "8.CONCORDE!"
: HTAB 5: PRINT "9.BEAT ME I
F YOU CAN!"
2120 GOSUB 2170
2130 IF Z$ < "1" OR Z$ > "9" THEN
2120
2140 SP = 10 / VAL (Z$): REM **
SPEED **
2150 RETURN
2160 FOR DL = 1 TO DY: NEXT : RETURN
: REM ** DELAY **
2170 VTAB 24: HTAB 1: GET Z$: REM
** WAIT FOR KEY TO BE PRESSE
D **
2180 IF ASC (Z$) = 27 THEN 2200
2190 RETURN
2200 HOME : PRINT "YOU PRESSED T
HE 'ESC' KEY"
2210 PRINT : PRINT "IF THIS WAS
A MISTAKE TYPE Y"
2220 PRINT : PRINT "IF IT WAS NO
T A MISTAKE TYPE N."
2230 VTAB 24: HTAB 1: GET Y$
2240 IF Y$ = "Y" THEN RUN
2250 IF Y$ < > "N" THEN 2230
2260 HOME : PRINT "BYE FOR NOW.
"
2270 VTAB 4: FLASH : PRINT "RETU
RNING TO THE MENU": NORMAL
2280 PRINT : PRINT CHR$( 4) "RUN
MENU": END
```


GET TO KNOW CORTEX- *really* THE VERY FRIENDLY COMPUTER

TEN FINGER EXERCISE

You'll be amazed how simple word processing is with CORTEX'S new version of WordStar. No more fumbling with messy key sequences.



CORTEX has 10 special keys to give 40 commands. This is ERASE. Hit it and a letter disappears. Hit SHIFT ERASE and a word goes. Press CONTROL ERASE and the whole line is demolished. It's as easy as that. And it's free! CORTEX's £1495 price includes a copy of C/WP's WordStar 3.3.

AS BRIGHT AS A BUTTON


The twin-processor 104k CORTEX is not only smart in performance (faster in benchmark tests than Sirius or IBM-PC) – its appearance takes some beating too. Examine its slim, but solid 83-key IBM-style keyboard. Admire its bold clear 12-inch screen, set in a minimal-sized cabinet. "But where is the computer?" we are often asked. It's there in the same small cabinet, lying flat across the bottom, screened from interference and cooled naturally, without the whine of a fan. CORTEX has been designed not to dominate your desk, to leave



Actual photograph

room for your calendar, your telephone, your in-tray and the rest. If you want it inconspicuous, buy it in conventional cream. But for the extroverts, and the fashion conscious, CORTEX comes in bright, bright colours – warm red, C/WP green, sunshine yellow, ice white and all black.

A FRIEND IN THE NUDE



Service men love CORTEX's superb modular engineering. (Yes, you can get service anywhere in Britain.)

If anything goes wrong (which won't be often) he undoes four screws and the computer (1) slides out like a drawer. A few seconds work and the video electronics (2) slip out, or the power supply (3), leaving only the "bottle" (4).

CORTEX is your friend because it's reliable. And, if it goes wrong, it's easier and quicker to mend.

FASTEST DRAW IN ITS CLASS



Actual photograph

It's unfair on other micros. For CORTEX has a dedicated "second computer" (as powerful as Apple II) which does nothing but handle its screen. That's why CORTEX has such dazzling quick-fire graphics.

Now CORTEX's superb graphics hardware is matched with Digital Research's CP/M Graphics software (£275). Create bar charts, pie charts, scatter graphs in a few seconds and incorporate them into your reports or display them 2, 3 or 4 at a time on your screen. or make overhead projector or conventional slides.

ALL THIS FOR £1495 + VAT

Send me details of the 104k twin-processor CORTEX with 83-key IBM-style keyboard, 12-inch green screen, twin double-density (400k) floppy drives, CP/M and C/WP's user friendly WordStar, for £1495.

Name _____
Address and Telephone _____

C/WP CORTEX

C/WP Computers, 108 Rochester Row, London SW1
Telephone 01-828 9000

THE Northern Computer Fair

Personal computers
Home computing
Small business systems

Sponsored by:

Practical
Computing

and

YOUR
COMPUTER

The right place The right time

Following the overwhelming success of the 1982 Northern Computer Fair, the sponsors announce that an even bigger and better show will be held again this year at Belle Vue, Manchester, from November 24th-26th.

This is the North's premier exhibition for the rapidly expanding home and small business computer market, mounted at a time now recognised as a peak buying period for this type of equipment. It is now one of a nationwide series of exhibitions designed to attract the broadest possible cross-section of both home computer enthusiasts and the rapidly increasing body of personal computer users found throughout business and the professions.

Make a date for Belle Vue, Manchester, November 24-26, 1983, and post the coupon below for more details.

Belle Vue, Manchester. November 24-26, 1983.

THE Northern Computer Fair

Personal computers
Home computing
Small business systems

I am interested in exhibiting.

Name _____

Position _____

Company _____

Address _____

Telephone _____

The Exhibition Manager, Northern Computer Fair, Reed Exhibitions Limited, Surrey House, 1 Throwley Way, Sutton, Surrey SM1 4QQ

ACCENT ATARI

by Jack Schofield



Flashing cursor

ACCORDING to a letter published in one of our sister journals *Computer Weekly*, people enter data more quickly when faced with a flashing cursor. Sadly the letter was an April Fool joke. However, for those who want a flashing cursor on the Atari, Andrew Hall has sent a short routine to provide one. Both Basic and assembler versions are printed here.

The Atari has five system timers, and this program uses system timer 1, locations 536 and 537 decimal. This timer counts backwards from 255 during the vertical blank period — 50 times a second. When it reaches zero there is a JSR to a routine whose address is 550 and 551.

The advantage is that once the routine has been executed it continues to work after you have Newed the program. You can also call it by typing
z=USR(1536).

The type of character can be changed by altering the values of Char 1 and Char 2; 0 gives a blank, 1 a normal character, 2 an

inverse space and 3 an inverse character. The flashing rate can be altered between 0.2 and 1310.7 seconds by varying the value of Time in line 140.

However, the operating system uses timer 1 for I/O routines and timing serial bus operations. This means, in my view, that it is not a good idea to use this location for timing. Serial bus operations such as cassette, disc and printer use stop the routine.

The approved place to do timing in the Atari is the real-time clock in locations 18, 19 and 20 decimal. Location 20 increments a jiffy each VBlank up to 255, then a 1 is added to location 19. When that in turn reaches 255, 1 is added to location 18. I have added a five-line program to Poke these locations to zero and then print the elapsed time in seconds on the screen. Watch out for the fact that in the U.K. a jiffy is one 50th not, as in America, one 60th of a second.

The two ideas could prompt you to produce a real-time clock which, like Andrew Hall's routine, runs merrily along unknown to Basic. If you get stuck it has, like most things, been done before: *Computer!* magazine published a listing in its August 1982 issue.

Slow lister

Unless you have a printer, checking Basic listings for typing errors is tedious. You can stop and start the listing using Ctrl-1, but that is not very convenient either. Hence Les Kneeling's Slow Lister program.

Type it in then save it to tape or disc using the List command. Load the program you want to slow-list, and make sure it has no line 0 and no lines over 31999. Then enter the Slow Lister and the two programs will merge. Type Run and
(continued on next page)

Slow lister.

```
0 GOTO 32000:REM SLOWLIST
10 REM
20 REM *****
30 REM *
40 REM * SLOW LISTER *
50 REM * BY LES KNEELING *
60 REM *
70 REM *****
80 REM
32000 LST=PEEK(136)+PEEK(137)*
256
32010 NUM=PEEK(LST)+256*PEEK(L
ST+1)
32020 LST=LST+PEEK(LST+2)
32030 IF NUM>=3200 THEN STOP
32040 IF NUM=0 THEN 32010
32050 LIST NUM
32060 KEY=PEEK(764)
32070 IF KEY=42 THEN POKE 764,
255:STOP
32080 IF KEY=33 THEN POKE 764,
255:"J":GOTO 32010
32085 IF PEEK(764)=12 THEN 321
00
32090 GOTO 32060
32100 GRAPHICS 0:POSITION 2,4:
? 0:? 32000:? 32010:? 32020
32105 ? 32030:? 32040:? 32050:
? 32060:? 32070
32110 ? 32080:? 32085:? 32090:
? 32100:? 32105
32115 ? 32110:? 32115:? 32120:
? 32130:? "POKE 84,12"
32120 POSITION 2,0
32130 POKE 842,13
```

```
0 REM *** TIMER ***
1000 PRINT CHR$(125):POKE 752,
1
1001 POKE 18,0:POKE 19,0:POKE
20,0
1002 TIME=INT((PEEK(18)*65536+
PEEK(19)*256+PEEK(20))/50)
1003 POSITION 0,0:PRINT TIME
1004 GOTO 1002
```

Flashing cursor.

```
10 REM FLASHING CHARACTERS
20 REM BY ANDREW HALL
30 REM
100 FOR A=1536 TO 1580
110 READ B
120 POKE A,B
130 NEXT A
140 TIME=0.5:REM DELAY TIME IN S
ECONDS
150 T=TIME*50
160 POKE 1548,T/256
170 POKE 1553,T-256*INT(T/256)
180 CHAR1=0:REM Type of first ch
ar
190 CHAR2=2:REM Type of second c
har
200 POKE 1579,CHAR1
210 POKE 1580,CHAR2
220 Z=USR(1536)
230 DATA 104,169,6,141,39,2,169,
1,141,38,2,169,0,141
240 DATA 25,2,169,25,141,24,2,17
3,243,2,205,43,6,208,7
250 DATA 173,44,6,141,243,2,96,1
73,43,6,141,243,2,96,0,1
```

```
10 ; Flashing Characters
20 ; By Andrew Hall
30 ; March 1983
40 ;
0100 **$600
0110 CDTMF1 = 550 ; System timer 1 value
0120 CDTMA1 = 536 ; System timer 1 jump address
0130 CHACT = 755 ; Character control
0140 TIMHI = 0 ; High byte of delay time
0150 TIMLO = 25 ; Low byte of delay time
0160 PLA ; Remove number of items on stack
0170 LDA #6 ; Set address of timer routine
0180 STA CDTMF1+1
0190 LDA #1
0200 STA CDTMF1
0210 LDA #TIMHI ; Set delay time
0220 STA CDTMA1+1
0230 LDA #TIMLO
0240 STA CDTMA1
0250 LDA CHACT ; Swap character
0260 CMP CHAR1
0270 BNE SKIP
0280 LDA CHAR2
0290 STA CHACT
0300 RTS
0310 SKIP LDA CHAR1
0320 STA CHACT
0330 RTS
0340 CHAR1 .BYTE 0
0350 CHAR2 .BYTE 2
0360 .END
```


(continued from previous page)

each line of the program will be listed separately on a clear screen. Press the space bar to advance to the next line. To edit a line press E to stop the routine, then type Cont to continue.

Pressing Return moves you to the Automatic Delete mode. Location 842 is an interesting one in the Atari. It allows the micro to write its own Basic lines by taking input from the screen, a "forced read" mode. Here it is used to delete the unwanted utility by printing its own line numbers on the screen, then forces Returns to enter blank lines and thus remove them. Poke 842,12 returns you to the keyboard input/screen output mode.

Variable dump

Another utility from Les Kneeling works in much the same way. List it and enter it in the same way, and run the program by typing Goto 32000. Again the routine is self-modifying and self-deleting.

The program provides a list of all the variables currently in the Atari's memory. They are stored in a Variable Name table which has a start address found from locations 130 and 131 and an end address found from locations 132 and 133. Line 32040 in the program does this. The routine also indicates if the variables are strings or arrays with a \$ or) respectively.

If you just want to see the variables in the Variable Name table there is an easy way. Simply do a Save "S:" to save the tokenised version of your program to the screen. Hit the Break key quickly, and amid all the graphics characters you will see the variables listed at the top of the screen in the order you typed them in. Isn't it wonderful what flexible I/O can do for you?

Hotstuff

Even though Atari disc drives do not hold an enormous amount of data, it can be hard work keeping track of files. It is easy to print out a listing of what's on a disc: you just select A from the DOS menu, then type ,P: to direct the output to the printer instead of the screen.

But wouldn't it be nice to have a disc directory in alphabetical order? That's what the modestly named Hotstuff provides. It was written by E J Knoll of the Atari Computer Enthusiasts user group of Eugene, Oregon, of which I am a member. As well as sorting, it gives you a chance to label your directories with a title and two comment lines. They all have two Up Arrows, Esc + Ctrl + Up Arrow, inside the quotes at the end of each line for screen formatting.

Lines 1020, 1030 and 1050 contain control characters for the Epson printer, to print the titles in expanded and condensed faces. As they are part of the program in graphic character form they activate the printer even when listing it. You can insert codes to suit your own printer.

Variable dump.

```
32000 REM **VARIABLE DUMP**
32005 REM **FIND END OF PROGRAM**
32010 D=PEEK(144)+256*PEEK(145)-1:
POKE (745),0
32015 REM **FIND ABSOLUTE ADDRESS
OF VARIABLE**
32020 IF PEEK(D)>127 AND PEEK(D-1)
=40 THEN 32040
32030 D=D-1:GOTO 32020
32040 FOR N=PEEK(130)+256*PEEK(131)
TO PEEK(132)+256*PEEK(133)
32050 IF PEEK(N)<128 THEN ? CHR$(P
EEK(N));
32060 IF PEEK(N)>128 THEN ? CHR$(P
EEK(N)-128);POKE 745,PEEK(745)+1
32070 IF PEEK(N)>128 THEN POKE D,P
EEK(745)+127:GOSUB 32130
32080 NEXT N
32085 REM **CLEAN UP ROUTINE**
```

```
32090 OPEN #1,4,0,"K:":? "FINISHED
WITH UTILITY? Y/N":GET #1,N:IF N<
>ASC("Y") THEN STOP
32095 REM IF FINISHED THEN DELETIO
N ROUTINE
32096 POKE (PEEK(132)+256*PEEK(133)
),0:POKE (PEEK(132)-1+256*PEEK(133)
),0:POKE (133),PEEK(133)-1
32100 GRAPHICS 0:POSITION 2,2: 32
000: 32010: 32020: 32030: 32040:
32050: 32060: 32070: 32080:
32090: 32096
32110 ? 32100: 32110: 32120: 32
130: ? "POKE 842,12":POSITION 2,2:P
OKE 842,13
32120 POSITION 0,0:END
32125 REM **SUBROUTINE TO PRINT VA
LUE OF VARIABLE **
32130 ? ,: ? D:RETURN
```

Hotstuff.

```
600 REM "D:HOTSTUFF" DISK DIR
ECTORY EJ KNOLL 4480
PINECREST DR EUGENE
, OR. 97405 503-343-5191
610 POKE 82,0:POKE 83,39: ? "J"
: DIM AL$(2)
620 PRINT "SHALL WE ALPHABETIZ
E FILES (Y or N)": INPUT AL$: I
F AL$<>"Y" AND AL$<>"N" THEN P
RINT "J": GOTO 620
630 SETCOLOR 2,3,10: SETCOLOR 1
,3,2: SETCOLOR 4,3,10
640 DIM FILE$(35),A$(1200),B$(
55),C$(55),X$(12),Y$(17),Z$(17
),FILE2$(35)
650 TRAP 660: CLOSE #1
660 ? : ? : ? " DRIVE # " ;
670 INPUT D
680 FILE$="D": FILE$(2)=STR$(D)
: FILE$(3)=":$.#"
690 TRAP 650: OPEN #1,6,0,FILE$
700 TRAP 40000
710 OPEN #2,8,0,"E:"
720 SETCOLOR 2,3,10: SETCOLOR 1
,3,2: SETCOLOR 4,3,10: X=0
730 X=X+1
740 TRAP 770: INPUT #1: FILE$: TR
AP 40000
750 A$(17*(X-1)+1,X*17)=FILE$
760 GOTO 730
770 N=0: IF AL$="N" THEN 840
780 FOR I=1 TO X: IF I>X-3 THEN
POP : GOTO 830
790 Y$=A$(17*(I-1)+1): Z$=A$(17
*I+1)
800 IF Y$(3)<=Z$(3) THEN 820
810 N=N+1: A$(17*(I-1)+1,17*I)=
Z$: A$(17*I+1,17*I+17)=Y$
820 NEXT I
830 IF N<>0 THEN 770
840 X=X-1: FOR I=1 TO INT(X/2):
PRINT A$(17*(I-1)+1,I*17): NEXT
I
850 A$(17*(X))="$ $"
860 POKE 82,20: POSITION 20,0: F
OR I=1 TO X: PRINT A$(17*(I-1)+
1,I*17): NEXT I
870 POKE 82,2: POKE 83,39
880 IF X<36 THEN ? #2: ? #2: ? #
2
890 ? #2: ? #2: "ENTER 1 TO RUN
D:PGM, 2 TO RERUN MENU 3
TO PRINT MENU 4 QUIT"
900 TRAP 860: INPUT X: IF X>4 TH
EN GOTO 890
910 ON X GOTO 1090,1140,930
920 NEW
```

```
930 TRAP 1070: OPEN #3,8,0,"P: "
940 ? "WHAT DISK IDENTIFICATIO
N": ? : ? " : TRAP 960: INPU
T FILE2$
950 FOR I=LEN(FILE2$) TO 0 STE
P -1: IF FILE2$(I,1)="" THEN F
ILE2$=FILE2$(1,LEN(FILE2$)-1):
NEXT I
960 POP
970 TRAP 990: FOR C=1 TO I: IF F
ILE2$(C,C)="" THEN FILE2$(C,C
)=""
980 NEXT C
990 IF FILE2$="" THEN FILE2$=
""
1000 ? "WHAT SUBTITLE 1": ? : ? :
? " :
TRAP 1010: GOSUB 1150
1010 ? "WHAT SUBTITLE 2": ? : ? :
? " :
TRAP 1030: GOSUB 1170
1020 LPRINT ""
1030 ? #3: , " " : FILE2$
: ? #3: , " " : #3: , B$: ? #3: , C$: ?
#3: " : LPRINT : LPRINT
1040 FOR X=1 TO 60: IF A$(17*(X
-1)+1)="$ $" THEN GOTO 1080
1050 ? #3: , , , " " : A$(17*(X-1)+1,X*17)
1060 NEXT X
1070 TRAP 40000: CLOSE #3: ? #2:
"TURN THE PRINTER ON, DUMMY!":
GOTO 890
1080 GOTO 1140
1090 ? #2: "RUN "; CHR$(34); "D";
STR$(D); " ";
1100 INPUT X$
1110 A$="D": A$(2)=STR$(D): A$(3
)="$": A$(4)=X$: POKE 752,3: POSI
TION 1,22: ? #2: " LOADIN
G "; X$:
1120 TRAP 1130: RUN A$: TRAP 400
00
1130 POSITION 1,22: ? #2: "
CANNOT RUN "; X$: GOTO 890
1140 RUN
1150 INPUT B$: TRAP 1160: FOR C=
LEN(B$) TO 0 STEP -1: IF B$(C,C
)="" THEN B$(C,C)="" : B$=B$(1
,LEN(B$)-1): NEXT C
1160 POP : RETURN
1170 INPUT C$: TRAP 1180: FOR C=
LEN(C$) TO 0 STEP -1: IF C$(C,C
)="" THEN C$(C,C)="" : C$=C$(1
,LEN(C$)-1): NEXT C
1180 POP : RETURN
```


Subscribe Now!

Make sure of your copy every month. Practical Computing is mailed direct to subscribers in a strong polythene wrapper, ensuring that it arrives unfolded and in good condition.

Free information!

Make Practical Computing work for you! Use the reader enquiry service to obtain information about hardware and software products before you buy them.

Place a regular order!

Even if you don't want to subscribe you can still ensure a regular supply of copies. Fill in the order form and pass it to your newsagent to reserve your own personal copy of Practical Computing.

Please send me
Practical Computing each
month for 12 months:

Practical Computing SUBSCRIPTION ORDER FORM

☐ I enclose cheque/PO to the value of
£12.00 (UK) £18 (Overseas). Cheques should
be made payable to Business Press International Ltd.

OR

☐ Please debit my credit card account:
Enter number

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Tick relevant box:

Access ☐ Barclaycard/Visa ☐ Diners Club ☐ American Express ☐

Signed Date

Name

Address

Job Title (if any)

Type of Business (if any)

Do you own a computer?

Yes ☐ No ☐

Do you have access to a computer?

Yes ☐ No ☐

If so please state type

Registered in England 151537
Registered Office: Quadrant House, The Quadrant, Sutton, Surrey SM2 5AS.

Number of
Employees (if any)
Please tick box

1	2	3	4	5	6	7	8	9
1-24	25-49	50-99	100-249	250-499	500-999	1000-1999	2000-4999	5000+

AUGUST 1983 PCO 8368

(This card is valid for 6 months only)

To obtain free information
about items advertised in this issue
circle the appropriate enquiry
numbers listed below:

101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124
125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148
149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172
173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196
197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220
221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244
245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268
269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292
293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316
317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340
341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364
365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388
389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412
413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436

Job Title (if any)

Type of Business (if any)

Do you own a computer? Yes ☐ No ☐

If so please state type

Please remove ☐ include ☐ my name for business direct mail.

No of
Employees (if any)
Please tick box

1	2	3	4	5	6	7	8	9
1-24	25-49	50-99	100-249	250-499	500-999	1000-1999	2000-4999	5000+

HAND THIS CARD TO YOUR NEWSAGENT

Practical Computing NEWSAGENT ORDER FORM

Why not place a regular monthly order for Practical Computing
with your local newsagent? Just fill in the coupon and hand it to
your newsagent.

Please order a copy of Practical Computing for me every month
until further notice.

Commencing

I will call and collect it ☐

Please deliver to my home address ☐
(Tick appropriate box)

Name

Address

Date

PRACTICAL COMPUTING
SUBSCRIPTION MANAGER
BUSINESS PRESS INTERNATIONAL LTD
OAKFIELD HOUSE
PERRYMOUNT ROAD
HAYWARDS HEATH
SUSSEX RH16 3DH

Postage
will be
paid by
licensee


Do not affix Postage Stamps if posted in
Gt Britain, Channel Islands, N Ireland
or the Isle of Man

BUSINESS REPLY SERVICE
Licence No CY711

PRACTICAL COMPUTING
READER SERVICE DEPARTMENT
OAKFIELD HOUSE
PERRYMOUNT ROAD
HAYWARDS HEATH
SUSSEX RH16 3DH

2

HAND THIS
CARD TO YOUR
NEWSAGENT



Spiral CLS

THIS PROGRAM by Gary Nugent of Dublin clears a 22 by 32 screen. The screen is first filled by a spiral of inverse spaces, and then by a spiral of spaces. The screen is then ready for output, the Print position having been reset to 0,0. This is a novel way to clear the screen and is faster than the ZX-81's system CLS when large amounts of memory and Scroll are in use.

The routine, which is in machine code, is

91 bytes long. It should be entered into a line 1 Rem statement using any hex loader. The code is not relocatable. Should you wish to move it, all the Call addresses will have to be changed.

Poking addresses 16599 with a value less than 192 increases the speed of the spirals. A larger value decreases the speed. To make the routine clear a 24-by-32 screen, do as direct commands:

POKE 16535,23 — or 21 for a 22-by-32 screen

POKE 16575,9 — or 11 for a 22-by-32 screen

The routine is called by

RAND USR 16514.

Printer control codes

NO DOUBT many Spectrum owners will have made arrangements to hook up their machines to "proper" printers, especially now that Sinclair has reverted to ASCII, writes Gordon Grant of Radcliffe, near Manchester. To drive the thing it is most convenient to trap the stream of information generated by the Basic interpreter when LPrint is asserted, and divert it to your own output routine. Otherwise you must maintain multiple copies of programs, and convert programs that you have acquired.

This can be done most easily by substituting the address of your own routine for that normally maintained by Basic as the address for LPrint output. This address is held at 23749, and is normally 2548, but you can change it to any address you fancy. All material destined for the printer will be found to pass this way, but it is a good idea to understand what the Spectrum routine normally does with the material.

Material arrives in one or other of the following forms:

ASCII characters, which can be processed immediately.


Tokens, which may be passed back to the official routine. It will do the work of expanding them and delivering them up as a stream of ASCII characters.

Graphics characters, which most printers cannot handle, so substitute spaces instead.

Control codes, which are the tricky bit. Not only will the Basic routine not handle them to your convenience, it will often replace your address by the official one — a mean trick. You must write your own control-code handling routine which, though inconvenient, allows you extra flexibility as to format.

I have successfully used this control-code handling routine for some time.

Spiral CLS.



	LD A,80	3E	80
	CALL SPIRAL	CD	93 40
	LD A,80	3E	80 40
	CALL SPIRAL	CD	93 40
	LD BC,0000	01	00 00
	CALL PRINT-AT	CD	F5 05
	RET	C9	
SPIRAL	LD HL,(D-FILE)	0A	0C 40
	LD C,15	03	15
	LD B,20	06	20
AGAIN	LD D,B	50	
LOOP 1	INC HL	23	
	LD (HL),A	77	
	CALL PAUSE	CD	D5 40
	DEC D	15	
	JR NZ,LOOP 1	23	F8
	DEC B	05	
	LD E,C	55	
	PUSH BC	05	
LOOP 2	LD BC,0021	01	21 00
	ADD HL,BC	69	
	LD (HL),A	77	
	CALL PAUSE	CD	D5 40
	DEC E	10	
	JR NZ,LOOP 2	23	F8
	POP BC	01	
	DEC C	0D	
LOOP 3	LD C,B	50	
	DEC HL	2B	
	LD (HL),A	77	
	CALL PAUSE	CD	D5 40
	DEC D	15	
	JR NZ,LOOP 3	23	F8
	LD E,A	57	
	LD A,B	78	
	CP 06	FE	06
	RET Z	C6	
	LD A,E	7B	
	DEC B	05	
	LD E,C	55	
	PUSH BC	05	
LOOP 4	LD BC,0021	01	21 00
	SBC HL,BC	ED	42
	LD (HL),A	77	
	CALL PAUSE	CD	D5 40
	DEC E	10	
	JR NZ,LOOP 4	23	F7
	POP BC	01	
	DEC C	0D	
PAUSE	JR AGAIN	11	C5
	PUSH AF	75	
	LD A,C0	3E	C0
LOOP 5	DEC A	3D	
	JR NZ,LOOP 5	23	FD
	POP AF	F1	
	RET	C9	

Printer control codes.

```

00100 ; ***** SPECTRUM LPRINT ROUTINE *****
00110 ; BY
00120 ; G. P. GRANT
00130 ;
00140 ; THIS ROUTINE SUPPORTS LPRINT AND LLIST BUT NOT COPY.
00150 ; CHR$(12) CAUSES FEED TO TOP OF NEXT PAGE.
00160 ; INITIALIZE BY PRINT USR 65001.
00170 ;
00180 ; EQUATES
00190 BREAK EQU 8020 ; ROM 'TEST BREAK' ROUTINE
00200 MESS EQU 12 ; MESSAGE - D BREAK, CONT REPEATS
00210 PORT EQU 59447 ; PRINTER I/O PORT USED HERE
00220 ROM EQU 2548 ; OFFICIAL LPRINT ROUTINE
00230 CHAN EQU 23749 ; ADDRESS OF LPRINT OUTPUT CHANNEL
00240 PAGES EQU 66 ; LINES PER PAGE - ADJUSTABLE
00250 WIDTH EQU 80 ; COLUMNS PER LINE - ADJUSTABLE
00260 ORG 65001 ; OPTION. ADJUST TO SUIT
00270 ;
00280 ; INITIALIZATION ROUTINE. DON'T FORGET TO CLEAR SPACE.
00290 ;
F0E9 2107FE 00300 INIT LD HL,START ; PLACE USR ADDRESS IN CHANNEL
F0EC 22C53C 00310 LD (CHAN),HL
F0EF 2102FE 00320 LD HL,DCB ; INITIALIZE DCB
F0F2 3E01 00330 LD A,1
F0F4 77 00340 LD (HL),A
F0F5 23 00350 INC HL
F0F6 23 00360 INC HL
F0F7 77 00370 LD (HL),A
F0F8 2B 00380 DEC HL
F0F9 3E51 00390 LD A,WIDTH+1
F0FB 77 00400 LD (HL),A
F0FC 23 00410 INC HL
F0FD 23 00420 INC HL
F0FE 3E43 00430 LD A,PAGES+1
FE00 77 00440 LD (HL),A
FE01 C9 00450 RET
00460 ; DATA CONTROL BUFFER
FE02 00 00470 DCB DEFB 0 ; NEXT COLUMN TO PRINT AT
FE03 00 00480 DEFB 0 ; WIDTH + 1
FE04 00 00490 DEFB 0 ; CURRENT LINE BEING PRINTED
FE05 00 00500 DEFB 0 ; PAGES + 1
FE06 00 00510 DEFB 0 ; STORE FOR TAB INFO
00520 ; MAIN LPRINT ROUTINE
FE07 FE45 00530 START CP 165
FE09 02F409 00540 JP NC,ROM ; IT'S A TOKEN
FE0C FE80 00550 CP 128
FE0E 302B 00560 JR NC,GRAPH ; IT'S A GRAPHICS CHAR
FE10 FE20 00570 CP 32
FE12 3029 00580 JR NC,ASCII ; IT'S AN ASCII CHAR
FE14 FE06 00590 CP 6
FE16 2B48 00600 JR Z,FIELD ; IT'S PRINT COMMA
FE18 FE09 00610 CP 9
FE1A 2B1F 00620 JR Z,GRAPH ; CURSOR ->
FE1C FE0C 00630 CP 12
FE1E 2B5F 00640 JR Z,PAGE ; GO TO TOP OF PAGE
FE20 FE0D 00650 CP 13
FE22 2B0E 00660 CP Z,CRLF ; CR/LF
FE24 FE10 00670 CP 16
FE26 3B0F 00680 JR C,WHAT ; INVALID CODE
FE28 FE16 00690 CP 22

```

(continued on next page)

Data in strings

INSPIRED by the routine in the March issue of *Practical Computing*, J Law of Birmingham has written a closer imitation of Read and Data for the ZX-81. The subroutine reads data from the program, and returns it in Y\$. The calling program should alter neither R\$, which will contain the date nor Z\$, a dummy variable used within the machine code held in line 1.

You must not have data of over 32 characters, or error L/ will result, while running out of data will give error 0/. These error messages are displayed in the top-left corner of the screen. The routine distinguishes data from other Rem statements by putting a Graphics S immediately after Rem.

First enter the loader program and press Run. Next enter the numbers shown in the machine-code routine, delete all except line 1 of the loader program, and enter the Basic program. This contains the sub-routines Read and Restore. You may then enter your own program, commencing after line 12. To read data in Y\$ use Gosub Read; to reset the data pointer use Gosub Restore.

The machine-code routine can be shortened for use when only 1K is available by omitting the error messages. In this case initially enter Line 1 as 98 full stops and alter line 10 of the loader to

10 FOR I = 16514 TO 16610

When the loader stops, Poke 16611,201, then continue as before.

Data in strings — loader program.

```
1 REM ..... (106 . s)
10 FOR I = 16514 TO 16619
20 INPUT A
30 SCROLL
40 PRINT I;" ";A
50 POKE I,A
60 NEXT I
```

Data in strings — machine-code routine.

```
0 0 0 42 131 64 126 25 118 32
30 35 126 254 118 40 78 35 35 78
35 70 35 126 254 234 40 3 9 24
237 35 126 254 10 40 4 43 9 24
227 1 0 32 237 91 16 64 19 19
19 35 126 254 26 40 18 254 118 40
14 18 12 16 241 42 16 64 35 54
35 6 49 24 22 34 131 64 235 54
95 35 112 35 54 0 42 16 64 35
113 1 0 0 201 6 52 42 12 64
35 112 35 54 24 201
```

Data in strings — Basic program.

```
1 REM (containing machine code —
left when loader deleted)
2 LET Y$ = "//////// //" (contains
35 / chs.)
3 LET READ = 6
4 LET RESTORE = 8
5 GOTO 12
6 IF USR 16517 THEN STOP
7 RETURN
8 POKE 16514,0
9 POKE 16515,124
10 POKE 16516,64
11 RETURN
12 GOSUB RESTORE
20 REM Your calling program starts
here
```

(continued from previous page)

FE2A 3671	00700	JR	C,NOTAB	ONE BYTE FOLLOWS
FE2C FE18	00710	CP	24	
FE2E 3679	00720	JR	C,TAB	TAB OR AT
FE30 1805	00730	JR	WHAT	INVALID CODE
FE32 2102FE	00740	LD	HL,DCB	
FE35 1815	00750	JR	CR	
FE37 3E3F	00760	LD	A,63	OUTPUT "?" FOR INVALID CODES
FE39 1802	00770	JR	ASCII	
FE3B 3E20	00780	LD	A,32	OUTPUT SPACE FOR GRAPHICS
FE3D C0CAFE	00790	CALL	PRINT	OUTPUT A BYTE
FE40 1800	00800	JR	UPDATE	UPDATE DCB AND RETURN
FE42 2102FE	00810	LD	HL,DCB	
FE45 7E	00820	LD	A,(HL)	
FE46 3C	00830	INC	A	UPDATE POSN OF NEXT CHAR
FE47 77	00840	LD	(HL),A	
FE48 23	00850	INC	HL	
FE49 RE	00860	CP	(HL)	COMPARE WITH WIDTH + 1
FE4A C0	00870	RET	NZ	
FE4B 2B	00880	DEC	HL	MUST ADVANCE TO NEXT LINE
FE4C 3E01	00890	LD	A,1	
FE4E 3601	00900	LD	(HL),1	ASSERT NEXT CHAR = 1
FE50 23	00910	INC	HL	
FE51 23	00920	INC	HL	
FE52 7E	00930	LD	A,(HL)	
FE53 3C	00940	INC	A	INCREMENT LINE NUMBER
FE54 77	00950	LD	(HL),A	
FE55 23	00960	INC	HL	
FE56 BE	00970	CP	(HL)	COMPARE WITH PAGE + 1
FE57 2804	00980	JR	Z,PAGEND	
FE59 3E00	00990	LD	A,13	
FE5B 1860	01000	JR	PRINT	CR/LF & RETURN
FE5D 2B	01010	DEC	HL	
FE5E 3E01	01020	LD	A,1	
FE60 77	01030	LD	(HL),A	NEXT LINE IS 1
FE61 18F6	01040	JR	FEED	DON'T FORGET TO CR/LF
FE63 2102FE	01050	LD	HL,DCB	
FE66 7E	01060	LD	A,(HL)	GET POSN OF NEXT CHAR
FE67 3D	01070	DEC	A	
FE68 E6F0	01080	AND	0F0H	
FE6A C611	01090	ADD	A,17	ADJUSTED TO NEXT FIELD
FE6C 23	01100	INC	HL	
FE6D BE	01110	CP	(HL)	SEE IF PAST PAGE END
FE6E 2B	01120	DEC	HL	
FE6F 280B	01130	JR	Z,CR	CR/LR IF SO
FE71 95	01140	SUB	(HL)	SUBTRACT PRESENT POSN.
FE72 47	01150	LD	B,A	SAVE COUNTER FOR SPACES
FE73 3E20	01160	LD	A,32	OUTPUT SPACES
FE75 C030FE	01170	CALL	ASCII	
FE78 10F9	01180	DJNZ	AGAIN	
FE7A C9	01190	RET		
FE7B 2102FE	01200	LD	HL,DCB	
FE7E 7E	01210	LD	A,(HL)	TEST FOR BYTES
FE7F 3D	01220	DEC	A	IN PRINTER BUFFER
FE80 2803	01230	JR	Z,LINOK	OK TO JUMP IF NONE
FE82 C04CFE	01240	CALL	CR	ELSE OUTPUT CR/LF
FE85 2104FE	01250	LD	HL,DCB+2	
FE88 7E	01260	LD	A,(HL)	TEST CURRENT LINE
FE89 3D	01270	DEC	A	
FE8A C8	01280	RET	Z	EXIT IF ALREADY THERE
FE8B 3C	01290	INC	A	
FE8C 23	01300	INC	HL	
FE8D 95	01310	SUB	(HL)	SUBTRACT LINES+1
FE8E ED44	01320	NEG		AND NEGATE IT TO GET
FE90 47	01330	LD	B,A	LINES TO FEED
FE91 3E0D	01340	LD	A,13	
FE93 C0CAFE	01350	CALL	PRINT	
FE96 10F9	01360	DJNZ	NEXT	
FE98 2B	01370	DEC	HL	
FE99 3E01	01380	LD	A,1	
FE9B 77	01390	LD	(HL),A	ASSERT LINE 1
FE9C C9	01400	RET		
FE9D 21A4FE	01410	LD	HL,POINTA	SET TEMPORARY
FEA0 22C55C	01420	LD	(CHAN),HL	CHANNEL ADDRESS
FEA3 C9	01430	RET		
FEA4 2107FE	01440	LD	HL,START	IGNORE ARGUMENT AND
FEA7 10F7	01450	JR	FETCH	RESTORE CHANNEL
FEA9 21A4FE	01460	LD	HL,POINTB	SET TEMPORARY
FEAC 10F2	01470	JR	FETCH	CHANNEL ADDRESS
FEAE 3206FE	01480	LD	(DCB+4),A	SAVE TAB LOW ORDER
FEB1 21B6FE	01490	LD	HL,POINTC	SAME AGAIN
FEB4 19EA	01500	JR	FETCH	
FEB6 2107FE	01510	LD	HL,START	IGNORE HIGH ORDER &
FEB9 22C55C	01520	LD	(CHAN),HL	RESTORE CHANNEL
FEBC 3A06FE	01530	LD	A,(DCB+4)	GET TAB LOW ORDER
FEBF 2103FE	01540	LD	HL,DCB+1	
FEC2 BE	01550	CP	(HL)	COMPARE WIDTH+1
FEC3 2B	01560	DEC	HL	
FEC4 30A6	01570	JR	NC,CR	CR/LF IF PAST END
FEC6 95	01580	SUB	(HL)	TAB MINUS CURRENT
FEC7 47	01590	LD	B,A	EQUALS SPACES TO OUTPUT
FEC8 18A9	01600	JR	AGAIN	
FECA C5	01610	LD		ILLUSTRATIVE OUTPUT ROUTINE. SUBSTITUTE YOUR OWN HERE.
FECB F5	01620	PUSH	BC	SAVE REGISTERS
FEC0 0137EB	01630	PUSH	AF	
FECF ED78	01640	LD	BC,PORT	USER I/O PORT
FED1 FE3F	01650	IN	A,(C)	FETCH PRINTER STATUS
FED3 2807	01660	CP	63	IS PRINTER READY?
FED5 C0341F	01670	JR	Z,GO	JUMP IF SO
FED8 30F5	01680	CALL	BREAK	TEST FOR BREAK HIT
FEDA CF	01690	JR	C,TEST	IF NOT, KEEP TRYING
FEDB 0C	01700	RST	0	ELSE BACK TO BASIC
FEDC 0C	01710	DEFB	MESS	WITH ERROR MESSAGE
FEDD F1	01720	POP	AF	RETRIEVE BYTE TO SEND
FEDD ED79	01730	OUT	(C),A	SEND IT
FEDF C1	01740	POP	BC	
FEE0 C9	01750	RET		
0000	01760	END		
00000	TOTAL ERRORS			

MicroSight

Use your BBC Model B as an image analyser with :-
MicroSight I



Available on BBC, Apple, Commodore, Research Machine, Sirius, etc. Includes Camera, cables, interface, software and documentation.

£495.00 + VAT

MicroScale.





Image processing software to calculate area and perimeter of objects within a specified window also to dimension features. Disk and printer dumps of binary and grey scale data.

£295.00 + VAT

MicroEye Vision Interface.



256 x 256 pixel resolution with 255 grey levels per pixel comes complete with software and documentation. Can be used for video tape digitising Satellite picture analysis etc. Available for BBC, Apple, Commodore, Research Machine, Sirius etc.

£295.00 + VAT

DIGITHURST

Digithurst Ltd.
Leaden Hill, Orwell, Royston,
Herts. SG8 5QH
Tel: (0223) 208926

● Circle No. 237

STEMMOS

the

dBASE II

experts

STEMMOS are one of Britain's leading software houses and specialists in dBase II

STEMMOS offer a helpline for dBase II users

STEMMOS wrote Autocode I, the only intelligent program generator for dBase II


STEMMOS hold monthly seminars in the heart of London on dBase II

- An opportunity for anyone from engineer to businessman to write their own microcomputer program.
- And for the programmer the chance to write programs in a fraction of the time.

Seminars:

4, 5, 6, July. 1, 2, 3, Aug.

5, 6, 7, Sept. 3, 4, 5, Oct. 7, 8, 9, Nov. 5, 6, 7, Dec.



STEMMOS
The Key to
successful
software

Please send me more information on:

dBase II


Autocode I

dBase II User seminars

Name:

Company:

Address:



STEMMOS LTD

199 Uxbridge Road,
London W12.

Tel: 01-740 9444 Telex: 893003 STEMOS G

dBase II® Ashton Tate Autocode I® Stemmox Ltd

● Circle No. 184

THE AUTUMN COMPUTER TRADE FORUM

4th-7th October, 1983
National Exhibition Centre, Birmingham,



Sound business sense for volume buyers

The Autumn Computer Trade Forum is the UK's largest and most successful trade event and the only show that fully understands the needs of volume buyers.

It offers you a comprehensive display of minis, micros, software and peripherals in an environment that's specially made for volume business.

Who is CTF for?

Distributors. Dealers. Software houses. Systems integrators. Retailers. OEM's. In fact anyone who makes a living buying and selling computers, software and peripherals. So whether you're new to DP/WP or know the business backwards, CTF is the event you mustn't miss.

How can CTF help you sell more?

The exhibitors at the Computer Trade Forum understand your needs. That means they'll be talking your language. Quantity terms. Discounts. Marketing support programmes. Delivery schedules. The whole range of services to help you sell more.

Who will be at CTF?

Texas Instruments. Logica. DEC. Systime. DRG. Zygol. Motorola...and many more! And for every name you know there'll be many you don't—with products that could well be your next year's big seller.

Why CTF is different!

The Computer Trade Forum is the only show that understands what volume buying really means. The atmosphere, the choice of exhibitors, the absence of

razmatazz are all designed for profitable business.

CTF has been specifically designed for you and as a proven, established national event it offers you even more with the support of leading UK suppliers.

Post the coupon today

The general public is not invited to CTF. The emphasis is on volume business. And for you it's free! Just fill in the coupon and we'll send you free tickets (worth £3.00 each) by return of post.

If you need to know more, call 01-747 3131.

✂

Computer Trade Forum
232 Acton Lane, London W4 5DL

Please send me.....free tickets for myself and colleagues.

Name.....

Position.....

Company.....

Address.....

☐ I am interested in exhibiting at CTF
(No one under 18 admitted) PC2/83

**FREE SHOW
TICKETS**

• Circle No. 119

TANDY FORUM

by John Wellsman



Fast conversion

THE WHOLE subject of bit recognition is well worth studying. Coupled with the use of logic operators, it can save a great deal of programming time and space. The conversion routine by S D Holloway provides a very fast way of converting decimal to binary.

Fast conversion.

```
10 CLEAR 100:DEFINT X,N
20 INPUT"ENTER AN INTEGER FOR
CONVERSION";N
30 A=1:B$=""*FOR X=0 TO 14:B$=STR$(N
AND A)/A)+B$
40 A=A*2:NEXT X
50 IF N<0 THEN B$="1"+B$ ELSE
B$="0"+B$
60 PRINTB$:PRINT:GOTO 20
```

Magicalc

If there is one program which has really opened people's eyes to the value of micros in business it is VisiCalc. Although written originally for the Apple II, it can now be found in a form suitable for almost any micro under the sun. A disc-based version for Tandys is available at around £60.

Mr R S Bond of Shrewsbury has written a really first-class tape-based spreadsheet which he calls Magicalc. My only comment is that the instructions that he sent with it are rather sketchy and based on an assumed familiarity with VisiCalc which many readers may not have.

When loaded and run, the appearance of the screen is very similar to the VisiCalc layout, though with slightly narrower columns. It is divided into 10 columns, numbered 0 to 9 and 13 rows, labelled A to M. In the upper left-hand corner above the horizontal headings is the message

A0 = 0

and on the sheet itself is the flashing cursor situated over position A0. Into each

position, known as a cell, either text, a value or an expression can be loaded, but it is limited to five characters only.

A simple costing routine shows how the package works. The zero column can be used for labels, so type

SALES

into the present position of the cursor, A0. This must be done slowly, as the response is much slower than the normal keyboard input. The characters always appear on the right edge of the column and move over as successive entries are made.

Having put the label in cell A0, insert the amount of sales in cell A1. To do so simply press the Right Arrow on the keyboard and the cursor shifts to that position. Then simply type 200; there is no need to press Enter.

Assuming that sales costs are five percent of sales move down to the B row. You can either use the Down Arrow once and the Left Arrow once to bring you to B0, or you can type /. This will produce a line above the horizontal axis, reading "Which Function" followed by a number of characters.

Pressing G allows you to move the cursor to any position on the sheet. Enter B0 and the function line will disappear and the cursor will appear at cell B0. The current position of the cursor together with its value will be shown in the top left-hand corner. Enter SCF, for sales-cost factor, in this position, move to B1 and enter .05 for 5 percent. This value is shown above the line with the cell position. If you make a mistake, position the cursor over the error, press / and then D to delete the entry at the

(continued on next page)

Magicalc.

```
110 * MAGICALC / MAGIPLT (C) (P) 1983
R.S.BOND ***
140
CLEAR6000:ONERRORGOTO1400:DIMC$(10,13),
D$(10,13),A$(13):X=1:Y=1
150
CLS:PRINT:PRINT
"CHR$(191):STRING$(3,143):"0":STRING$(
5,143):"1":STRING$(5,143):"2":STRING$(5,
143):"3":STRING$(5,143):"4":STRING$(5,
143):"5":STRING$(5,143):"6":STRING$(5,1
43):"7":STRING$(5,143):"8":STRING$(5,14
3):"9":STRING$(5,143):CHR$(191):
160
FOR Y=1 TO 13:PRINTCHR$(64+Y1):CHR$(191):
"
":FOR X=1 TO 10:PRINTSTRING$(15-LEN(C$(X
1,Y1)),32):C$(X1,Y1):"
":NEXT X1:PRINTCHR$(191):NEXT Y1
170
P=(Y+1)*64+((X-1)*6)+2:PRINTP,CHR$(
193):PRINTP+6,CHR$(197):GOSUB1410:IF
D$(X,Y)="" THENPRINT@,CHR$(64+Y):X-1:
"=":D$(X,Y):ELSEPRINT@,CHR$(64+Y):X-1:
"=":VAL(C$(X,Y)):
180 PRINTP,"":PRINTP+6,"":
190 A$=INKEY$
200
IFA$="" OR PEEK(14400) <> 0 THEN210 ELSE170
210
IFA$=CHR$(8) OR PEEK(14400)=32 THENX=X-1:IF
X<1 THENX=1:GOTO170
220
IFA$=CHR$(9) OR PEEK(14400)=64 THENX=X+1:IF
X>10 THENX=10:GOTO170
230
IFA$=CHR$(91) OR PEEK(14400)=8 THENY=Y-1:IF
Y<1 THENY=1:GOTO170
240
IFA$=CHR$(10) OR PEEK(14400)=16 THENY=Y+1:
IFY>13 THENY=13:GOTO170
250
```

```
IFA$="" OR PEEK(14400)=32 THENX=X-1:IF
X<1 THENX=1:GOTO170
260 IFA$="" OR PEEK(14400)=64 THENX=X+1:IF
X>10 THENX=10:GOTO170
270 PRINT@, "WHICH FUNCTION
(A,C,D,G,L,N,P,R,S,X,+,/,*,*,DR
?):CHR$(95):
280 A$=INKEY$:IFA$="" THEN280
290
IFA$="D" THENC$(X,Y)="" :D$(X,Y)="" :PRINT
@P+1,"":GOTO170
300
IFA$="N" THENGOSUB1410:PRINT@, "CONFIRM
(Y/N) ?":CHR$(95):GOTO1190
310 IFA$="C" THEN1020
320 IFA$="X" THEN170
330
IFA$="R" THENM$="" :MM=1:GOSUB600:FORA=N
TOM:FORB=NITOM1:C$(B,A)=C$(PP,QQ):PRINT
@((A+1)*64+((B-1)*6)+3),C$(B,A):NEXT
B,A:MM=0:GOTO170
340
IFA$="*" THENM$="*":GOSUB600:GOSUB1100:G
OTO780
350
IFA$="+" THENM$="+":GOSUB600:GOSUB1110:G
OTO780
360
IFA$="/" THENM$="/":GOSUB600:GOSUB1120:G
OTO780
370
IFA$="-" THENM$="-":GOSUB600:GOSUB1130:G
OTO780
380 IFA$="G" THENGOTO970
390
IFA$="A" THENM$="A":GOSUB600:GOSUB1140:G
OTO780
400
IFA$="" OR PEEK(14400)=16 THEN170
410 IFA$="L" THEN520
420 IFA$="P" THEN800
430 IFA$="C" THEN1020
```

```
440 IFA$="H" THEN1230
450
IFA$="S" THENGOSUB1410:R$="" :PRINT@, "EN
TER NAME OF FILE :":FORA=1 TO 15
460 A$=INKEY$:IFA$="" THEN460
470
IFA$=CHR$(13) THEN480 ELSER$=R$+A$:PRINTA
$:NEXTA
480 GOSUB1410:PRINT@, "READY CASSETTE
?":
490 IFINKEY$="" THEN490
500 GOSUB1410:PRINT@, "SAVING...":
510
PRINT@-1,R$:FORA=1 TO 13:FORB=1 TO 10 STEP2:
PRINT@-1,C$(A,B),C$(A,B+1):PRINT@-1,D$(
A,B),D$(A,B+1):NEXTB,A:GOSUB1410:GOTO17
0
520
R$="" :GOSUB1410:PRINT@, "ENTER
NAME OF FILE :":
530 FORA=1 TO 15
540 A$=INKEY$:IFA$="" THEN540
550
IFA$=CHR$(13) THEN560 ELSER$=R$+A$:PRINTA
$:NEXTA
560 GOSUB1410:PRINT@, "READY CASSETTE
?":
570 IFINKEY$="" THEN570
580
INPUT@-1,R$:IFA$=R$ THEN590 ELSEGOSUB14
10:PRINT@, "INCORRECT FILE ON
TAPE.":FORA=1 TO 2000:NEXTA:GOTO170
590
GOSUB1410:PRINT@, "LOADING...":FORA=1 T
O 13:FORB=1 TO 10 STEP2:INPUT@-1,C$(A,B),C$
(A,B+1):INPUT@-1,D$(A,B),D$(A,B+1):NEXT
B,A:GOSUB1410:GOTO170
600
GOSUB1410:IFMM=0 THENPRINT@,CHR$(Y+64):
X-1:"=":ELSEPRINT@,":
610 A$=INKEY$:IFA$="" THEN610
620
IFA$="A" OR A$="M" THEN610 ELSEPRINTA$:D$(
```

(listing continued on next page)

(continued from previous page)

position of the cursor; then type in the correct entry.

Now move to cell C0 and type in S.C., for sales costs and move to C1. To calculate the sales costs you have to multiply the values of A1 and B1, so press / and then *. The top line clears and

C1 =

appears. Type in A1 and

A1 *

is added. Then type in B1 and

B1 ...

is added. If you want a series of values in the same column multiplied together you could enter, say, D1 if there was anything there. But if you only want A1 * B1 enter B1. Immediately the product of A1 and B1 appears in C1.

Now enter a fixed cost, F.C., in D0 and in D1 a value of 50. The total costs will be

C1 + D1 so enter T.C. in E0. Move to E1 and press / and then +. Then, as you did before enter C1, then D1 (to) D1. Now go to F0, enter

"PROF" (PROF1 - E1

to find the result of 140, which is your profit.


There is also a function, R, which enables the user to duplicate the value in one cell to a range of cells elsewhere. To do this, after calling up the function as before, type in the source cell, then the range of cells to receive the values. The remaining functions are A, average, which gives the average value for all the data in the cells Xn @ Yn ... Zn and places the result in the cursor cell.

Three parameters are required for all the maths functions as this allows the user to process information which is in a sequence

with an isolated cell. For example

A1 @ B6 ... B8.

The C, calculation, works out all the maths on the sheet which should only be done when all the figures have been entered. Since the program is entirely in Basic, the process is rather slow. P, plot, constructs a histogram of any row or column of data on the sheet. S, save, and L, Load, are self-explanatory. N, New, clears the sheet for restarting and X, Exit, gets you out of the special function mode in case of error. H, Help, tells you briefly what all the functions do.


Mr Bond is to be congratulated on this program. Through lack of time and space I have been unable to experiment and provide further details, but with experience and exploration it will prove to be a very useful and powerful program. 

(listing continued from previous page)

```
X,Y)=A$
630 A$=INKEY$:IFA$=""THEN630
640
IFA$( "O"ORA$) "9"THEN630ELSEPRINTA$;D$(
X,Y)=D$(X,Y)+A$+" "+M$+" ":PRINT"
";M$;" ";
650 A$=INKEY$:IFA$=""THEN650
660
IFA$( "A"ORA$) "M"THEN650ELSEPRINTA$;D$(
X,Y)=D$(X,Y)+A$
670 A$=INKEY$:IFA$=""THEN670
680
IFA$( "O"ORA$) "9"THEN670ELSEPRINTA$;D$(
X,Y)=D$(X,Y)+A$+"...":PRINT"...":
690 A$=INKEY$:IFA$=""THEN690
700
IFA$( "A"ORA$) "M"THEN690ELSEPRINTA$;D$(
X,Y)=D$(X,Y)+A$
710 A$=INKEY$:IFA$=""THEN710
720
IFA$( "O"ORA$) "9"THEN710ELSEPRINTA$;D$(
X,Y)=D$(X,Y)+A$
730
FORA=1TOLEN(D$(X,Y)):A$(A)=MID$(D$(X,Y)
,A,1):NEXTA
740
N=ASC(A$(2))-47:M=ASC(A$(1))-64:R=VAL(C
$(N,M)):PP=N:QQ=M
750 N=ASC(A$(6))-64:M=ASC(A$(11))-64
760 N1=ASC(A$(7))-47:M1=ASC(A$(12))-47
770 RETURN
780 GOSUB1150
790 GOTO170
800 GOSUB1410:PRINT@,"PLOT ROW OR
COLUMN (R/C) ?":CHR$(95):
810 A$=INKEY$:IFA$=""THEN810
820 IFA$="R"THEN850
830 IFA$="C"THEN890
840 GOTO810
850 GOSUB1410:PRINT@,"WHICH ROW
(A,B,C,D,E,F,G,H,I,J,K,L,M)
?":CHR$(95):
860
A$=INKEY$:IFA$=""ORA$( "A"ORA$) "M"THEN86
0
870
A=ASC(A$)-64:FORB=1TO10:A$(B)=C$(B,A):N
EXTB:FORB=1TO3:A$(B+10)=""NEXTB
880 GOTO920
890 GOSUB1410:PRINT@,"WHICH COLUMN
(0-9) ?":CHR$(95):
900
A$=INKEY$:IFA$=""ORA$( "O"ORA$) "9"THEN90
0
910
A=ASC(A$)-47:FORB=1TO13:A$(B)=C$(A,B):N
EXTB
920
A=0:FORB=1TO13:FASS(VAL(A$(B)))ATHENA
=VAL(A$(B)):NEXT
930 NEXT
940
E=A/43:CLS:FORYY=0TO45:SET(0,YY):NEXT:F
ORXX=0TO127:SET(XX,45):NEXT:IFVAL(A$(1)
)=0AND A$(1)=""THENPRINT@1023-LEN(A$(1)
),A$(1):
950
DD=0:FORTT=4TO107STEP8:DD=DD+1:C=VAL(A$
```

```
(DD)):FORXX=0TOC/B:SET(TT,45-XX):SET(TT
+1,45-XX):SET(TT+2,45-XX):SET(TT+3,45-X
X):SET(TT+4,45-XX):NEXTXX,TT
960 IFINKEY$=""THEN960ELSE150
970 GOSUB1410:PRINT@,"WHERE TO
?":CHR$(95):
980 A$=INKEY$:IFA$=""THEN980
990
IFA$( "A"ORA$) "M"THEN980ELSEPRINTCHR$(B)
:A$:Y=ASC(A$)-64
1000 A$=INKEY$:IFA$=""THEN1000
1010
IFA$( "O"ORA$) "9"THEN1000ELSEPRINTA$;X=
ASC(A$)-47:GOTO170
1020
GOSUB1410:PRINT@,"CALCULATING...":FOR
YY=1TO13:FORXX=1TO10:X=XX:Y=YY:IFD$(XX,
YY)=""GOSUB730:GOTO1040
1030 NEXTXX,YY:X=1:Y=1:GOTO170
1040
M$=MID$(D$(XX,YY),4,1):IFM$="*"GOSUB110
0:GOSUB1150:NEXTXX,YY:X=1:Y=1:GOTO170
1050
IFM$="+"GOSUB1110:GOSUB1150:X=1:Y=1:NEX
TXX,YY:GOTO170
1060
IFM$="-"GOSUB1130:GOSUB1150:X=1:Y=1:NEX
TXX,YY:GOTO170
1070
IFM$="/"GOSUB1120:GOSUB1150:X=1:Y=1:NEX
TXX,YY:GOTO170
1080
IFM$="@"GOSUB1140:GOSUB1150:X=1:Y=1:NEX
TXX,YY:GOTO170
1090 GOTO1030
1100
FORA=NTOM:FORB=N1TOM1:R=R+VAL(C$(B,A)):
NEXTB,A:RETURN
1110
FORA=NTOM:FORB=N1TOM1:R=R+VAL(C$(B,A)):
NEXTB,A:RETURN
1120
FORA=NTOM:FORB=N1TOM1:R=R/VAL(C$(B,A)):
NEXTB,A:RETURN
1130
FORA=NTOM:FORB=N1TOM1:R=R-VAL(C$(B,A)):
NEXTB,A:RETURN
1140
FORA=NTOM:FORB=N1TOM1:R=R+VAL(C$(B,A)):
NEXTB,A:R=R/(M-N)+(M1-N1)+2):RETURN
1150
C$(X,Y)=STR$(C$(X,Y)-RIGHT$(C$(X,Y),
LEN(C$(X,Y))-1)
1160 C$(X,Y)=LEFT$(C$(X,Y),5)
1170
PRINT@((Y+1)*64)+((X-1)*6+3),STRING$(
5-LEN(C$(X,Y)),32):C$(X,Y):
1180 RETURN
1190 A$=INKEY$:IFA$=""THEN1190
1200 IFA$="Y"THENRUN
1210 IFA$="N"THEN170
1220 GOTO1190
1230 GOSUB1410:PRINT@,"HELP ON WHICH
FUNCTION (A,C,D,G,L,N,P,R,S,X,+,-,*)
?":CHR$(95):
1240 A$=INKEY$:IFA$=""THEN1240
1250
IFA$( "A"THENGOSUB1410:PRINT@,"AVERAGE
- CALCULATES THE AVERAGE OF CELLS XN @
```

```
YN...ZN.":FORA=1TO2000:NEXTA:GOTO170
1260
IFA$="C"THENGOSUB1410:PRINT@,"CALCULAT
E - PERFORMS ALL THE SHEET
CALCULATIONS.":FORA=1TO2000:NEXTA:GOTO
170
1270
IFA$="D"THENGOSUB1410:PRINT@,"DELETE
- DELETES THE CONTENTS OF THE PRESENT
CELL.":FORA=1TO2000:NEXTA:GOTO170
1280 IFA$="B"THENGOSUB1410:PRINT@,"GO
- MOVES THE CURSOR TO CELL NO
XN.":FORA=1TO2000:NEXTA:GOTO170
1290
IFA$="L"THENGOSUB1410:PRINT@,"LOAD
- LOADS A DATA FILE FROM
TAPE.":FORA=1TO2000:NEXTA:GOTO170
1290
IFA$="L"THENGOSUB1410:PRINT@,"LOAD
- LOADS A DATA FILE FROM
TAPE.":FORA=1TO2000:NEXTA:GOTO170
1300
IFA$="N"THENGOSUB1410:PRINT@,"NEW
- CLEARS THE
SHEET.":FORA=1TO2000:NEXTA:GOTO170
1310
IFA$="P"THENGOSUB1410:PRINT@,"PLOT
- PLOTS EITHER A ROW OR A COLUMN OF THE
SHEET.":FORA=1TO2000:NEXT:GOTO170
1320
IFA$="R"THENGOSUB1410:PRINT@,"REPLICAT
E - REPLICATES THE CONTENTS OF CELL
XN:
YN...ZN.":FORA=1TO2000:NEXTA:GOTO170
1330
IFA$="S"THENGOSUB1410:PRINT@,"SAVE
- SAVES THE PRESENT SHEET TO
TAPE.":FORA=1TO2000:NEXTA:GOTO170
1340
IFA$="X"THENGOSUB1410:PRINT@,"EXIT
- LEAVES SPECIAL FUNCTION
MODE.":FORA=1TO2000:NEXTA:GOTO170
1350
IFA$="+"THENGOSUB1410:PRINT@,"ADD
- ADDS TOGETHER ALL THE CELLS IN THE
RANGE
XN
+
YN...ZN.":FORA=1TO2000:NEXT:GOTO170
1360
IFA$="/"THENGOSUB1410:PRINT@,"DIVIDE
- DIVIDES ALL THE CELLS IN THE RANGE
XN
/
YN...ZN.":FORA=1TO2000:NEXT:GOTO170
1370
IFA$="-"THENGOSUB1410:PRINT@,"SUBTRACT
- SUBTRACTS ALL THE CELLS IN THE
RANGE
XN
-
YN...ZN.":FORA=1TO2000:NEXT:GOTO170
1380
IFA$="*"THENGOSUB1410:PRINT@,"MULTIPLY
- MULTIPLIES ALL THE CELLS IN THE
RANGE
XN
*
YN...ZN.":FORA=1TO2000:NEXT:GOTO170
1390 GOTO1240
1400 GOSUB1410:PRINT@,"ERROR IN
CALCULATION - PLEASE RE
ENTER.":FORA=1TO2000:NEXTA:RESUME170
1410 PRINT@,STRING$(64,32):RETURN
1420 END
```

Spectrum compatible plotting

ROTATION PROGRAMS, or spirals, are thick on the ground. The advertisements for spot-resolution screens and printers abound with examples of them. What Chetan Mehta of Leicester has submitted is rather more than just a good flexible version. It is a

graphics program which will work on the BBC and the Sinclair Spectrum with only minor amendments.

Be warned — I have not tried the program on a Spectrum. But on the BBC it generates very pretty pictures. As is usual it took several plays with the co-ordinates before an acceptable result showed up, but that is half the fun.

Something like three corners at 55,55; 111,222; 222,111 centred on 555,555 with a spiral and angle of 11 is as good a place as any to experiment from on the BBC. Use figures between 0 and 80 on the Spectrum, with the following amendments:

```
310 PLOT X(NOC), Y(NOC)
350 DRAW X(N) - X, Y(N) - Y
```

and lines 10 and 20 deleted.

The similarities between the Spectrum and BBC commands could result in more multi-machine listings in this column. The combined sales figures for the two machines indicate that this would cover a high proportion of the medium-resolution micros in home use. Is it worth the extra effort in documentation and design?

Maze

Maze games are popular, several have been printed in micro magazines and others are available commercially. But the one submitted by Andrew Armstrong of Ponteland, Newcastle-upon-Tyne, surpasses any that I have seen before.

A 10 by 10 maze contains gold bars, cages and an exit to the outside world. You also have an option to call up a 2-D map and two minutes real time to appreciate the spectacular perspective views from within the maze corridors.

Mr Armstrong's maze would now reside with Mr Beerling's Gladiator, January issue, on my games-of-the-year disc were it not for a puzzling restriction. When working on a disc-based machine Page is set by OS1.0 to &1900; cassette machines load from &E00. The difference in available memory prevents some of the programs from running on my machine, so I set up f0 and f1 with the three-line relocation routine.

When loading from disc I can press f0

(continued on page 155)

Spectrum-compatible plotting.

```
10 MODE0
20 GCOLOR,1
30 INPUT"NUMBER OF CORNERS",NOC
40 DIM X(NOC+2):DIM Y(NOC+2)
50 INPUT"ANGLE OF ROTATION",ROT
60 LET ROT=ROT*3.142/180
70 INPUT"HOW MUCH SPIRAL EFFECT (16
FOR NO SPIRAL EFFECT)",SPE
80 FOR N=1 TO NOC
90 PRINT"CORNER":N:INPUTX(N),Y(N)
100 NEXT N
110 INPUT"CENTRE OF ROTATION",CX,CY
120 CLS
130 GOSUB310
140 FOR N=1 TO NOC
150 LET Y=Y(N)-CY
160 LET X=X(N)-CX
170 DIST=SQR(X^2+Y^2)
180 IF X=0 THEN LET ANGRAD=3.142/2:
GOTO200
190 LET ANGRAD=ATN(Y/X)
200 IF X<0 THEN LET ANGRAD=3.142+AN
GRAD:GOTO220
210 IF Y<0 THEN LET ANGRAD=2*3.142+
ANGRAD
220 LET X(N)=COS(ANGRAD+ROT)*DIST
+CX
230 LET Y(N)=SIN(ANGRAD+ROT)*DIST
+CY
240 NEXT N
250 GOSUB 310
260 FOR N=1 TO NOC
270 LET X=X(N)-CX:LET X(N)=X*(100-
ROT/3.142/SPE*100)/100+CX
280 LET Y=Y(N)-CY:LET Y(N)=Y*(100-
ROT/3.142/SPE*100)/100+CY
290 NEXT N
300 GOTO140
310 PLOT69,X(NOC),Y(NOC)
320 FOR N=1 TO NOC
330 IF N=1 THEN LET X=X(NOC):LET Y=
Y(NOC):GOTO350
340 LET X=X(N-1):LET Y=Y(N-1)
350 PLOT2,X(N)-X,Y(N)-Y
360 NEXT N:RETURN
```

Maze

```
10 *TV0,1
20 MODE1
30 *KEY0*FX12 6:M*FX11 30:M*FX4:M
40 *FX12 6
50 PROC_D_D_D:END
60 =====
70
80 Three Dimensional Maze
90
100 by
110
120 Andrew Armstrong
130
140 =====
150 DEFPROC_D_D_D
160 ENVELOPE1,1,-1,1,-1,100,100,10
,127,0,0,-1,127,127
170 ENVELOPE2,1,-1,-1,-1,0,0,0,127
,-3,50,-5,127,60
180 !&FE00=&10270A:FX4,1
190 VDU19,1,9;0;19,2,3;0;19,3,7;0;
200 VDU23,224,60,126,60,255,24,60,
102,195
210 DIM MZ(9,9),XDZ(3),YDZ(3),D*(3
)
220 STZ=120:MBZ=0:ST$="BESTTIME":
MB$="MOSTBARS"
230 REPEATPROCINSTS:RESTORE
240 *FX11 1
250 *FX12 1
260 VDU29,640;512;:XCZ=640:YCZ=5
12:GZ=0:BLZ=3
270 FOR AZ=0TO3:READ XDZ(AZ),YDZ
(AZ),D*(AZ):NEXT
280 DATA0,-1,North,1,0,East,0,1,
South,-1,0,West
290 PROCMAKE
300 XZ=5X:YZ=5Y:D=1:TIME=0
310 EFLZ=FALSE:REPEATPROCCELL(XZ
,YZ,D):PROCMOVE:UNTILEFLZ
320 PRINTTAB(0,30)"Press <SPACE>
":REPEATUNTILGET=32
330 UNTILO
340 ENDPROC
350
360 View generator
370
380 DEF PROCCELL(X,Y,DIR)
390 FORAZ=1TO3:VDU19,AZ;0;0:NEXT
400 CLS
410 VDU19,1,9;0;19,2,3;0;19,3,7;0;
420 PRINT"X:";X;" Y:";Y:COLOUR2:P
RINT" You are going "D*(DIR),"":CO
LOUR3:PRINTTAB(30)"Time:";120-(TIME
DIV 100)
430 LDIR=DIR-1:IF LDIR<0 LDIR=3
440 RDIR=DIR+1:IF RDIR>3 RDIR=0
450 LD=2^LDIR:RD=2^RDIR:DR=2^DIR
460 S=900:REPEATS=S/2:LFTZ=TRUE:RH
TZ=TRUE
```

```
470 IF (FNMAZE(X,Y) AND 16)<>0 P
ROCGOLD_BAR(S)
480 IF (FNMAZE(X,Y) AND 32)<>0 P
ROCGATE(S)
490 IF (FNMAZE(X,Y) AND LD)=0 PR
OCLEFT(S):LFTZ=FALSE
500 IF (FNMAZE(X,Y) AND RD)=0 PR
OCRIGHT(S):RHTZ=FALSE
510 PROCCUBE(S,LFTZ,RHTZ)
520 IF (FNMAZE(X,Y) AND DR)<>0PR
OCENDWALL(S):S=0
530 X=X+XDZ(DIR):Y=Y+YDZ(DIR)
540 UNTILS<2
550 ENDPROC
560
570 DEF FNMAZE(X,Y)
580 IF X>=0 AND X<=9 AND Y>=0 AND
Y<=9=MZ(X,Y)
590 =15
600
610 DEFPROCCUBE(SIZE,LEFT,RIGHT)
620 S1Z=SIZE:S2Z=SIZE*2
630 IF (FNMAZE(X,Y) AND 64)<>0 GCD
LO,2:MOVE-S2Z,-S2Z:DRAWS1Z,-S1Z:MOVE
S2Z,-S2Z:DRAW-S1Z,-S1Z:GCOLOR 0,3
640 MOVE-S1Z,-S1Z
650 IF LEFT MOVE-S2Z,-S2Z:DRAW-S1Z
,-S1Z
660 DRAW-S1Z,S1Z
670 IF LEFT MOVE-S2Z,S2Z:DRAW-S1Z,
S1Z
680 MOVES1Z,-S1Z
690 IF RIGHT MOVES2Z,-S2Z:DRAWS1Z,
-S1Z
700 DRAWS1Z,S1Z
710 IF RIGHT MOVES2Z,S2Z:DRAWS1Z,S
1Z
720 ENDPROC
730 DEF PROCCLEFT(SIZE)
740 IF (FNMAZE(X+XDZ(LDIR),Y+YDZ(L
DIR)) AND 32)<>0 PROCSIDEGATE("L",S)
750 S1Z=SIZE:S2Z=SIZE*2:S3Z=SIZE/5
760 IF (FNMAZE(X+XDZ(LDIR),Y+YDZ(L
DIR)) AND DR)<>0 MOVE-S2Z,-S1Z:DRAW-
S1Z,-S1Z:MOVE-S2Z,S1Z:DRAW-S1Z,S1Z:E
NDPROC
770 IF (FNMAZE(X,Y) AND DR)<>0 OR
(FNMAZE(X+XDZ(LDIR)+XDZ(RDIR),Y+YDZ(L
DIR)+YDZ(RDIR)) AND RD)=0 ENDPROC
780 MOVE-S1Z-S3Z,S1Z:MOVE-S1Z,S1Z:
PLOT85,-S1Z,-S1Z:MOVE-S1Z-S3Z,-S1Z:P
LOT85,-S1Z-S3Z,S1Z
790 ENDPROC
800 DEF PROCRIGHT(SIZE)
810 S1Z=SIZE:S2Z=SIZE*2:S3Z=SIZE/5
820 IF (FNMAZE(X+XDZ(RDIR),Y+YDZ(R
DIR)) AND 32)<>0 PROCSIDEGATE("R",S)
830 IF (FNMAZE(X+XDZ(RDIR),Y+YDZ(R
DIR)) AND DR)<>0 MOVES2Z,-S1Z:DRAWS1
Z,-S1Z:MOVES2Z,S1Z:DRAWS1Z,S1Z:ENDPR
OC
```

(listing continued on page 155)

As from August
there could be a
NEW magazine
in your life ...

micro business



● Micro Business is designed to bridge the gap between those who are producing microcomputer hardware and software and those who are selling it.

● Micro Business is the magazine which makes sense of the micro scene, identifying the pitfalls and explaining the complexities of the microcomputer jungle.

● Micro Business is produced by the publishers of Practical Computing; Your Computer; Systems International; Computer Weekly; Electrical & Radio Trading and Electrical & Electronic Trader — Britain's leading journals in the computer and electrical retail markets.

● Micro Business will bring new hardware and software products to the attention of dealers and retail outlets throughout the UK.

That all adds up to an effective marketing and sales aid for companies producing microcomputer hardware and software. And an important source of market information for those at the sharp end — the retailers and dealers who are selling direct to the general public. If you fall into either of these categories please complete the coupon and return it to us, to obtain Micro Business free of charge.

To: Chris Hipwell, Publishing Director, Micro Business, Room 309H, Business Press International Ltd, Quadrant House, The Quadrant, Sutton, Surrey

I am professionally involved in the production and/or sale of microcomputer hardware and/or software products.

Please tick appropriate box(es)

- ☐ Please send me a reader application card so that I can register for free copies of Micro Business.
- ☐ Please send me your advertisement brochure as I am interested in advertising in Micro Business.

Name _____

Job Title _____

Company Name _____

Company Address _____

PC

(continued from page 153)

and run as though from cassette with the full memory available — f1 is available in case I modify the program and then want to Save it to disc. On some programs this works fine, but on others, maze included, the resulting program in memory becomes corrupted on Running.

Consequently there is no option but to Chain such programs in from tape every time, setting Page equal to &E00 beforehand, which works albeit tediously. Any ideas on why or the correct approach will be gratefully received.

Orbit

A brave attempt by Michael Griffin to duplicate the programs of Nasa on a micro results in a game which is great fun to play. Orbit is set up to emulate the docking operation with a station in a decaying circular orbit around the sun.

To be in a decaying orbit involves a loss of energy from the craft. The loss can be very slow, as in tidal drag, or more rapid through hitting the increasingly less tenuous atmosphere. Ignoring tidal forces as minimal in this case, the station must be horrifyingly close to the surface of the sun

for friction to be slowing it up. At any acceptable distance the station just revolves in identical orbits without decay.

Another unusual feature arises from the orbits being circular. Before Kepler, the whole of astronomy was based on circles, and very complicated it became too. Kepler's great simplification was to say that for a given average orbit radius the circle is but one possibility out of an infinite number of elliptical orbits, and as such a special case.

Using the generalised elliptical orbit it

(continued on next page)

(listing continued from page 153)

```

840 IF (FNMAZE(X,Y) AND DR)<>0 OR
(FNMAZE(X+XDZ(RDIR)+XDZ(DIR),Y+YDZ(R
DIR)+YDZ(DIR)) AND LD)=0 ENDPROC
850 MOVES1Z+S3Z,S1Z:MOVES1Z,S1Z:PL
OT85,S1Z,-S1Z:MOVES1Z+S3Z,-S1Z:PL0T8
5,S1Z+S3Z,S1Z
860 ENDPROC
870 DEF PROCENDWALL(SIZE)
880 S1Z=SIZE
890 IF X=OUTZ AND Y=10 GCOL0,1:MOV
E-S1Z,-S1Z:MOVES1Z,-S1Z:PL0T85,-S1Z,
S1Z:MOVES1Z,S1Z:PL0T85,S1Z,-S1Z:GCOL
0,3
900 MOVE-S1Z,-S1Z:DRAWS1Z,-S1Z
910 MOVE-S1Z,S1Z:DRAWS1Z,S1Z
920 ENDPROC
930
940 Maze creation subroutine
950
960 DEF PROCMAKE:TIME=0
970 FORXZ=0T09:FORYZ=0T09:MZ(X,Y,
Z)=15:NEXT:NEXT
980 XZ=RND(8):YZ=RND(3):SXZ=XZ:SYZ
=YZ:DZ=0
990 TZ=0:REPEAT:REPEATCZ=0:REPEATR
EPEATCZ=CZ+1:DZ=(DZ+RND(4))MOD4:NXZ=
XZ+XDZ(DZ):NYZ=YZ+YDZ(DZ):UNTIL(NXZ<
=9 AND NXZ>=0 AND NYZ<=9 AND NYZ>=0)
:UNTILMZ(NXZ,NYZ)=15 OR CZ>5
1000 IF CZ<6 MZ(XZ,YZ)=MZ(XZ,YZ
)AND NOT(2^DZ):XZ=NXZ:YZ=NYZ:MZ(XZ,Y
Z)=MZ(XZ,YZ)AND NOT(2^(DZ+2)MOD4)):
TZ=TZ+1
1010 UNTILCZ>5
1020 REPEATXZ=RND(8):YZ=RND(8):UN
TILMZ(XZ,YZ)<>15:UNTILTZ>=95 OR TIME
>4000
1030 OUTZ=RND(8):LZ=9:MZ(OUTZ,LZ)=M
Z(OUTZ,LZ)AND NOT4:REPEATMZ=MZ(OUTZ
,LZ-1):MZ(OUTZ,LZ)=MZ(OUTZ,LZ)AND NO
T 1:LZ=LZ-1:MZ(OUTZ,LZ)=MZ(OUTZ,LZ)A
ND NOT 4:UNTILMZ<>15
1040 FORXZ=0TOMBZMOD20:XZ=RND(8):YZ
=RND(8):MZ(XZ,YZ)=MZ(XZ,YZ)OR 16:NE
XT
1050 PROCCAGES(4,SXZ,SYZ)
1060 PRINTTAB(0,30)"Press any key t
o continue":A=GET
1070 PROCCHAP(SXZ,SYZ)
1080 ENDPROC
1090
1100 User move subroutine
1110
1120 DEF PROCMOVE
1130 *FX15
1140 REPEATAS=INKEY$(0):PRINTTAB(35
,0):120-(TIME DIV100) " "
1150 IF FNMAZE(XZ,YZ) AND 32 SOUN
DRND(3),2,0,20
1160 UNTILTIME>12000 OR A<>"":IF
TIME>12000 PROCTIMOUT
1170 IFA$="I" PROCFORWARD
1180 IFA$="K" D=D+1:IF D>3 D=D-4
1190 IFA$="B" PROCBLAST:PROCCAGES(1
,XZ,YZ)
1200 IFA$="J" D=D-1:IF D<0 D=D+4
1210 IFA$="M" D=(D+2)MOD4
1220 IFA$="H" PROCCHAP(XZ,YZ)
1230 IFA$="C" MZ(XZ,YZ)=MZ(XZ,YZ)O
R 64
1240 ENDPROC
1250 DEF PROCFORWARD
1260 IF FNMAZE(XZ,YZ) AND 2^D PRINT
"You hit the wall!!":SOUND0,-15,6,10
:FORXZ=0T05000:NEXT:ENDPROC
1270 IF FNMAZE(XZ,YZ) AND 32 PRINT"
Ha Ha.. You are trapped.":EFLZ=TRUE:
ENDPROC
1280 XZ=XZ+XDZ(D):YZ=YZ+YDZ(D):IF X
Z=OUTZ AND YZ=10 PROCESCAPE
1290 IF(FNMAZE(XZ,YZ) AND 16)<>0 SO

```

```

UND1,1,100,20:SOUND2,1,100,20:SOUND3
,1,100,20:MZ(XZ,YZ)=MZ(XZ,YZ)AND NO
T 16:GZ=GZ+1:IFGZMOD2=1 BLZ=BLZ+1
1300 ENDPROC
1310
1320 Map drawing routine
1330
1340 DEF PROCMAP(X,Y):LOCALXZ,YZ,AZ
,BZ
1350 CLS:PRINT"Here is a map":SZ=-
32:FORXZ=0T09:FORBZ=0T09
1360 XZ=AZ*64-320:YZ=BZ*64+320
1370 IFMZX(AZ,BZ) AND 1 MOVEXZ-S
Z,YZ-SZ:DRAWXZ+SZ,YZ-SZ
1380 IFMZX(AZ,BZ) AND 2 MOVEXZ-S
Z,YZ-SZ:DRAWXZ-SZ,YZ+SZ
1390 IFMZX(AZ,BZ) AND 4 MOVEXZ+S
Z,YZ+SZ:DRAWXZ-SZ,YZ+SZ
1400 IFMZX(AZ,BZ) AND 8 MOVEXZ+S
Z,YZ+SZ:DRAWXZ+SZ,YZ-SZ
1410 IFAZ=X AND BZ=Y VDUS:MOVEX
Z-16,YZ+16:PRINT"":VDU4:FE00=&102
70A
1420 IFMZX(AZ,BZ) AND 64 GCOL0,2
:MOVEXZ-SZ,YZ-SZ:DRAWXZ+SZ,YZ+SZ:MOV
EXZ+SZ,YZ-SZ:DRAWXZ-SZ,YZ+SZ:GCOL0,3
1430 IFMZX(AZ,BZ) AND 16 SZ=SZ
DIV 4:GCOL0,2:MOVEXZ-SZ,YZ-SZ:MOVE
XZ+SZ,YZ-SZ:PL0T85,XZ+SZ,YZ+SZ:M
OVEXZ-SZ,YZ+SZ:PL0T85,XZ-SZ,YZ-SZ
Z:GCOL0,3
1440 IFMZX(AZ,BZ) AND 32 GCOL0,1
:SZ=SZ-SZ*8:MOVEXZ-SZ,YZ-SZ:DRAWXZ+
SZ,YZ-SZ:DRAWXZ+SZ,YZ+SZ:DRAWXZ-
SZ,YZ+SZ:DRAWXZ-SZ,YZ-SZ:GCOL0,3
1450 *FX15
1460 NEXT:NEXT:PRINTTAB(0,30)"P
ress any key to continue.":A=GET:END
PROC
1470
1480 Game ends
1490
1500 DEF PROCESCAPE:T=TIME DIV100
1510 CLS:SOUND0,-15,7,50:FORBZ=0T03
:FORXZ=0T0255STEP5:SOUND1,0,AZ,0:NEX
T:NEXT
1520 PRINT"Well done! You have esca
ped from the""maze."
1530 PRINT"You got out in ";T;" sec
onds."" with ";GZ;" gold bars."
1540 *FX15
1550 *FX12 6
1560 *FX11 30
1570 *FX4
1580 IF T<STZ OR GZ>MBZ INPUT"Plea
se enter your name "N$
1590 IF T<STZ ST$=N$:STZ=T
1600 IF GZ>MBZ MB$=N$:MBZ=GZ
1610 PRINT""Most bars by "MB$" (";
MBZ;" bars)""Shortest time by "ST$
" (";STZ;" seconds)"
1620 EFLZ=TRUE:ENDPROC
1630 DEFPROCIMOUT:CLS:FORXZ=6T0155
TEP3:FORXZ=255T00STEP-SZ
1640 SOUND1,-15,AZ,1
1650 SOUND2,-15,AZ,1
1660 SOUND3,-15,AZ,1:NEXT:NEXT:
PRINT"You ran out of time."
1670 EFLZ=TRUE:ENDPROC
1680 DEF PROCINSTS
1690 CLS:PRINT""3D Maze (C) Andy
Armstrong 1982 ""
1700 PRINTSTRING$(39,"")""You are
stuck in a maze, the exit of""whic
h is a red panel in the wall."" You
have two minutes to find this and""
"escape."" Your controls are:"TAB(
20,10)"I"TAB(19,11)"J"K"TAB(20,12)"M
"
1710 PRINT""H(elp : Look at map.""
"B(last: Blast a wall (3 shots only)
.""C(cross: Mark cell with a cross."

```

```

1720 PRINT""GOOD LUCK"
1730 ENDPROC
1740
1750 Special effects
1760
1770 DEF PROCBOLD_BAR(SIZE):GCOL0,2
1780 IF SIZE<10 ENDPROC
1790 S1Z=SIZE*1.7:HZ=SIZE/5:DZ=SIZE
/10:WZ=SIZE/2:BWZ=SIZE/2.2
1800 MOVE-WZ,-S1Z:MOVE-WZ,-S1Z+HZ:P
LOT85,WZ,-S1Z+HZ
1810 MOVEWZ,-S1Z:PL0T85,-WZ,-S1Z
1820 MOVE-WZ,-S1Z+HZ:MOVEWZ,-S1Z+HZ
:PL0T85,BWZ,-S1Z+HZ+DZ
1830 MOVE-BWZ,-S1Z+HZ+DZ:PL0T85,-WZ
,-S1Z+HZ
1840 GCOL0,0:MOVE-WZ,-S1Z+HZ:DRAWWZ
,-S1Z+HZ
1850 GCOL0,3:ENDPROC
1860 DEF PROCBLAST
1870 IF (XZ=9 AND D=1)OR(XZ=0 AND D
=3)OR(YZ=0 AND D=0)OR(YZ=9 AND D=2)
ENDPROC
1880 BLZ=BLZ-1:IFBLZ<0ENDPROC
1890 SOUND0,-15,7,5:FORXZ=255T0160S
TEP-1:SOUND1,0,AZ,0:NEXT
1900 MZ(XZ,YZ)=MZ(XZ,YZ)AND NOT(2
^D)
1910 MZ(XZ+XDZ(D),YZ+YDZ(D))=MZ(XZ+
XDZ(D),YZ+YDZ(D))AND NOT((2^(D+2)
MOD4)OR32)
1920 ENDPROC
1930 DEF PROCBATE(SIZE):LOCALXZ
1940 S1Z=SIZE*2
1950 GCOL0,1
1960 FORXZ=-S1Z TO S1Z STEP SIZE/2.
2:MOVEXZ,YZ-S1Z:DRAWXZ,YZ+S1Z:MOVEYZ
-S1Z,XZ:DRAWYZ+S1Z,XZ:NEXT
1970 GCOL0,3:ENDPROC
1980 DEF PROCCAGES(N,UX,UY)
1990 LOCALXZ,YZ,AZ
2000 FORXZ=1T0N:REPEATXZ=RND(8):YZ=
RND(8):UNTILXZ<>UX OR YZ<>UY:MZ(XZ,Y
Z)=MZ(XZ,YZ)OR 32:NEXT:ENDPROC
2010 DEF PROCSIDEGATE(SIDE$,SIZE)
2020 IF S<10 ENDPROC
2030 LOCALSTZ,S1Z,STX,GRX
2040 GCOL0,1
2050 IFSIDE$="L" STZ=-1 ELSE STZ=1
2060 S1Z=SIZE*2+STZ:S2Z=SIZE+STZ
2070 FORGRZ=S1ZTOS2ZSTEP5GN(S2Z-S1Z
)* (SIZE/8.8):MOVEGRZ,-GRZ:DRAWGRZ,GR
Z:NEXT
2080 FORGRZ=S1ZTOS1ZSTEP 5GN(-S1Z)
*(SIZE/2.2)
2090 MOVES1Z,GRZ:DRAWS2Z,GRZ DIV
2:NEXT:GCOL0,3:ENDPROC

```

Relocation routine.

```

>WIDTH36
>LIST01
>REM TO SHIFT DOS-LOADED PROGS
>REM TO CASSETTE-BASED "E00
>REM WHEN THEY WON'T OTHERWISE
>REM FIT INTO MEMORY
>LOAD"SHIFT"
>
>LIST
10 *KEY 0 FORXZ=&1900TOTOP STEP4:
!(AZ-&B00)=!(AZ):NEXTAZ:PAGE=&E00:MO
LD:M
15 *KEY 1 FORXZ=TOP TO &E00STEP-4
:!(AZ-&B00)=!(AZ):NEXTAZ:PAGE=&1900:
MOLD:M
20 END

```


(continued from previous page)

became possible to describe the solar system as a simple series of elliptical orbits about the central sun, complicated only by moons and the interaction between planets themselves. The process of reorienting astronomy was completed by Newton when he gave the subject a mathematical basis which enabled predictions to be made.

Now, anyone who has a shot at incorporating that lot has my sympathy, though I should be fascinated to see the result. I doubt, however, whether the lack of agreement between Orbit and Nasa's version of reality makes it any less exciting to play.

Seaspray

A program from C Galbraith of Kilmarnock shows the effect of the white-noise generator. He suggests it might remind you of breakers in a cove. The listing demonstrates the extent to which the Sound and Envelope commands in BBC Basic allow an exact specification to be made of what, in previous levels of Basic, would have taken a lot more

program, incorporating areas of machine code. The missing code is embodied in the sound-generating hardware, with its own microprogram. If you cannot accept the limitations which allow this program to be written there is nothing to stop you from going back to square one and programming from scratch.

Line 80 is misleading in that it does not mean what it might appear to;

65 or 70

has a single value to Basic of 71, being an Oring of the bits in the two binary numbers 100001 and 100111. Hence only one time in 98 will be selected, not two.

Saucy

This program from Jennie Page of Lathom near Ormskirk generates a graphics screen on which a sauce bottle is seen to fill with sauce. A message then appears, and on pressing a key or after a set pause the bottle suddenly empties and the cycle recommences. The listing demonstrates the use of Colour, GCol, Move and Draw in several variations and provides a useful introduction from which beginners may benefit.

Orbit.

```
*REM ORBIT
>LIST
10 MODE7
20 VDU&81:PRINT"ORBIT-INSTRUCTION
S""
30 VDU&82:PRINT"YOU MUST DOCK WIT
H THE SPACE STATION":VDU&82:PRINT"IN
THE SHORTEST POSSIBLE TIME"
40 VDU&83:PRINT"W MOVES YOUR ORBI
T OUTWARDS"
50 VDU&84:PRINT"X MOVES YOUR ORBI
T INWARDS"
60 VDU&86:PRINT"PRESS ANY KEY TO
START"
70 AS=GETS
80 MODE1
90 O=0:P=RND(180)
100 VDU23,224,32+16+8+4,16+8,255-6
5,255,255,255-65,16+8,32+16+8+4
110 VDU23,245,8+16,4+8+16+32,255-1
29,255,255,255,255-129,255-68
120 VDU19,3,1,0,0,0
130 GCOL1,2
140 FOR AX=1TO100
150 PLOT 69,RND(1280),RND(1024)
160 NEXT
170 PROCCIRCLE(640,512,50)
180 TIME=0
190 X%=640-RND(1280):Y%=512-RND(10
24)
200 SX%=640-RND(1280):SY%=512-RND(
1024)
210 ZX=FNDIST(ZX)
220 SZX=FNSDIST(SZX)
230 IF SZX<50 THEN MODE4:PRINT"YOU
LOST, THE SATELLITE FELL INTO THE S
UN":REPEAT:UNTIL INKEY(-99):RUN
240 IF ZX<70 THEN SOUND0,-15,5,50:
MODE4:PRINT"YOU LOSE, YOUR SHIP FELL
INTO THE SUN":REPEAT:UNTIL INKEY(-99
):RUN
250 IF (XX-SX<5 AND YX-SY<5)AND(
SX%-XX<5 AND SYX-YX<5) THEN MODE4:PR
INT"WELL DONE, YOU RESCUED THE SATELL
ITE WITH A TIME OF ";TIME/100:REPEAT
:UNTIL INKEY(-99):RUN
260 VDU5
270 GCOL2,2
280 MOVE XX+640,YX+512:PRINTCHR$(2
45)
290 MOVE SX%+640,SYX+512:PRINTCHR$(
224)
300 GCOL1,1
```

Seaspray.

```
10 ENVELOPE1,3,0,-2,-1,2,2,30,50,
-1,-12,-2,126,126
20 REPEAT
30 D=RND(3)+3
40 FORC=1TO28
50 READB
60 FORA=1TO4
70 SOUND0,-B,D,1
80 IFRND(98)=(65 OR 71)THENSOUND1
,1,200,7
90 NEXT
100 NEXT
110 RESTORE
120 UNTIL FALSE
130 DATA1,1,1,2,2,3,5,8,15,15,15,1
4,13,12,11,10,9,8,7,6,5,4,3,2,1,1,1,
1
310 PROCMOVE
320 PROCMOVE
330 MOVE X%+640,YX+512:PRINTCHR$(2
45)
340 MOVE SX%+640,SYX+512:PRINTCHR$(
224)
350 GOTO210
360 END
370 DEFPROCIRCLE(X,Y,R)
380 LOCAL XI,YI
390 FOR XI=X-R TO X+R STEP 4
400 YI=SQR(R*R-(X-XI)^2)
410 MOVE XI,Y-YI
420 DRAW XI,Y+YI
430 NEXT
440 ENDPROC
450 DEFFNDIST(ZX)=SQR(XX^2+YX^2)
460 DEFFNSDIST(SZX)=SQR(SX^2+SYX^
2)
530 DEFPROCMOVE
540 AS=INKEY$(0)
550 *FX15,0
560 IF AS="W" THEN ZX=ZX+10:SOUND0
,-10,4,1
570 IF AS="X" THEN ZX=ZX-10:SOUND0
,-10,4,1
580 XX=SIN(O)*ZX
590 YX=COS(O)*ZX
600 IF O=180 THEN O=0
610 O=O+((648000)/(2*PI*ZX)^2)
620 ENDPROC
630 DEFPROCMOVE
640 SX=SIN(P)*SZX
650 SYX=COS(P)*SZX
660 IF P=180 THEN P=0
670 P=P+((648000)/(2*PI*SZX)^2)
680 ENDPROC
```

Saucy.

```
10 REM * Saucy *
20 REM * by J Page *
30 REM * (c) 1983 *
40 MODE 1
50 COLOUR 131
60 CLS
70 COLOUR 0
80 GCOL 0,0
90 MOVE 500,100
100 DRAW 400,100
110 DRAW 400,400
120 DRAW 500,700
130 DRAW 500,800
140 DRAW 600,800
150 DRAW 600,700
160 DRAW 700,400
170 DRAW 700,100
180 DRAW 500,100
190 GCOL 0,1
200 FOR X=404 TO 698
210 MOVE X,104
220 DRAW X,400
230 NEXT X
240 Y=700
250 X=504
260 REPEAT
270 MOVE X,Y-400
280 DRAW X,Y
290 X=X+1
300 UNTIL X=600
305 X=405
310 GCOL 0,1
320 Y=395
330 Z=401
340 REPEAT
350 MOVE X,Y
360 DRAW X,Z
370 X=X+1
380 Z=Z+3
390 UNTIL Z>695
400 X=X+96
410 Z=Z-5
420 REPEAT
430 MOVE X,Z
440 DRAW X,Y
450 X=X+1
460 Z=Z-3
470 UNTIL X>695
480 GCOL 0,3
490 X=450
500 REPEAT
510 MOVE X,150
520 DRAW X,350
530 X=X+1
540 UNTIL X>650
550 GCOL 0,3
560 X=500
570 Y=350
580 REPEAT
590 MOVE X,Y
600 DRAW X,Y+50
610 X=X+1
620 UNTIL X=600
630 X=475
640 Y=375
650 Z=400
660 REPEAT
670 MOVE X,Y
680 DRAW X,Z
690 X=X+1
700 Y=Y-1
710 UNTIL Y=350
720 X=625
730 Y=375
740 REPEAT
750 MOVE X,Y
760 DRAW X,Z
770 X=X-1
780 Y=Y-1
790 UNTIL Y=350
800 GCOL 0,0
810 VDU 5
820 MOVE 475,335
830 PRINT"HEINZ"
840 MOVE 100,400
850 PRINT"Are you feeling saucy to
day?"
860 VDU 4
870 AS=INKEY$(1000)
880 CLS
890 REM *** Add line 900 to keep r
epeating the program ***
900 GOTO 70
```


IBM PC
VERSION NOW AVAILABLE

APPLE USERS

BACK UP VISICALC AND ALL YOUR VISIS QUICKLY AND SIMPLY

Copy II Plus is a versatile software back-up system, capable of backing up all visis, as well as most other protected software.

Its fast — only 45 seconds for Fast Copy, less than three minutes for Bit Copy.

Its simple — menu driven for ease of use with full instructions on backing up dozens of popular programs.

Its comprehensive — it includes all the file handling and DOS utilities you will ever need.

Its priced right — at around half the cost of similar competing products.

Copy II Plus — only £35 + V.A.T.

**COPY II PLUS
COPY
COPY
COPY
ORCHARD
SOFTWARE**

Send cash with order, or quote your Access or Diners card number to:


Orchard Software, 17, Wigmore Street, London W.1. Telephone 01-580-5816. Dealer enquiries welcome.

● Circle No. 171

FLOPPY DISC DRIVES

★ Superbrain ★ Apple ★ Dragon ★ BBC Micro ★ Acorn ★ Atom ★ Video Genie ★ TRS 80 ★ S 100 ★
★ Cromemco ★ Nascom ★ Torch ★

The Tandon professional range of 5¼" and 8" disc drives complete with cabinet and power supply, plus support and backup from Europe's largest distributor of disc technology.



5¼" Drives

	Single Drive		Dual Drive	
	Capacity	£	Capacity	£
SS SD	250Kb	165	500Kb	309
DS SD	500Kb	214	1000Kb	407
SS DD	500Kb	210	1000Kb	400
DS DD	1000Kb	267	2000Kb	512

8" Drives

SS DD	800Kb	570	1600Kb	870
DS DD	1600Kb	658	3200Kb	1048

SO MUCH SPACE, WE'RE OUT OF THIS WORLD

HAL Computers Limited
Invincible Road, Farnborough
Hampshire, GU14 7QU
Telephone (0252) 517171, Telex 858404
Order by phone or by post with Access.



HAL
COMPUTERS LIMITED

● Circle No. 187



EPSON HX-20

Morse code

IF YOU THOUGHT that Morse code went out with the *Boy's Own Paper* you may be right. Yet it lives on in several demonstration routines for micros — and now M J Bates of Chelmsford, Essex has written one for the Epson portable.

Now you can send Morse messages while you are in the bath.

Morse code.

```
10 REM TAPCNT=328
20 CLS
30 DIM A(26)
40 FOR I=1 TO 26
50 READ A(I)
60 NEXT I
70 INPUT:C$
80 IF C$="" THEN STOP
90 J=1
100 A$=MID$(C$,J,1)
110 IF A$="" THEN GOTO 7
120 IF A$=" " THEN GOTO 280
130 A=ASC(A$)
140 A=A-64
150 A=A(A)
160 A$=STR$(A)
170 B$=LEFT$(A$,2)
180 FOR I=2 TO 5
190 B$=MID$(A$,I,1)
200 IF B$="2" THEN SOUND
25,1
210 IF B$="1" THEN SOUND
25,3
220 IF B$="" THEN GOTO 2
50
230 SOUND 0,1
240 NEXT I
250 SOUND 0,2
260 J=J+1
270 GOTO 100
280 SOUND 0,5
290 GOTO 260
300 DATA 21,1222,1212,12
2,2,2212,112,2222,22,211
,121,2122,11,12,111,2112
,1121,212,222,1,221,2221
,211,1221,1211,1122
```

SHARP MZ-80K

Road Runner

WE ARE regular readers of *Practical Computing* but have found few programs for the Sharp MZ-80K. So write John Bethell and Charles Henderson of Edinburgh, who remedied the situation by writing one.

Road Runner is an original game written in disc Basic. it will run on any Sharp MZ-80K and uses about 8K of memory. It could be converted for other computers.

The object is to steer your road runner along an endless track, avoiding deadly

snakes basking on the road. If you leave the track you die instantly. Fuller instructions are included in the game.

Lines 1-20. Title, ask if you want instructions.

Lines 20-36. Display instructions

Lines 37. A\$ is part of the road; C is the distance of the road from the left-hand side; F is the screen location of the road runner; J is the display code for the road runner

Lines 38-55. Display a comical picture of a road runner

Lines 56-94. Main routine

Line 59. Sets timer at 0

Lines 98-119. Display score

Lines 120-124. Display random snake and house

Road Runner.

```
1 REM*****
2 REM*** ROAD RUNNER ***
3 REM*** By ***
4 REM***
5 REM*** J.Bethell ***
6 REM*** C.Henderson ***
7 REM*****
8 CLR
9 DC=0
10 PRINT"0"
11 FORX=0TO79:SETX,0:SETX,49:NEXTX
12 FORY=0TO49:SET0,Y:SET79,Y:NEXTY
13 CURSOR7,12
14 PRINT"DO YOU WISH INSTRUCTIONS"
15 PRINT"*****"(Y/N)
16 TEMP06
17 MUSIC"0567R0B5"CD"87R0"87"6"
18 GETAS$
19 IFAS$="Y"THEN23
20 IFAS$="N"THEN37
21 GOTO18
22 REM***INSTRUCTIONS***
23 PRINT"0"
24 PRINT"*****INSTRUCTIONS"
25 PRINT"*****"
26 PRINT"*****TO MOVE YOURSELF (<:CHR$(99):>) USE : "
27 CURSOR7,9
28 PRINT"A++ Z+ "CHR$(99):" +C ++D"
29 PRINT"00 YOU ARE A ROAD-RUNNER BEING CHASED BY
30 PRINT
31 PRINT "A HUNGERY COYOTE.YOU CAN EASILY OUT-RUN"
32 PRINT:PRINT "HIM, SO THIS IS THE LEAST OF YOUR "
33 PRINT:PRINT "PROBLEMS. YOU HAVE TO STAY ON THE TRACK"
34 PRINT:PRINT "AVOIDING SNAKES(<:CHR$(105):>), OR YOU WILL CRASH."
35 PRINT"*****PRESS ANY KEY"
36 GETET$:IFET$=""THEN36
37 A$=" " B$=" " C=15:F=53267:J=202
38 PRINT"*****ROAD-RUNNER"
39 PRINT"*****"
40 PRINT"*****PRESS ANY KEY TO START"
41 PRINT"00"
42 PRINT"
43 PRINT"
44 PRINT"
45 PRINT"
46 PRINT"
47 PRINT"
48 PRINT"
49 PRINT"
50 PRINT"
51 PRINT"
52 PRINT"
53 TEMP05
54 FORME=1TO100:NEXTME:MUSIC"B1R0B1"
55 GETHA$:IFHA$=""THEN55
56 PRINT"0"
57 REM***MAIN ROUTINE***
58 FORQ=1TO30:PRINTTAB(C):A$:NEXTQ
59 TI$="000000"
60 B=INT(3*RND(1)+1)
61 L=INT(20*RND(1)+1)
62 IFB=1THENC=C-1
63 IFC=1THENGOTO87
64 IFC=2THENGOTO88
65 IFB=1THENA$=" "
66 IFB=2THENC=C+1
67 IFC=32THENGOTO89
68 IFC=31THENGOTO90
69 IFB=2THENA$=" "
70 IFB=3THENC=C
71 IFB=3THENA$=" "
72 POKEF,J
73 GETR$
74 IFR$="Z"THENGSUB91
75 IFR$="C"THENGSUB92
76 IFR$="A"THENGSUB93
77 IFR$="D"THENGSUB94
78 IFL=10THENGOTO 120
79 IFL=14THENGSUB121
80 IFL=7THENGSUB123
81 PRINTTAB(C):A$
82 K=PEEK(F)
```

(continued on page 160)



Everything for the Acorn and BBC microcomputer user.

ACORN USER EXHIBITION

Cunard International Hotel

Hammersmith,
25-28 August 1983

FIRST
PUBLIC
SHOWING OF
ACORN'S NEW
ELECTRON
MICRO

The Acorn User Exhibition at the Cunard, Hammersmith will house the largest display of Acorn products ever assembled under one roof. It will be four days of non-stop entertainment and education for parents and children alike.

The new Electron, the second processors for the BBC micro, the BBC Buggy, all the new software and hardware will be on show. There'll be competitions, prizes, Acorn experts to answer your technical questions, demonstrations and lots and lots of bargains.

If you are an Acorn owner, or just thinking about being one, you can't afford to miss it.

Opening hours: August 25th-27th,
10am-7pm; August 28th, 10am-4pm.

Admission charges: Adults £2 per ticket, Children £1 per ticket.

We have arranged for nearly every exhibitor to redeem the cost of your ticket when you buy something from their stand.


Group rates: 10% discount for parties of 10 or more.

Buses: Frequent services from central London.

Tubes: Hammersmith Broadway — Metropolitan, District and Piccadilly lines.

Car Parking: Several car parks in the immediate area.

For details of exhibition stands and advance ticket sales contact Computer Marketplace Ltd, 20 Orange Street, London WC2H 7ED. Tel: 01-930 1612.



ADVANCE BOOKING COUPON Miss the queue — buy your tickets in advance.

Computer Marketplace Ltd, 20 Orange Street, London WC2H 7ED.

Please send _____ Adult tickets at £2 _____ Childrens tickets at £1

I enclose a cheque/postal order value £ _____ payable to Computer Marketplace Ltd.

Name _____

Address _____

PC8/83

● Circle No. 188

APPLE II & IIe COMPATIBLE DRIVES

The quality of a drive from Tandon — the experience, technical support and manufacturing skill of HAL Computers combine to give the best in Apple II compatible packaged drives. Single and dual units with capacities up to 3.2 Mb, full one year warranty, fully plug compatible with Apple II, and IIe.


8" FROM £931 TO £1426

Phone us now on 0252 517171 for full details.

SO MUCH SPACE, WE'RE OUT OF THIS WORLD

HAL Computers Limited
Invincible Road, Farnborough
Hampshire, GU14 7QU
Telex 858404

Order by phone or by post with Access.



HAL
COMPUTERS LIMITED

● Circle No. 189

LYNX

Recovering programs

CONTRARY to what the manual states, it is possible to recover Basic programs on the Lynx after typing New, writes Chris Cytera of Reading, Berkshire. All that is required is a machine-code program which removes a marker from the Basic text space and sets up a relevant pointer in the system RAM.

When you type New the computer inserts an End of Text marker right at the beginning of the Basic text space. The marker is the byte 80 hex, and replaces the exponent of the very first line number of the program present. A pointer at locations 61FC and 61FD, which points to the end of the program, is then reset to point to the beginning of the Basic text area. Fortunately, the contents of memory are not destroyed.

In order to recover the program that has been Newed, the first step is to replace the exponent of the first line number, removing the End of Text marker. As it is not possible to know the exponent value prior to when New was typed, a value of C0 is assumed, which multiplies the mantissa by 10⁰ or 1. This means that the first line number may be altered.

As Basic normally starts at 694D, the statement

POKE &694D, &C0

will appear to recover Basic programs. Unfortunately this does not set up the pointer to the end of the program, which must be done if it is to be edited or if it uses arrays.

At this point the machine-code routine searches through the program for the old

Recovering programs.

```
6343H DD 2A FA 61 LD IX, (61FAH)
6347H DD 36 00 C0 LD (IX+00H), C0H
634BH 06 00 LD B, 00H
634DH DD 7E 00 LD A, (IX+00H)
6350H FE 80 CP 80H
6352H 28 07 JR Z, 635BH
6354H DD 4E 05 LD C, (IX+05H)
6357H DD 09 ADD IX, BC
6359H 18 F2 JR 634DH
635BH DD 22 FC 61 LD (61FCH), IX
635FH C9 RET
```

End of Text marker, which is still present. When it is found, its location is put into locations 61F and 61FD.

To type in the program, enter the monitor and use M6343. This address is actually within the cassette file name buffer. The machine code will be safe in this area, provided that file names are restricted to 51 characters in length.

When the hexadecimal code has been entered, go back to Basic and type in a program. Enter New to delete it. Now for the crunch: execute the machine code with Call &6343. The Basic program should be recovered, possibly with the first line number altered.

When you are satisfied that the machine code is working correctly, save it through the monitor with

D 6343 635F 6343 'OLD'

Old is the file name I have used for reasons of familiarity with two other well-known computers.

Whenever you lose a Basic program by typing New, or by resetting the Lynx it can be recovered by MLoad 'Old'. The Z-80 Reset pin is available on the socket labelled Interface. The machine code will execute automatically when it is loaded. If it is already in memory, then just Call &6343.

BASIC ROUTINE

Mouse maze

THIS MBASIC PROGRAM was inspired by the article on the direction-finding mouse by Roy Sayers in the October 1982 issue. It will run on any system that supports a 24 by 80 screen and an addressable cursor.

The program has three phases. First it builds a random maze of 20 columns by 10 rows. This is a "perfect" maze, in that there is only one shortest route, and both a left-hand wall follower and a right-hand wall follower will eventually reach the exit, having covered the whole maze between them. The program then solves the maze, using Roy Sayers' algorithm. Finally, the operator is invited to have a go at solving the maze. The operator has the same information as the mouse: the current square, the route followed so far and the position of the exit.

Two "bugs" remain in the algorithm. The mouse has no way of detecting that it has isolated a portion of the maze and need not investigate it. Assuming that the entry is at the top and the exit at the bottom, if the mouse enters the maze and eventually runs into the left wall then all turns to the left can now be eliminated. The exit must be to the right of and below the path. Adding this intelligence would make a significant contribution to the speed of the solution.

Secondly, the mouse will oscillate back and forth along a track that represents an equidistant path from the exit whenever there is unexplored territory at both ends of the path. As soon as all territory at one end of the path has been explored then the whole path will be closed off. Until this happens a considerable amount of time is wasted in back-tracking. Humans have an advantage in this situation, as they tend to explore a path to its end before backtracking, even if it appears to be leading away from the exit. Comments on both these failings are included in the description, so the hardy might like to attempt to improve the algorithm.

Line numbering is in steps of 10 so the Auto command can be used. Names have generally been kept to one letter to facilitate conversions to other Basics, but some special functions may have to be recoded. The code is fully compatible with the Microsoft Basic compiler.

Lines 1-90. Initialise. CHR\$(26) is the Clear Screen command. Line 50 is one way of generating the Randomise function

Lines 100-110. Select a starting square and draw it

Lines 120-220. Select a search direction for expanding the maze, and search for a frontier cell, -1

Lines 230-270. Search for any remaining frontier cells and 120 to 220 until none left

Lines 280-330. Select entry and exit points and redraw appropriate cells

Lines 340-380. Copy the maze into the mouse's private array, then place him at the entry

Lines 390-420. Calculate the distances to

(continued from page 158)

```
83 IFK=32 THEN G60
84 IFK=J THEN G60
85 IFK<0 THEN G60T096
86 G60T060
87 C=C+2:G60T060
88 C=C+1:G60T060
89 C=C-2:G60T060
90 C=C-1:G60T060
91 F=F-1:RETURN
92 F=F+1:RETURN
93 F=F-2:RETURN
94 F=F+2:RETURN
95 REM***CRASH ROUTINE***
96 POKEF,107:FORDF=1T0500:NEXTDF
97 MUSIC"ADADADADREBEBEBEADADABC":FORTV=1T0500:NEXTTV
98 PRINT"G"
99 FORT=1T04
100 USR(68)
101 REM***DISPLAY SCORE***
102 PRINT"00000000000000000000YOU HAVE CRASHED!!"
103 FORTV=1T0100:NEXTV:USR(71)
104 PRINT"00000000000000000000"
105 FORTV=1T0100:NEXTV:NEXTRT
106 PRINT"00000000000000000000YOU LASTED FOR :VAL(TI*):" SECONDS"
107 PRINT"00000000000000000000HIGH SCORE"
108 IF VAL(TI*)>DCTHENDC=VAL(TI*):TEMP07:G60T0110
109 G60T0111
110 MUSIC"D5_E_G7R6_G7R6_G5_A5_BCD7R0D7R0D7_B7":G60T0113
111 PRINTDC
112 G60T0115
113 PRINTDC
114 PRINT"0000YOU HAVE BEATEN THE HIGH SCORE"
115 PRINT"00000 YOU WISH ANOTHER GAME?"
116 GETAS#
117 IFAS#="V" THEN 37
118 IFAS#="N" THEN PRINT"0":END
119 G60T0116
120 PRINTTAB(C):MID$(A$,1,4):CHR$(105):MID$(A$,6,8):G60T082
121 POKE54208+C+10+B,50:POKE54209+C+10+B,51
122 POKE54168+C+10+B,167:POKE54169+C+10+B,160:RETURN
123 POKE54208+C-2+B,50:POKE54209+C-2+B,51
124 POKE54168+C-2+B,167:POKE54169+C-2+B,160:RETURN
```


the exit of each cell adjacent to the current one

Lines 430-510. Any adjacent square that is not accessible from the current square gets a distance value of 99. The last square visited gets a distance value of 50, to discourage back-tracking

Lines 520-540. If there is only one exit from this cell set the V flag so it can be sealed off as a dead end

Lines 550-590. Select shortest path and pass the direction code to the update routine. This is the part to change if the simple shortest-straight-line algorithm is to be improved on

Lines 600-630. Check if you have escaped the maze

Lines 640-650. Delay a little then if you do not want to update the mouse's private array go back to select the next move. If

you want to search the array for "encircled" cells which need not be examined by the mouse you would do so here

Lines 660-680. Close off the entry into the path from which you just moved. The V flag indicates that it is a dead end. If you are working back along a corridor that has been fully explored then the whole corridor will be closed behind you until you reach a cell which has more than one choice

Lines 690-890. A subroutine used in maze building. Examine a random cell adjacent to the selected frontier cell; if it is a maze cell blow the wall away. Keep picking directions until you find one. The rule for setting up the maze and generating frontier cells means that it must be adjacent to a maze cell

Lines 900-980. Clear the screen, display instructions, display the mouse at the entry point and wait for input

Lines 990-1030. Accept commands. Move the mouse and display its cell until it exits

Lines 1040-1100. Display message and repeat or exit

Lines 1110-1200. Subroutine to create frontier cells around a maze cell.

Lines 1210-1330. Print the cell at maze position I, J. The routine uses the vertical bar, but a capital I works nearly as well

Lines 1340-1350. Print I\$ at screen row R and screen column S. This subroutine and CL\$S should be the only machine-dependent parts of the code

Lines 1360-1550. Subroutine to display the move option, reposition the mouse and count the number of moves

Mouse maze.

```
10 REM MAZE
20 DEFINT A-Z:WIDTH 255
30 CL$=CHR$(26)
40 PRINT CL$;"HIT ANY KEY TO START";
50 WHILE INKEY$="" :I=RND*WEND
60 DIM A(10,20),B(10,20),S(4)
70 X=0:P=2:PRINT CL$;"Building the maze -";
80 FOR I=1 TO 10:FOR J=1 TO 20
90 A(I,J)=0:NEXT J:NEXT I
100 I=INT(RND*10)+1
110 A(I,I)=16:J=1:GOSUB 1110
120 A=SGN(RND*2-1)
130 B=1:IF A>0 THEN B=10
140 C=INT(RND*10)+1
150 D=SGN(RND*2-1)
160 E=1:IF D>0 THEN E=20
170 F=INT(RND*20)+1
180 FOR I=C TO B STEP A
190 FOR J=F TO E STEP D
200 IF A(I,J)=-1 THEN 690
210 NEXT J
220 NEXT I
230 FOR I=1 TO 10
240 FOR J=1 TO 20
250 IF A(I,J)=-1 THEN 120
260 NEXT J
270 NEXT I
280 Y=INT(RND*20)+1
290 A(10,Y)=A(10,Y)-2
300 Z=INT(RND*20)+1
310 A(1,Z)=A(1,Z)-8
320 I=1:J=2:GOSUB 1210
330 I=10:J=Y:GOSUB 1210
340 FOR I=1 TO 10:FOR J=1 TO 20
350 B(I,J)=A(I,J):NEXT J:NEXT I
360 I=1:J=2
370 GOSUB 1210
380 R=I*2:S=J*3+1:I$="##":GOSUB 1340
390 S(1)=10-I+ABS(Y-(J+1))
400 S(2)=10-(I+1)+ABS(Y-J)
410 S(3)=10-I+ABS(Y-(J-1))
420 S(4)=10-(I-1)+ABS(Y-J)
430 IF I=1 THEN S(4)=99
440 N=B(I,J)
450 IF N/2=INT(N/2) THEN S(1)=99
460 IF N>8 THEN S(4)=99
470 IF (N>4 AND N<9) OR N>12 THEN S(3)=99
480 IF N/2<>INT(N/2) THEN N=N+1
490 IF N/4=INT(N/4) THEN S(2)=99
500 A=P-2:IF A<1 THEN A=A+4
510 IF S(A)<>99 THEN S(A)=50
520 A=0:FOR K=1 TO 4:IF S(K)<99 THEN A=A+1
530 NEXT K
540 V=0:IF A=1 THEN V=50
550 C=99:FOR K=1 TO 4
560 IF S(K)<C THEN C=S(K):P=K
570 NEXT K
580 K$=MID$("RDLU",P,1)
590 GOSUB 1360
600 IF I<11 GOTO 640
610 R=22:S=1:I$="It took me"+STR$(X)+" goes. "
620 GOSUB 1340
630 GOTO 900
640 FOR K=1 TO 100:A=FRE(A):NEXT K
650 IF V<>50 GOTO 370
660 A=P-2:IF A<1 THEN A=A+4
670 B(I,J)=B(I,J)+2^(A-1)
680 GOTO 370
690 A=INT(RND*4)+1
700 ON A GOTO 710,720,730,740
710 K=I:L=J-1:GOTO 750
720 K=I-1:L=J:GOTO 750
730 K=I:L=J+1:GOTO 750
740 K=I+1:L=J
750 IF K>0 AND K<11 AND L>0 AND L<21 GOTO 770
760 GOTO 780
770 IF A(K,L)>0 GOTO 810
```

```
780 A=A+1
790 IF A>4 THEN A=A-4
800 GOTO 700
810 B=A-2:IF B<1 THEN B=B+4
820 A(I,J)=16-2^(B-1)
830 GOSUB 1210
840 I=I:J=J
850 A(K,L)=A(K,L)-2^(A-1)
860 I=K:J=L:GOSUB 1210
870 I=I:J=J
880 GOSUB 1110
890 GOTO 120
900 R=23:S=30:I$="Hit any Key when Ready "
910 GOSUB 1340
920 I$=INPUT$(1)
930 PRINT CL$;"U=up, D=down, L=left, R=right
940 R=20:S=Y*3+1:I$="::":GOSUB 1340
950 X=0:I=1:J=2
960 GOSUB 1210
970 R=I*2:S=J*3+1
980 I$="##":GOSUB 1340
990 K$=INPUT$(1)
1000 IF INSTR("LRUDlrud",K$)=0 GOTO 990
1010 IF ASC(K$)>90 THEN K$=CHR$(ASC(K$)-32)
1020 GOSUB 1360
1030 IF I<11 GOTO 960
1040 R=22:S=1:I$="WELL DONE !. It took you"+STR$(X)+" goes."
1050 GOSUB 1340
1060 R=R+1:I$="Do you want to go again ?":GOSUB 1340
1070 I$=INPUT$(1):IF I$="" THEN I$="Y"
1080 IF I$="Y" OR I$="y" GOTO 70
1090 IF I$<>"N" AND I$<>"n" GOTO 1040
1100 SYSTEM
1110 K=I:L=J-1:GOSUB 1150
1120 L=J+1:GOSUB 1150
1130 L=J:K=I-1:GOSUB 1150
1140 K=I+1
1150 IF K<1 THEN RETURN
1160 IF K>10 THEN RETURN
1170 IF L<1 THEN RETURN
1180 IF L>20 THEN RETURN
1190 IF A(K,L)=0 THEN A(K,L)=-1
1200 RETURN
1210 N=A(I,J):R=I*2-1:S=J*3
1220 I$="| |":IF N>8 THEN I$="|--|
1230 GOSUB 1340
1240 R=R+1:I$=" "
1250 IF N>12 THEN MID$(I$,1,1)="|"
1260 IF N<9 THEN IF N>4 THEN MID$(I$,1,1)="|"
1270 IF N/2=INT(N/2) THEN MID$(I$,4)="|"
1280 GOSUB 1340
1290 R=R+1:I$="| |"
1300 IF N/2<>INT(N/2) THEN N=N+1
1310 IF N/4=INT(N/4) THEN I$="|--|"
1320 GOSUB 1340
1330 RETURN
1340 PRINT CHR$(27);";";CHR$(R+32);CHR$(S+32);I$;
1350 RETURN
1360 I$=K$:R=22:S=1:GOSUB 1340
1370 I$="..":R=I*2:S=J*3+1:GOSUB 1340
1380 N=A(I,J)
1390 K=INSTR("RDLU",K$)
1400 ON K GOTO 1410,1430,1460,1490
1410 IF N/2<>INT(N/2) THEN J=J+1
1420 GOTO 1500
1430 IF N/2<>INT(N/2) THEN N=N+1
1440 IF N/4<>INT(N/4) THEN I=I+1
1450 GOTO 1500
1460 IF N<9 THEN N=N+8
1470 IF N<13 THEN J=J-1
1480 GOTO 1500
1490 IF N<9 THEN I=I-1
1500 IF I<1 THEN I=1
1510 IF I>10 GOTO 1540
1520 IF J<1 THEN J=1
1530 IF J>20 THEN J=20
1540 X=X+1
1550 RETURN
```


WE DISTRIBUTE HIGH QUALITY TO DEALERS OVER 1500 DEALERS BUY FROM PETE &

NEW FROM:

Orange Micro
Inc.

— the makers of the world famous GRAPPLER interface for the Apple.



The BUFFERED GRAPPLER+

All the features of GRAPPLER plus 16K of buffering—expandable to 64K. Your BUFFERED GRAPPLER can make your printer keep printing whilst you use your Apple to do other things
£179.00



THE ORANGE INTERFACE

Has all the text features of the GRAPPLER—no graphics dumping facility—a leader in parallel cards for only

£64.00

ALSO AVAILABLE:

The BUFFERBOARD—connect to your GRAPPLER, Epson interface or Apple parallel interface to provide instant buffering, 16K expandable to 32K

£109.00(16K)

The GRAPPLER—switch selectable for graphics dumping on Epson, NEC, Apple Dot Matrix, OKI, Anadex and Centronics printers. Sets the World standards for parallel interfaces!

£109.00

FLOPPY CAT

A program for The Apple II which reads directories of disks running under all common operating systems and stores the file names in a flexible retrieval system.

£29.95



WE'VE CUT THE PRICE OF EXCELLENCE

SATURN 128K AND 32K

MEMOR/EXPANSION BOARDS

have long been regarded as brand leaders. We've cut the price from £359 to **£299** for 128K, and from £149 to **£129** for 32K. Comes complete with utilities in Apple-soft, C/PM and PASCAL, together with excellent documentation.

Get more memory for VisiCalc—use the 128K and 32K boards—use the 128K and 32K boards and VC Expand (**£39**). And, for more memory Plus 80 column display with an 80 col. board and VC Expand 80 (also works with Apple IIe) **£49.00**

COPY II PLUS for APPLE & COPYII PC for the IBM PC

An extremely sophisticated bit (or nibble) copy program to allow you to make back-up copies of your protected software.

Also includes:
Catalog, with file lengths, hidden characters, deleted files, Verify Disk—bad sector scan of disk, Verify Files—scan of individual files. Verify identical files—compares files on different disks, lets you know at what point they first differ.
Verify drive speed: track/sector map, Sector Editor.

COPY II PLUS £39

COPY II PC £39



FINGER PRINT

Turns an ordinary EPSON MX printer (80 or 100) into a more versatile, harder-working, problem solving match for your computer

A plug-in module for your Epson MX Printer that puts 10 special print functions at your fingertips. Tap your printer's panel buttons to instantly select the functions you need. Hard switch selectable print functions compressed, emphasised, double, italics fine print and various combinations, complete with operating instructions, control panel reference table and warranted for 1 full year.

£44.95

VersaForm Business Form Processor

for use with Apple & IBM PC
Versaform fills out your present forms quickly, accurately and prints on forms of your own design. Versaform stores the information alphabetically and numerically giving you a database that can track your business.

Versaform for Apple II. . . **£239**
for Apple III. **£299**
for IBM PC. **£295**

Q-base

A new database package for Apple II and IBM PC—corrects many errors before they even happen.

£139

SUPER SUMMER CLEARANCE SALE BUY NOW WHILST STOCKS LAST

Adventure 4+5+6	17.95	Mystery House	10.95
Adventure 7+8+9	17.95	Ulysses & The Golden Fleece	11.95
Adventure 10+11+12	17.95	Wizard & Princess	11.95
Poker	9.95	Marauder	11.95
Smartterm	89.00	Cranston Manor	11.95
Supercalc for ALS Z-Card	39.00	Threshold	12.95
Eurocolor Card	49.00	Mouskattack	12.95
Parallel Interface Apple IIe	69.00	The General Manager	75.00
Universal Para Int Apple III	99.00	Frogger	14.95
Apple IIe 80 column card	49.00	Cannonball Blitz	12.95
Apple IIe 80 col card + 64K	99.00	Laffpak	12.95
Datstones of Ryn	9.95	Frogger IBM	19.95
Hellfire Warrior	19.95	Lunar Lopper	11.95
Star Warrior	19.95	Crossfire IBM	12.95
David's Midnight Magic	14.95	Transylvania	12.95
Red Alert	12.95	Multi-Disk Catalog III	10.95
Space Quarks	12.95	Back It Up	24.95
Galactic Trader	10.95	Phantoms Five	12.95
Galactic Revolution	10.95	Gamma Goblins	12.95
Dueling Digits	12.95	Sneakers	12.95
Labyrinth	12.95	Autobahn	12.95
Raster Blaster	12.95	Borg	12.95
Lower Case Adapter (Rev 7)	15.00	Space Eggs	12.95
County Fair	12.95	Cops and Robbers	12.95
Thief	11.95	Epoch	14.95
Swashbuckler	14.95	Hadron	14.95
Missing Ring	12.95	E-Z Draw	19.95
Pig Pen	12.95	Twerps	13.95
Space Strike for IBM	12.95	Computer Football	13.95
Terrorist	12.95	Jellyfish	13.95
Network	9.95	Fly Wars	13.95
Windfall	9.95	Cyclod	13.95
Elite 80 Col Card for Apple IIe	55.00	Audex (Sound Utility)	13.95
Russki Duck	14.95	Bandits	13.95
Phazer Fire	12.95	Minotaur	13.95
Zenth	12.95	The Blade of Balckpool	13.95
Neptune	12.95	Call to Arms for IBM	13.95
Lazer Silk	12.95	Escape from Rungistan	13.95
High Orbit	14.95	Free Fall	13.95
Data Master 3.3	39.00	Type Attack	14.95
Job Control/Costing in Pascal	49.00	Smith Corona TPI D/W Parallel	449.00
Transit (Utility)	19.00	Supercalc for IBM	149.00
Zork II for IBM	18.95	ACE (Applesoft Command Editor)	17.95
Easyplaner for IBM	129.00	Munch-a-Bug	22.95
Easywriter 40 column	49.00	Routine Machine	29.95
Easyfiler for IBM	199.00	AIO II Serial Parallel I/F	119.00
Juggler	14.95	ASIO Apple Serial Card	79.00
Transfort II	59.00	Mill Assembler Dev Software	45.00
Grapple	12.95	Cartels and Cutthroats	17.95
Lower Case Apart W/Shift Mod	19.95	Program Line Editor	18.95
Alien Ambush	12.95	Odyssey	14.95
The Best of Muse	17.95	Global Program Line Editor	29.00
Firebug	10.95	Kram	39.00
Frazzle	10.95	Super Kram	69.00
Pegasus	11.95	Versawriter Graph Tab IBM	139.00
Softporn Adventure	11.95	Lower Case Chip	15.00
Cross Fire	11.95	Lower Case Adapt for Pre Rev 7	17.00
Jawbreaker	11.95	Wizard SOB 16K Buff Serial I/F	149.00
Mission Asteroid	7.95		

MICRO COMPUTER PRODUCTS WORLDWIDE

PAM OPEN AN ACCOUNT - RING TODAY

Accelerator II

MAKE YOUR APPLE RUN
3.58 TIMES FASTER
FOR ONLY £299!!

Over 2000 UK Apple users now waste less time by using the Accelerator in an Apple.

See what Richard King, Hardware Editor of PCN has to say about the Accelerator. (PCN 15.6.83)

"Power down, open Apple, find empty slot, insert board, shut Apple, power up. That's it - well almost. There certainly can't be many add-ins to the Apple system that make such a difference in performance with so little fuss."

"The Accelerator II makes such a big difference to the operation of the Apple that I wish it did more."

"So what don't I like about the Accelerator II? Not a lot, to be honest. It's simple to install, it's reliable, it's easy to use and it runs like a bat out of hell."

"For the real business user who wants a real increase in throughput, I would strongly recommend the product."



UltraTerm


YOU'LL LOVE THE VIEW!

With UltraTerm, the revolutionary new card from Videx, you'll enjoy sweeping panoramas of spread, sheets that you've never seen before - 128 cols x 32 lines, 132 cols x 24 lines, and even 160 cols x 24 lines. You'll also delight in the new horizon of 80 cols x 48 lines - double the lines you normally have. Your word processing will reveal a "depth of character" never possible before. 8 x 12 character matrix. You can differentiate those characters in several modes: normal, inverse, bright intensity and dim intensity

£299

MAGICALC™

THE VISUAL
DIFFERENCE



VisiCalc
SEE FOR YOURSELF!



MAGICALC

- * Apple IIe compatible
 - * 40 col. display standard
 - * 70 col. U & L case video display
 - * 80 col. board video display
 - * Automatic support of Add-on memory boards (up to 512K)
 - * Individual column widths
 - * Protected fields and cells
 - * Invisible columns
 - * Fully compatible with VisiCalc and DIFfiles
 - * Command compatible with MAGIC WINDOW
- MAGICALC - £109



Chatbox

BRITISH TELECOM
APPROVED MODEMS AT A
PRICE THAT WON'T BREAK
YOUR BANK.

Either 300 baud full duplex on 2 wire private or PSTN circuits, CCITT V23 compatible, or 1200 baud, half duplex 2 wire/full duplex 4 wire. Available for Private or PSTN use. CCITT V23 compatible. Either Unit £219



NOW
AVAILABLE
FOR **stalts**

EPSON MX100 £4.45
EPSON FX80 £3.95
EPSON MX80 £3.95

When ordering please state printers model

DUST COVERS

Apple II	£8.95
Apple & 2 Discs	£8.95
Apple & 12" Monitor	£8.95
Apple 2 KD&12" Monitor	£9.95
Apple 2 KD&9" Monitor	£8.95
Single Disc	£3.45
2 Stacked Discs	£4.45
9" Monitor	£5.95
Epson MX80/70	£5.95
Paper Tiger 445/60	£7.45
MX100	£9.95
Quume 5 W/Tractor	£10.95
Nec 12" Monitor	£7.45
Hitachi 12" Monitor	£7.45
Decca RGB Monitor	£9.95
Sinus Keyboard	£5.95
Sinus Proc & Monitor	£10.95
Prism Printer 580	£8.45
Anadex 9600 Series	£8.95
BBC Computer	£8.95
IBM PC Monitor & Cover	£9.95
IBM PC Keyboard	£4.95
NEC 8023B-C Printer	£8.45
Pet 4023/8023/8096	£9.45
Pet 4040/8050 Disc	£8.95
9080 Hard Disc	£8.95
Pet 4022P Printer	£5.95
Pet 8023P Printer	£7.45
Pet 8300P Printer	£9.45

The world of communications is made much easier using ASCII Express PRO, Z-Term PRO, and P-Term PRO.

ASCII - Native Apple £99.00
Z-Term - Apple CP/M £99.00
P-Term - Apple Pascal £109.00

All these packages act as intelligent full-feature terminal packages for Apple - communicate with other Apples, mainframes and a host of other computers!



BASF QUALIMETRIC FLEXY DISKS

5 1/4" SINGLE SIDED/SINGLE DENSITY

11 BOXES FOR THE PRICE OF 10!!

BUILT FOR ETERNITY
WARRANTED A LIFETIME

11 boxes for £165



EPSON MX-82T Printer

The printer designed for high quality graphics - comes with lower gearing. Tractor only.

Limited Quantity Available
£249.00

MICROSOFT MULTIPLAN ELECTRONIC WORKSHEET

U.K. VERSION
SPECIAL PRICE £149

The friendliest, most powerful electronic worksheet you can buy. Saves time in management and planning.

SEND TODAY FOR OUR
FREE BROCHURE OF
COMPUTER BOOKS!!

Pete & Pam Computers

Mail Order & Distribution:
New Hall Hey Road,
Rossendale, Lancs., BB4 6JG
Phones:
(0706) 212321 & 227011
Telex: 635740 Petpam G

Norwegian Agent:
The Norwegian Software House
Oslo 5
Okerneien 145


Telephone 47 2 64 55 77

Prices do not include VAT please add 15% to your remittance
Postage and Packing FREE



London Retail:
103-5 Blegborough Road,
London, SW16 6DL
Phone: 01-677 7631
London Office
Open Saturdays

You know you should Computerise...



if only it
weren't so
confusing.

**Well it needn't be.
Not any more.**

**Not if you're talking to
people who speak the same language.
And that's where we come in.**

Tell us what you do and how you do it. How many buying and selling transactions you make. How you deal with stock control and despatch. How you run your accounts and routine correspondence. – How long does it take to deal with your payroll?

We'll listen carefully and come back with suggestions for speeding up and costing down all or any of these functions – and more – by matching equipment and software to your present and probable future needs. And it needn't be expensive.

We won't blind you with science or deafen you with jargon. If you accept our proposals, we'll train your

personnel until they're fully in the picture. And be at hand for as long as required in case our help is needed.

To computerise is to improve efficiency all round, and to have a vast store of vital information always at your fingertips. You'll want all that to stay in the race.

But you need a common sense firm to start you off. And that's what we are.

We're called Chromasonic.

**Call now or
send the coupon to
Chromasonic
Business Systems,
48 Junction Road,
Archway, London N19 5RD.
Telex: 22568.**

CHROMASONIC
business systems
01-263 9493 & 5

I would like to know how computers can improve our business.
Please send leaflets to:

Name _____

Position _____

Company _____

Address _____

Tel: _____

Post today to: Chromasonic Business Systems,
48 Junction Road, Archway, London N19 5RD.

MOST OF THE new books published for home computers are pitched at a low level and seem content just to rehash the manual — an unfortunate consequence of the present computing book boom. Naturally publishers want to release their books as soon as possible after the launch of a new machine, and computing primers are the books that are written most quickly.

Probably the best of the introductory works for the BBC Microcomputer is Ian Sinclair's *Introducing the BBC Micro*. Ian Sinclair must surely challenge Tim Hartnell for the title of home computing's most prolific author. Over the past year he has written books on no less than six new computers — the Dragon, Spectrum, Lynx, Oric, Color Genie, and Commodore 64.

In justification of this his latest book, Ian Sinclair cites a survey which shows that 30 percent of purchasers of the BBC Micro are newcomers to computing. Most newcomers, however, will have already been introduced to the machine by the *User Guide*, which as manuals go is an exceptionally good one, being both clear and comprehensive.

Nonetheless Sinclair's introduction is an attractive supplement to the manual. It takes the reader over the same ground but in greater detail.

Easy programming for the BBC Micro by Eric Deeson is also for the beginner, written in what the author describes as a light style. The style turns out to be excessively chatty, full of exclamation marks and unnecessary comment. Eric Deeson likes to encourage the reader with remarks such as "easy, n'est-ce pas?" or "Hey presto, it works!". This finally becomes wearisome and tends to intrude on what are otherwise clear explanations. Again, it repeats and enlarges on material found in the *User Guide*.

One of the virtues of the *User Guide* is the number of program examples it provides. *Further Programming for the BBC Micro* by Alan Thomas, goes further along this line by supplying some 90 programs to illustrate the special features of the BBC. There is a brief introduction to each section and each program is accompanied by notes. Most of the programs are short and do little more than demonstrate the use of particular commands. As such they would be useful to anyone still in the dark after working through the manual.

Yet another book for the beginner is *Programming the BBC Micro* edited by Peter Williams. The idea behind the book, that six authors should contribute articles on their areas of expertise, seems a promising one but the result is rather uneven.

The early chapters contain a few nuggets of new information alongside a lot of familiar material — string handling, bits and bytes, programming dos and don'ts, and so on. The later sections pass on to more advanced topics such as

Bringing the BBC to book

Simon Beesley finds much that's familiar among a crop of guides to the BBC Micro.



assembly language and the BBC hardware; but these are not covered in sufficient detail to be of much help to the beginner.

Rather than read a cursory survey of the BBC assembler, the beginner would be better advised to plunge into Ian Birnbaum's *Assembly Language Programming for the BBC Microcomputer*. Ian Birnbaum has a good sense of the sort of problems someone coming to machine code from Basic will encounter. As far as possible he relates machine-code instructions to their Basic equivalents. Groups of instructions are introduced in terms of their use in specific program tasks, rather than through formal explanations.

This approach, geared to the demands of the BBC assembler and operating system, makes this course in 6502 programming unusually accessible. As a bonus the book includes a listing for a

machine-code monitor as well as exercises with answers supplied.

Most of the books under review pay lip service to the idea of structured programming, periodically recommending the use of procedures over Goto statements. Roy Atherton's book *Structured Programming with BBC Basic* is wholly devoted to the cause. Taking graphics as its central theme it proceeds in thorough fashion to demonstrate the techniques of good programming. There is a clear discussion of the principles involved, alongside numerous examples, exercises and solutions.

In his quest for program purity Roy Atherton displays an almost obsessive concern with the dangers of the Goto statement. It should only be used, he warns, by mature and experienced programmers — and then with caution.

Given that BBC Basic is not a fully
(continued on next page)

(continued from previous page)

structured language, one might wonder whether it is always so easy to avoid using Gotos, or even always desirable. For example, Roy Atherton recommends against the On Goto or Gosub construction for handling multiple decisions, and suggests instead a series of If-Then statements.

This alternative strikes me as inefficient and consequently inelegant. But overall the book makes a powerful argument for structured programming. As an unreconstructed Goto user I felt duly chastened.

It is remarkable how the same limited stock of game concepts is endlessly recycled for new machines. *Games BBC Computers Play*, a collection of program listings by Tim Hartnell, S M Gee and Mike James is no exception, and serves up many of the old favourites. It includes BBC versions of Breakout, Squash, Moonlander, Pontoon, Mastermind and other regulars.

Many of them appear to have been directly converted from other Basics and make little use of BBC Basic's strong features. Liberally spattered with Gotos, they would have Roy Atherton shaking his head in dismay. Few of them, however, take long to key in and as a bumper package they could well give games addicts a limited satisfaction.

Mike James's *The BBC Micro, an Expert Guide* can rightly claim to be just

that. It covers such topics as the operating system, the sound generator and the hardware without repeating the substance of the manual. Mike James has the gift of presenting new information clearly and concisely. Within a few pages he gives useful explanations of features, such as the way Basic stores its variables or the way the screen memory is organised.

But the book does not purport to be more than a general survey. By and large, the more experienced owner who has already spent several months becoming familiar with the BBC Micro is still poorly catered for.

None of the books reviewed fully explores the BBC's potential. None of them mentions one of the machine's unique features: the ease with which the start of Basic can be moved to permit multiple programs to be stored at the same time.

I would like to see a more exhaustive and detailed treatment of the system; perhaps at the level John Leach dealt with interrupt routines in the June issue of *Practical Computing*. But books of this sort may be a while coming: they take rather longer to write and research than introductory potboilers.

Assembly Language Programming for the BBC Microcomputer by Ian Birnbaum. Published by Macmillan Computing Books, £8.95. ISBN 0 333 34585.

Introducing the BBC Micro by Ian Sinclair. Published by Granada, £5.95. ISBN 0 246 12146 7.

Structured Programming With BBC Basic by Roy Atherton. Published by Ellis Horwood, £6.50. ISBN 0 85312 548 1.

Games BBC Computers Play by Tim Hartnell, S M Gee and Mike James. Published by Interface Publications, £6.95. ISBN 0 201 14640 1.

Easy Programming for the BBC Micro by Eric Deeson. Published by Shiva Publishing, £5.95. ISBN 0 906812 21 6.

Further Programming for the BBC Micro by Alan Thomas. Published by Shiva Publishing, £5.95. ISBN 0 906812 20 8.

Programming the BBC Micro edited by Peter Williams. Published by Newnes Microcomputer Books, £6.50. ISBN 0 408 01302 8.

The BBC Micro an Expert Guide by Mike James. Published by Granada, £6.95. ISBN 0 246 12014 2.

Somewhere handy to put your mini disks



The Willis Mini-Disk file is the idea you hoped someone would come up with. A handsome virtually indestructible file which holds your valuable programs and data files neatly filed and indexed ready for immediate use.

Disks are stored in 10 sections, each with an ingenious lift mechanism, which enables you to fan display them five at a time, using only the thumb and forefinger.

The file holds fifty 5 1/4" Mini Disks and you'll wonder how you ever did without it.

Just one of the items from the Willis Catalogue.

To order please use coupon. By taking advantage of this cash with order offer, you are saving £5.55 on the normal price.

*Virtually indestructible with smart cream plastic base and tinted polycarbonate lid. *Lockable for security and easily transportable with carrying handles. *Each disk neatly filed even if box is not fully loaded.

Just £35.00 (Plus £2p&p)

To: Willis Computer Supplies Ltd., FREEPOST, PO Box 10, Southmill Road, Bishop's Stortford, Herts CM23 1BR. Telephone: Bishop's Stortford (0279) 506491.

Please send _____ Mini Disk File(s) at £35.00 plus £2.00 p&p and your colour catalogue.

Name _____

Address _____

Post Code _____

I enclose my cheque/PO for £_____ or debit my Access or Barclaycard.

Card Number

Signature _____

WILLIS

Computer supplies

PC8/83



• Circle No. 191

PRACTICAL COMPUTING August 1983

Printer Buffer for under £100 from Market Logic

Don't miss this unique opportunity of obtaining the 16k Macrobyte Intelligent Printer Buffer for less than £100.

This superb quality British designed and manufactured unit is compatible with any standard Centronic interface printer and is available in 32k and 64k at very little extra cost.

Generous discounts are available for quantity orders - just complete the coupon for more information.

British products for the computer industry.



MARKET
LOGIC LTD



Lower Weaven
Little Dewchurch
Hereford
HR2 6QB
Tel: Carey
(0432 70) 456

Please send me more information about the Macrobyte Printer Buffer.

Name _____

Address _____

Telephone _____

● Circle No. 248

How fast is FAST?

Micro-computers don't hang about—and neither do we. We like to move as fast as the products we handle. When you deal in computers you need a distribution system to match the product.

That's where we have the edge. Located at the centre of the country's communications network we can get anywhere in the UK—Fast!

Phone in your order now, we'll get the system moving!

EPSON

Extraordinary products.
Exceptional quality - from



The fastest movers around!

116-118 Tennant Street, Birmingham B15 1EY. Telephone: 021-643 4419.

**Westwood
Distribution
Limited**

● Circle No. 249

Practical Computing Back Issues

Each month Practical Computing examines personal computers, peripherals and software packages, providing unbiased critical comment on the strengths and weaknesses of the products reviewed. This, together with descriptions of programming techniques, and the Open File Section which contains hints and items for users of Apple, Pet, Tandy, BBC and Sinclair Computers, makes Practical Computing an invaluable source of information and advice. So if you've missed a particular issue make sure that you're not missing out on information which could be of real value to you. Just check through the Contents of our Back issues, then fill in and return the coupon below.

October 1982

Reviews: CCS — 300; Dragon 32; Sound chaser — synthesiser system for Apple II. Monte Carlo methods; Applesoft compilers; Wordpro revisited; Graphics for BBC micro; Applications programming for beginners Chris Curry interview.

November 1982

Reviews: Commodore 64; dBase II; Bit Stik high-resolution graphics for the Apple; Microcache. Using the BBC Micro as a graphics terminal. Fourier transforms with VisiCalc. Education — timetable planning.

December 1982

Reviews: Eagle II and TMK 330 business micros; GraForth on the Apple; Wordcraft on the Vic-20; games on the Atari. Micros under £200 — the essential facts. How to manipulate memory on the BBC Micro. Plus — a complete listing of a Monopoly program for the Pet.

January 1983

Portable micros — 12-page guide. Reviews: Fortune 32:16; Jupiter Ace; SNAP analysis; Walters printer. A DIY interface for the Spectrum, plus a disassembler for the BBC micro.

February 1983

Word Processing — 19 pages of info. Reviews: Victor 9000, Epson HX-20, Toshiba T-100, LVL Discs for the BBC Micro, Vic-20 games. Plus — Using BBC Graphics in the Teletext mode.

March 1983

Aple's Lisa — preview. Reviews: Lynx, Fujitsu printer, Spectrum games, Apple Books. Sounds of the BBC micro. Plus — 48-page Supplement on 16-bit micros.

April 1983 — Sold Out

May 1983

A guide to discs and databases. Reviews: Canon and Orion for business use, Textet, Texas TI-99/4 games, Atari books. Word processing on the Pet.

June 1983

Special issue — Speech, sound & music. Reviews: DEC rainbow 100, low-cost Cromemco C-10, BBC software, 16-bit payroll programs, Spectrum word processing, Vic books. Plus — a survey of programs that write programs.

July 1983

Fifth birthday issue! Guide to spreadsheets and financial planning — Calcs on the BBC, Visicalc, Multiplan, Micromodeller. Reviews: Wang Personal Computer, Hyperion portable, Sord M-5 home micro, Dragon word processing. Plus — Programming sprites on the 64.

Fill in the coupon and return it with your remittance to

Practical Computing

Address as on coupon

To obtain any of these back issues please complete and return the coupon. Prices per copy including post and packing are UK £1.50, Europe £2.00, Rest of world £2.50 (Air Mail).



Issue (month)	Year	Quantity required

To: General Sales Dept., Room 108, Electrical & Electronic Press, Quadrant House, The Quadrant, Sutton, Surrey SM2 5AS.

Please send me the back issues detailed left — for which I enclose cheque/PO for £.....payable to Business Press International Limited

Name

Address

Company Registered in England (Registered No. 151537) at Quadrant House, The Quadrant, Sutton, Surrey, SM2 5AS.

OSBORNE

Looking for the best deal on Osborne Computers?

Then look below at our
amazing package deals.
You'll find them hard to beat!



Fraser Associates

Authorised main dealers

(0280) 816087

1 Bristle Hill
Buckingham, Bucks MK18 1EZ

● Circle No. 109

OSBORNE

You've just found the best deal on Osborne Computers.

Osborne 80 column screen	£995
Daisywheel printer + sheetfeeder	£770
Daisywheel printers from	£375
Epson FX80	£365

(All prices exclude VAT)

P.S. For true portability we now supply
the Epson HX20.



Fraser Associates

Authorised main dealers

(0280) 816087

1 Bristle Hill
Buckingham, Bucks MK18 1EZ

● Circle No. 127

>NEXT MONTH

>EDUCATION AND TRAINING

The special section in the September issue deals with the fast-growing field of computers in education. We look at how micros are making an impact, from primary schools to the training of businessmen.

>REVIEWS

The Zenith Z-110 is a dual eight/16-bit micro which, thanks to superb manuals, offers a high-class route to computer literacy. Read Chris Bidmead's benchtest of the Zenith. We also examine the network-orientated Corvus Concept: how does it stand up as a stand-alone micro? Plus BBC games, Dragon books and the IBM PC XT continued.

>PORTABLES UPDATE

New portable micros have been flooding the market since our in-depth survey in the January issue, so we have had to update our listing. Ian Stobie provides an over-view.

>AND MUCH MORE!

Other features include Turtle Graphics — with listings in both Basic and Forth for the BBC Micro — and how to speed up Basic by using For-Next loops. Plus all the regulars such as fiction — about a computer called Sam — pages and pages of free software in Open File, columns, news and your letters.

Make sure you don't miss the September issue of

Practical Computing

On sale at W H Smith and all leading newsagents
after August 17.

Easier commuting to computing...

THE NEW ADDRESS OF LEEDS COMPUTER CENTRE IS 55 WADE LANE LEEDS.



In the spacious new showrooms of the Leeds Computer Centre you will be welcome to browse through a most comprehensive range of microcomputers, peripherals, books and media. Our aim is to provide the finest service possible for personal, educational, O.E.M., industrial and business users.

We offer expertise gained from years on the microcomputer scene. Also product knowledge stemming from dealerships in NASCOM, SHARP, EPSON, TEXAS, GEMINI, QUANTUM, ORIC and DRAGON which we have held ever since they first came onto the market. You will find just the help you need at the Leeds Computer Centre.

PC3500 BUSINESS COMPUTER

MONOCHROME £2064.25 inc VAT
FULL COLOUR £2518.50 inc VAT
640 x 400 HIGH RES. OPTION £299.00 inc. VAT

Prices include:-

128K RAM; CPU; Keyboard;
Display Unit: SHARP FDOS
MBASIC; CP/M 2.2;
PEACHCALC

PEACHTREE BUSINESS
PACKAGES ARE AVAILABLE
FOR SALES, PURCHASE,
NOMINAL, STOCK, PAYROLL,
WORD PROCESSING etc.



MZ80A (48k) PERSONAL COMPUTER FREE SOFTWARE INCLUDED

£549.00 inc VAT
TWIN DISK SYSTEM MZ80A
£879.75 inc VAT
SHARP F/T P6 PRINTER
£488.75 inc VAT

Either of the above
options require
an expansion
unit on the
MZ80A
£115.00
inc VAT



Full range stocked. Full technical support. Full range of software POCKET COMPUTERS & PERIPHERALS


PC1251 WALLET SIZE POCKET COMPUTER £79.95 inc VAT
CE125 PRINTER & MICROCASSETTE £99.95 inc VAT

12A 19 STATISTIC & GAMES PROGRAMS £14.00 inc VAT
12B 20 ENGINEERING & GAMES PROGRAMS £14.95 inc VAT
12C 20 MATHEMATICS & GAMES PROGRAMS £14.95 inc VAT
PC 1500 PORTABLE COMPUTER £169.95 inc VAT
CE 150 X.Y. PLOTTER & PRINTER £149.95 inc VAT
CE152 CASSETTE RECORDER £39.95 inc VAT
CE15A APPLICATIONS TAPE £14.95 inc VAT

80-BUS NAS-BUS LUCAS NASCOM GEMINI

NASCOM from LUCAS LOGIC £304.75 inc VAT
NASCOM 2 MICROCOMPUTER £631.35 inc VAT
NASCOM 3 MICROCOMPUTER (48k) £172.44 inc VAT
NASCOM ADVANCED VIDEO CARD from £540.50 inc VAT
NASCOM DISK SYSTEMS £69.00 inc VAT
NASCOM DISK OPERATING SYSTEM £143.75 inc VAT
NASCOM CP/M 2.2 £143.75 inc VAT

NEW!
LUCAS LX
MATRIX PRINTER
INTRODUCTORY PRICE
£366.85 inc VAT



GEMINI MICROCOMPUTERS LTD

GM811 CPU CARD £143.75 inc VAT
GM813 CPU CARD plus 64k RAM £258.75 inc VAT
GM802 64k DYNAMIC RAM £143.75 inc VAT
GM812 INTELLIGENT VIDEO CTRL. £143.75 inc VAT
GM829 FLOPPY DISK CONTROLLER £166.75 inc VAT
GM827 87 KEY KEYBOARD £97.75 inc VAT
GM825 DISK DRIVE from £402.50 inc VAT



This is only a small selection from our extensive stocks!


PRINTER INTERFACES

CENTRONICS CABLE £17.25 inc VAT
BBC CABLE £17.25 inc VAT
DRAGON CABLE £17.25 inc VAT
ORIC CABLE £17.25 inc VAT
MZ80K CENTRONICS INTERFACE £80.00 inc VAT
MZ80A CENTRONICS INTERFACE £97.75 inc VAT
MZ80B CENTRONICS INTERFACE £97.75 inc VAT

PRINTERS

SEIKOSHA GP 100A £247.25 inc VAT
LUCAS LX80 £366.85 inc VAT
NEC 8023 £447.35 inc VAT
EPSON FX80 £503.70 inc VAT
BROTHER HR-1 £747.50 inc VAT

EPSON HX20 THE PORTABLE MIRACLE from £462.30 inc VAT



Stop Press...

NEW! SHARP CASSETTE BUSINESS SOFTWARE NOW IN STOCK for the MZ80A

These packages run on the standard MZ80A with cassette. This means a complete business system, including printer, can cost £1000.00 plus VAT.

Packages are:- DIRECTORY, PRICE LIST, SALES LEDGER, PURCHASE LEDGER, INVOICING AND STOCK CONTROL.

The system can be expanded to disks without the loss of data.

NEW! SHARP PC3500 BUSINESS COMPUTER AVAILABLE FROM STOCK

Full range of PEACHTREE ON DEMO

NEW! LUCAS LX80 80 COLUMN DOT MATRIX PRINTER. EXCELLENT VALUE

FREE! DESK DATA SOFTWARE WORTH £46 WITH EVERY EPSON HX20

FREE! Printer Lead with any printer

SHARP MZ80K HI RES GRAPHICS FROM QUANTUM MICROS £115.00 inc VAT

SUPERBRAIN. IF YOUR SUPERBRAIN NEEDS TRUE DESCENDERS, WE HAVE THE ANSWER FOR £23.00 inc VAT.

NASCOM 2 GRAPHICS ON YOUR NASCOM 1 FOR ONLY £23.00 inc VAT.

BITS & PCS
COMPUTER PRODUCTS LTD

Trading as Leeds Computer Centre.
Please call or write for full details
Leeds Computer Centre, 55 Wade Lane,
Merrion Centre, Leeds
LS2 8NJ. Tel. 0532 458877




• Circle No. 241

DISKING

Floppy Disks FAST!

DISKING INTERNATIONAL FREEPOST, LIPHOOK, HANTS GU30 7BR, UK
TELEPHONE (0428) 722563 TWX 849131 G



MEMOREX - Memory Excellence

When it comes to PRICE/PERFORMANCE, MEMOREX wrote the book. Their new Japanese media is very conservatively rated, and certification levels are easily surpassed in actual performance. Protected by a special anti-static lubricant, head performance and media life is also extended.

5 1/4" DISKETTES

Certified for Single OR Double Density and all with hub ring reinforcement.

PRICES EXC VAT	10-40	50-90	100+
3481 S/Sided 48 tpi Soft Sect.	20.90	19.90	18.90
3483 S/Sided 48 tpi 10 Hard Sect.	20.90	19.90	18.90
3485 S/Sided 48 tpi 16 Hard Sect.	20.90	19.90	18.90
3491 D/Sided 48 tpi Soft Sect.	26.90	25.90	24.90
3493 D/Sided 48 tpi 10 Hard Sect.	26.90	25.90	24.90
3495 D/Sided 48 tpi 16 Hard Sect.	26.90	25.90	24.90

3504 S/Sided 96 tpi Soft Sect.	27.90	26.90	25.90
3505 S/Sided 96 tpi 10 Hard Sect.	27.90	26.90	25.90
3506 S/Sided 96 tpi 16 Hard Sect.	27.90	26.90	25.90
3501 D/Sided 96 tpi Soft Sect.	34.90	33.90	32.90
3502 D/Sided 96 tpi 10 Hard Sect.	34.90	33.90	32.90
3503 D/Sided 96 tpi 16 Hard Sect.	34.90	33.90	32.90

48 tpi suitable for 35 and 40 track operation
96 tpi suitable for 77 or 80 track operation

8" DISKETTES

PRICES EXC VAT	10-40	50-90	100+
3064 S/Sided S/Dens. Soft Sect.	23.90	22.90	21.90
3015 S/Sided S/Dens. 32 Hard Sect.	23.90	22.90	21.90
3090 S/Sided D/Dens. Soft Sect.	26.90	25.90	24.90
3091 S/Sided D/Dens. 32 Hard Sect.	26.90	25.90	24.90
3102 D/Sided D/Dens. Soft Sect.	32.90	31.90	30.90
3181 D/Sided D/Dens. 32 Hard Sect.	32.90	31.90	30.90



DATATYPE by Verbatim - With Five Year Warranty

VERBATIM have not become the World's favourite floppy disks by accident. Perfect magnetic media is their stock in trade, and to prove it they now offer an unconditional FIVE YEAR warranty on all DATATYPE products.

5 1/4" DISKETTES

Certified for Single OR Double Density, and all with hub ring reinforcement.

PRICES EXC VAT	10-40	50-90	100+
MD525-01 S/S 48 tpi Soft Sect.	22.90	21.90	20.90
MD525-10 S/S 48 tpi 10 Hard Sect.	22.90	21.90	20.90
MD525-16 S/S 48 tpi 16 Hard Sect.	22.90	21.90	20.90
MD550-01 D/S 48 tpi Soft Sect.	29.90	28.90	27.90
MD550-10 D/S 48 tpi 10 Hard Sect.	29.90	28.90	27.90
MD550-16 D/S 48 tpi 16 Hard Sect.	29.90	28.90	27.90

MD577-01 S/S 96 tpi Soft Sect.	28.90	27.90	26.90
MD577-10 S/S 96 tpi 10 Hard Sect.	28.90	27.90	26.90
MD577-16 S/S 96 tpi 16 Hard Sect.	28.90	27.90	26.90
MD557-01 D/S 96 tpi Soft Sect.	36.90	35.90	34.90
MD557-10 D/S 96 tpi 10 Hard Sect.	36.90	35.90	34.90
MD557-16 D/S 96 tpi 16 Hard Sect.	36.90	35.90	34.90

48 tpi suitable for 35 or 40 track operation
96 tpi suitable for 77 or 80 track operation

8" DISKETTES

PRICES EXC VAT	10-40	50-90	100+
FD34-9000* S/S S/Dens. Soft Sect.	31.90	30.90	29.90
FD32-9000* S/S S/Dens. 32 Hard Sect.	31.90	30.90	29.90
FD34-8000 S/S D/Dens. Soft Sect.	31.90	30.90	29.90
FD32-8000 S/S D/Dens. 32 Hard Sect.	31.90	30.90	29.90
DD34-4001 D/S D/Dens. Soft Sect.	36.90	35.90	34.90
DD32-4000 D/S D/Dens. 32 Hard Sect.	36.90	35.90	34.90

*For critical applications



MAXELL - The Gold Standard

Maxell consistently meet or exceed all standards, and have run disks under conditions designed to find weak points and wear. They couldn't and you won't. These diskettes are the quietest in operation we know.

5 1/4" DISKETTES

Certified for Single OR Double Density
48 tpi media with hub ring

PRICES EXC VAT	10-40	50-90	100+
MD1-D S/Sided 48 tpi Soft Sect.	24.90	23.90	22.90
MH1-10 S/Sided 48 tpi 10 Hard Sect.	24.90	23.90	22.90
MH1-16 S/Sided 48 tpi 16 Hard Sect.	24.90	23.90	22.90
MD2-D D/Sided 48 tpi Soft Sect.	32.90	31.90	30.90
MH2-10D D/Sided 48 tpi 10 Hard Sect.	32.90	31.90	30.90
MH2-16D D/Sided 48 tpi 16 Hard Sect.	32.90	31.90	30.90

MD1-DD S/Sided 96 tpi Soft Sect.	32.90	31.90	30.90
MD2-DD D/Sided 96 tpi Soft Sect.	42.90	41.90	40.90

8" DISKETTES

PRICES EXC VAT	10-40	50-90	100+
FD1-128 S/S S/Dens. Soft Sect.	29.90	28.90	27.90
FH1-32 S/S S/Dens. 32 Hard Sect.	29.90	28.90	27.90
FD1-XD S/S D/Dens. Soft Sect.	34.90	33.90	32.90
FH1-32D S/S D/Dens. 32 Hard Sect.	34.90	33.90	32.90
FD2-XD D/S D/Dens. Soft Sect.	39.90	38.90	37.90
FH2-32D D/S D/Dens. 32 Hard Sect.	39.90	38.90	37.90

DISKETTE CARE AND MAILING



We're fed up with being asked whether our disk drive head cleaning kit actually works. So here's the proof-



Can you really risk that breakdown?

CK5 for 5 1/4" disk drives.	14.90
CK8 for 8" disk drives.	14.90

5 1/4" DISKETTE MAILERS

The NEW DISKING 'SUPERMAILER'



* COPYRIGHT DESIGN - Unlike the rest, this ingenious mailer has a flute crossing action when folded, resulting in a virtually unbendable mailer.

* CAVERNOUS CAPACITY - will take, one, two, three or even four diskettes WITH envelopes.

* FULL INSTRUCTIONS - Each DISKING 'SUPERMAILER' is printed with full instructions and comes complete with addressing/sealing label.

* PACKED IN 100'S - For convenience

1 PACK	2 PACKS	3+ PACKS
24.90	22.90	19.90

DISKETTE STORAGE AND PROTECTION

DISKING SUPERLUXE DISK LIBRARY (5 1/4" only)



The whole area of your disk, its labelling and its envelope are fully visible for INSTANT selection ANYTIME.

AVAILABLE IN TWO VERSIONS

PRICES EXC VAT	1-2	3-4	5-9	10+
SDL (For 20 minidisks)	9.95	8.95	7.95	6.95
SDLX (For 28 minidisks)	11.95	10.95	9.95	8.95
Uprating Conversion Kit	2.00			



These anti-static, ABS plastic diskette storage boxes come in four sizes, two for mini disks and two for 8" disks. They have a white base with a transparent smoked lockable lid, and hold 40 or 80 diskettes. They come complete with keys and dividers.

PRICES EXC VAT	1-49	50+
M35 40 minidisk capacity	14.90	
M85 80 minidisk capacity	18.90	
F40 40 8" diskette capacity	18.90	
F80 80 8" diskette capacity	27.90	

LIBRARY BOXES

PRICES EXC VAT	1-49	50+
SEE 10 for minidisks only	2.50	1.90

The new SEE 10 is probably the best 5 1/4" library box around. (FREE with every ten disks ordered)

U.K. TERMS, CONDITIONS & SHIPPING RATES INC. DSG. EXC. VAT

5 1/4" DISKETTES	8" DISKETTES
1-2 Packs each pack @ 95p	1-2 Packs each pack @ £1.60
3-5 Packs each pack @ 75p	3-5 Packs each pack @ £1.20
6-9 Packs each pack @ 60p	6-9 Packs each pack @ 90p
10+ Packs *POST FREE*	10+ Packs *POST FREE*
5 1/4" CLEANING KITS	8" CLEANING KITS
Same postal rate as packs of 5 1/4" diskettes, 10+ POST FREE	Same postal rate as packs of 8" diskettes, 10+ POST FREE
5 1/4" NEW SEE 10 LIBRARY BOXES	8" LIBRARY BOXES
SEE 10 1-4 @ £40p	128 1-4 @ £60p
SEE 10 5-9 @ £30p	128 5-9 @ £45p
SEE 10 10+ @ 20p	128 10+ @ £30p

DISKING SUPERLUXE DISK LIBRARY (5 1/4" ONLY)
Same postal rate as 5 1/4" diskettes, 10+ POST FREE

DISKING SUPERMAILERS (5 1/4" ONLY)
100-Pack Complete with sealing labels, 50p

NORMAL ORDERS - We now welcome any official Government orders. We are now happy to accept any official orders with a minimum value of £20.00 from Government Departments, Ministries and Local Authorities. We do this on the understanding that invoices will be settled within thirty days or preferably less please. Alternately, you may send your remittance with your order if you so wish. All other non Government bodies, cheques with order please payable to DISKING. If you are a large establishment, and cannot raise cheques without an invoice please post or telephone us your order, and we will send a pro-forma invoice by return, for your accounts department to pay against.

Also bear in mind that you do have to pay VAT, which will be added to these prices.

If you are in any doubt, please use the order form on this brochure to help you with your calculations, or telephone us for assistance

CREDIT CARD ORDERS

We will accept Access (Mastercharge), Barclaycard (VISA) & Diners Club International, & these are NO credit card advance. You may write your card No. on your order or telephone the order day or night, 365 days a year. You may speak for as long as you like, (but don't leave long gaps otherwise our machine thinks you've gone home) and don't forget to give the following details -

1. The Cardholder Name, Address and day time telephone number.

2. Delivery Address if different.

3. First Class, ordinary or special post.

4. Your Credit Card Number.

5. What you wish to Order.

6. State whether purchasing from our General price list or Budget price list.

You may leave the rest to US!

URGENT ORDERS

If you're posting your order, omit the word FREEPOST from our address, and use our normal postcode GU30 7BR and do not forget to stamp a FIRST CLASS. If you are a Government body or defined under 'NORMAL ORDERS' and are telephoning your official order OR are an individual or company using your credit card No., please make a clear that you wish to pay for your goods to be sent to you by FIRST CLASS POST.

FIRST CLASS RATES EXC VAT

Second and subsequent TEN-PACK

DESPERATE ORDERS U.K.

Your options are - DATAPOST which will deliver the goods within the United Kingdom overnight (usually before 10 am the next day) provided they are ordered and paid for from DISKING by 3.00 pm or EXPRESSPOST which will deliver the goods the SAME DAY provided they are ordered and paid for from DISKING by 10.30 am, and provided you are no further north than Manchester.

These services put great stress on our sales order processing and packaging departments. Please therefore, spare a thought for our staff, and make sure that -

a) The required goods are in stock and

b) A full complement of manpower and vehicles are available at DISKING

PRICES

DISKING DATAPOST (Up to 5kg)

Per additional 1kg to 10kg add

Over 10 kg up to 27.5kg

Approximate Weights for guidance only:

100 Minidisks without LB's

100 Minidisks with LB's

100 x 8" disks without LB's

100 x 8" disks with LB's

DISKING EXPRESSPOST

Distances are from Liphook Hampshire

Under 20 miles

Over 20 miles


London Area / Special Price

PRICES SUBJECT TO EXCHANGE RATES & AVAILABILITY - JUNE 1983

1 - DISK DIRECTORY
2 - DISKWRITER
3 - SDL GIFT VOUCHER
4 - SEE 10 LIBRARY BOX

Full with EVERY TEN-PACK of diskettes from DISKING at these prices.
The complete DISKING DATA PROCESSING package

WILDING Electronic Typewriter Centres



Smith-Corona TW2500

A built-in interface allows the TW2500 typewriter to be used as a letter quality computer printer. Word processing can be fed directly to the office typewriter. The TW2500 can be used as a computer printer without switching or software. Allows use of all typewriter characters and features. Combines word processing with quality printing.

£465 + VAT

Brother CE-60

Complete with a Brother Plug-in Interface, the CE 60 is a very versatile compact office typewriter which will perform every function you require from a quality printer, yet retaining all its typewriter features: 13" carriage, one line correction memory, 10, 12 and 15 pitches, cassette type daisy wheel, cassette ribbon, automatic relocation, decimal tab, plus many other features.

£525 + VAT



Smith-Corona TP-1

A microprocessor controlled high quality daisy wheel printer which delivers fully formed executive quality printout at a speed of 120 words per minute. The TP-1 can be utilized with word processing systems, micro-computers, small business systems, or in any environment which requires high quality printing. Serial or parallel interfaces.

£425 + VAT

Computer Interfaced Typewriters & Printers

Olivetti Praxis 41

Complete with an Olivetti Plug-in Interface, this light duty office compact can be used as a personal computer console; a low volume quality printer; a typewriter/communications terminal. Features 13" carriage, 3 typing pitches (10, 12 and 15), 10 character memory correction and daisy wheel printing element.

£495 + VAT



Phone 04024 48629 and quote your Access/Barclaycard No for immediate POST FREE despatch [24hr answering service]

- * CENTRAL LONDON
278 High Holborn Tel: 01-405 8052/9104
157 Moorgate, EC2 Tel: 01-628 0501
275 Regent Street Tel: 01-499 2836
- * BOLTON 36 Great Moor St Tel: 0204 386937
- * BRISTOL 10-11 Denmark St Tel: 0272 277396
- * CAMBRIDGE 2 Sussex Street Tel: 0223 65714
- * COLCHESTER 103 High St Tel: 0206 46768
- * CROYDON 18 St. Georges Walk
Tel: 01-686 4957
- * GLOUCESTER 4 Grosvenor House, Station Road
Tel: 0452 23111
- * HIGH WYCOMBE 12 Church Street
Tel: 0494 36378
- * ILFORD 531-535 High Road Tel: 01-514 1525
- * IPSWICH 16 Carr Precinct, Carr Street
Tel: 0473 57469
- * KINGSTON 26 Castle Street Tel: 01-549 9461

- * LEEDS 98 Eastgate Tel: 0532 468118
- * LUTON 25 Wellington Street Tel: 0582 26476
- * MAIDSTONE 88 King Street Tel: 0622 52726
- * MANCHESTER 125 Oldham Street
Tel: 061-834 5682
- * NORWICH 12 Queens Road Tel: 0603 666011
- * PUTNEY 339 Putney Bridge Road
Tel: 01-788 3452
- * SLOUGH 261 High Street Tel: 0753 39356
- * SOUTHEND 26 Alexandra St Tel: 0702 331876
- * SWINDON 47-48 Havelock St Tel: 0793 33111
- * WALTHAM CROSS 91 High Street
Tel: 0992 764200
- * WATFORD 15 Queens Road Tel: 0923 32121
- * WOOLWICH 21 Thomas St Tel: 01-855 0631

HEAD OFFICE
531/535 High Road, Ilford, Essex Tel: 01-514 1525

Order any item POST FREE

To: Wilding, 196 High Street, Hornchurch, Essex.
Tel: 04024 48629

☐ Please send me Wilding's Catalogue

Please supply [add 15% VAT to prices shown]

I enclose cheque/PO for £.....
or charge my Access/Barclaycard No.

Name..... Signature.....

Address.....



PC8/83

Go softly on

Chris Bidead speculates on the tussle for supremacy among 16-bit operating systems.

IN FEBRUARY 1982 when I last reported on Digital Research Incorporated, DRI, the company had an annual turnover of \$14 million. Now it is \$40 million, and growing at a rate that doubles that figure every eight months. But do not be misled by big numbers with dollar signs in front of them. Bernie Cornfeld's famous company International Overseas Services, IOS, was on the point of becoming the largest controller of capital in the history of the world when it vanished almost overnight.

This not entirely flattering comparison was brought to mind by DRI's choice of the Café Royal's Dubarry Room for a recent rally of its supporters. Reflected in the huge *fin de siècle* gilt mirrors arching across the wall, the 450 CP/M-minded independent software vendors seemed like three times that number — some huge national sales convention being briefed before going into battle. There was an atmosphere of — well, the word bounced around by DRI was "synergy", which roughly translates as "let's work together and we'll all get rich". Cornfeld would have approved.

Though the name was not spoken, the enemy against whom this army was being recruited was Microsoft, who with MS-DOS and the IBM equivalent, PC-DOS, is already beginning to claim victory in the domination of the 16-bit microcomputing field. "There is no battle between MS-DOS and CP/M-86 — MS-DOS emerged as the leader in the U.S. by late 1982." The speaker is Bill Bates, the young genius who gave the world Microsoft Basic. Now 27 years old, Bill Gates is Microsoft.

About two miles outside Heathrow Airport is a parked space freighter called the Sheraton Skyline Hotel. In the tropical jungle it carried as cargo — remember *Silent Running*? — Bill Gates holds his own rally for rather fewer friends and members of the press. The message, not surprisingly, is that the future lies with Microsoft's upgrade path through MS-DOS versions 1, II and III to the great Xenix in the sky. Xenix is Microsoft's own brand of the full Unix.

Like DRI, and indeed Cornfeld, Microsoft is in the business of selling you the future. Not so much an operating system, more an operating-system upgrade path — thus disarming those with experience of other operating systems who have been underwhelmed by the charms of MS-DOS 1. A recent agitated correspondent to a computer weekly, who found Microsoft's assembler "completely

unusable" because of bugs and lack of support.

Digital Research's present offering in the 16-bit market is no great shakes either. CP/M-86 is a clone of the unglamorous CP/M 80, with one or two additional features grafted on from the luke-warmly acclaimed shared-processor system, MP/M. In its defence you could call it mature, but you would also have to admit the correctness of Bill Gates' claim that it is not getting much of a look in with 16-bit manufacturers. It is because Digital Research is holding down costs by leading into a new market with old technology dual-floppy drives. MS-DOS offers faster file access on such systems because of the way it keeps its directories. Round 1 to Microsoft.

Bill Gates declares his real achievement has been to organise a programming team and a set of tools based around Xenix, which enables him to knock out high quality software in short order. Digital Research might tell you otherwise. Is Gates' whizz-kid personality causing internal friction which is holding up new output and precluding proper support of products already in the field? Certainly a few eyebrows were raised at the Sheraton when we heard that Microsoft's plans depend on recruiting 100 extra programmers this summer. Software teams have to be grown, not bought in job lots.

But on the evidence of MS-DOS 2, the upgrade now filtering through to end-users, the Microsoft high-productivity programming pool appears to be paying off. The new version is a big improvement, with many added Unix-like features including a treed directory ideal for the management of high-capacity Winchester drives.

Meanwhile the stately progress of DRI has been somewhat accelerated by all this the competition. CP/M-86, failing to repeat the success of CP/M 80, is now being shrugged off within the company as a place-marker product; something to remind the 16-bit industry of the presence of DRI while the real McCoy is honed and polished in the workshops. The real McCoy is Concurrent CP/M, a single-user multi-tasking operating system at present only visible on the IBM PC. "Concurrent" and "multi-tasking" describe systems capable of undertaking a number of different jobs at the same time, rather than having to execute them one after another as in ordinary single-tasking systems like the existing CP/Ms and MS-DOSs.

The simplest way to implement this idea is to allow a job to be suspended at any point, all information about the current state of the processor being saved automatically, so that the user can switch to any other job. On returning to the interrupted job the state saved is restored, and the threads picked up at the exact point where processing was suspended.

Swapping like this gives the feeling of handling all the tasks simultaneously, but in fact all except the current one are frozen. True simultaneity implies that the processor will continue to serve the background tasks; they will stay live even when the operator is not observing them, which is what actually happens to separate tasks under Concurrent CP/M.

Bill Gates argues that the average micro user will not be interested in running more than one job at a time. If switching is needed it will be between user-driven applications like spreadsheet programming and word processing, which as background tasks can comfortably be freeze-dried because they have nothing to accomplish without user input. This is the simpler multi-tasking he will be using in version 3 of MS-DOS. If you need more, he argues, you should be using Xenix.

True concurrency undoubtedly has an advantage in a program development environment where the user can get on with writing the next bit of source code while the last lot is being compiled. Networked micros will also find it valuable. But if ordinary single-user business software is to derive any benefit it will have to be rethought to take advantage of background processing. The snag is that software like this will be dependent at design level on Concurrent CP/M and will only run under that operating system.

The crunch will come early next year when MS-DOS 3 meets Concurrent CP/M on a wide range of cheap hardware. Bill Gates will have the advantage of a considerable head of steam, but may well be over-extended. DRI on the other hand has the maturity and resources to back its product to the hilt. The question is whether independent software vendors will want to venture out on a limb with DRI to develop software that cannot run under MS-DOS.

Probably there will be no clear victor. Looking back on the doldrums created around CP/M 80 by lack of any real competition, the industry will keep both parties on their toes by making sure they both survive.

dBASE II — by Ashton Tate is the top selling database package. But it from **AQUA Computing Ltd**, the **dBASE** specialists.

dBASE II	£375.00
DBPlus	£125.00
DBFLIST	£30.00
DBAccel	£50.00
dBASE II User's Guide	£22.00
Everyman's Database Primer	£12.00

Any one of the last 4 items is **FREE** if you buy your copy of **dBASE II** from **AQUA** by July 1.

DBPlus COMPRESSES/DECOMPRESSES **dBASE II** files to 30/40% of original size; **SORTS** any **dBASE II** file up to 15 times faster; **MODIFIES** structures easily — complete with manual. Pays for itself in a few weeks.

Are your files scattered over several disks? **DBFLIST** compiles a master catalogue of all your **dBASE** files. Can save you hours of searching for that 'Lost file'.

DBAccel converts **dBASE II**. **CMD** file(s) into a single level format for much faster execution; Overlay control can be selective. Program size is limited only by available memory. Reduces running times by up to 50%.

dBASE II User's Guide is one of the best manuals on **dBASE II**; Has sold over 17,000 copies in the US; Written by Arthur Green, a leading US expert on **dBASE** courses. In stock now.

dBASE II Beginner's Guide, published by Ashton Tate, is essential for every serious **dBASE II** user.

For software products (**DBASE II**, **DBPlus**, **DBFLIST**, and **DBAccel**) add VAT to prices. Specify machine and diskette format (SD/DD, 5.25" or 8"). No extras for packing or postage in UK; add £5.00 for overseas. Further details available on all products. Pay by Cheque, PO, Access or VISA. Send to:

AQUA COMPUTING LTD (Dept PC5), 10 Barley Mow Passage, London W4 4PH (Phone: 01-994 6477).

● Circle No. 194

WORDSTAR ON SITE TRAINING

Phone Mike Gardner on
01-421 0266

**cats
software**

96 Grimsdyke Road,
Hatch End Pinner
Middx HA5 4PW

● Circle No. 195

Established Computer Mainframe Bureau and micro-computer retailer.

Invite propositions from
persons interested in
writing and marketing
business and game software.
Joint Venture, investment
or other considered.

Please write to Box No. 1003.

● Circle No. 196



THE 'BIG'
★ ★ ★ FREE ★ ★ ★
SPECIAL

3-year Warranty with all
systems until 31st May 1983

OSBORNE

4B
microcentres ltd

Telephone (0295)

67551

North Bar, Banbury,
Oxon. OX16 0TF

● Circle No. 197

The T.S.S. Technology Shop is now open and able to provide an unparalleled service for all your computer requirements.

- Hardware/both new and second user equipment, whatever you need at remarkable prices.
- Supplies — completely comprehensive range at unbeatable prices.
- Service — on a national basis with your satisfaction guaranteed.
- Complete used systems from £1,795. Used printers from £75. Used VDU's from £230.

New CP/M Systems from £895. Let us be the solution to your problems. Call 01-431-3100 now!

● Circle No. 198

reprints

If you are interested in a particular article/special feature or advertisement in this journal

**HAVE A GOOD LOOK AT OUR
REPRINT SERVICE!**

We offer an excellent, reasonably priced service working to your own specifications to produce a valuable and prestigious addition to your promotional material. (Minimum order 250 copies).

Telephone Michael Rogers on 01-661 3457 or complete and return the form below.

To: Michael Rogers, Practical Computing, Reprint Department, Quadrant House, Sutton, Surrey SM2 5AS.

I am interested in copies of article/advert.

headed featured in this
journal on pages, issue dated


Please send me full details of your reprint service by return of post.

Name

Company

Address

..... Tel No



- double density
- eighty columns

OSBORNE SPECIAL OFFER!

The latest system complete for only **£995 + VAT**
(usual price £1495 + VAT)

* Subject to availability



Cambridge Computer Store

1 Emmanuel Street
Cambridge CB1 1NE
Telephone (0223) 65334/5
(closed 12.30 — 1.15 except Saturday)

● Circle No. 260

CAN
YOUR
MICRO
READ
THIS?



Bar-code identification for . . .

PET/CBM APPLE BBC

Bar-codes give a speedy and error free means of data entry and provide a foolproof method of identification for any item or document. Typical uses include stock control, libraries, filing systems, security & checkpoint verification, point of sale terminals, spare parts identification, etc., etc. Already most grocery products are bar-coded at source and many other areas of industry and commerce are following. Bar-codes will soon be commonplace.

Our system contains all the hardware & software needed to implement a bar-code system on your computer now. Software to print bar codes on an Epson printer is included. More information on request . . . please state your micro & area of interest.

Price £199.00 - VAT

EPSON and
other well known Printers
... Latest Models at Lowest Prices!
Also BBC disk drives monitors
etc. etc.

Our prices are
as low (or lower!)
than any other advertiser
in this magazine. EPSONs are always ex-stock & most other
printers/monitors etc. can be obtained the same day and
delivered to your door, often in 24 hours. We can interface to
most computers & knowledgeable advice is free if needed.
Remember - many suppliers have limited technical expertise!
Phone for a quote or send a SAE for full lists. All items carry
the usual warranties.

**ALTEK (PC) 1 Green Lane
Walton-on-Thames, Surrey**
Please phone before calling (093 22) 44110

● Circle No. 199

DRAGON/ATOM/ORIC-1 ADD LOW-COST I/O POWER WITH A VIA BOARD

Drive extra I/O devices, from LEDs & switches to extra peripherals. Link 2 micros for data/program transfer, spool listings to a second micro to print/save etc. (see TEVLINK below).

HARDWARE: 6522 VIA provides 16 I/O lines + control, serial port, 2 timers, interrupt register, I/O voltage & interrupt lines taken to 26-way IDC plug for easy connection to peripherals etc. Connectors available for Dragon, Atom, Oric 6522A version should be out soon. The Board may be interfaced to most other 6502/6809 micros, and may be shared between micros by changing the plug-in connector.

SOFTWARE: TEVLINK package provides 2-machine parallel link (2 Boards needed), overall speed about 8K DATA bytes/second with error checking.
A PRINT SPOOLER is included (only 1 Board needed): connect printer port to VIA board on receiving micro and use normal LIST/PRINT etc.

Assembled board + Atom connector	£16.50
Assembled board + Dragon connector	£18.75
Assembled board only - for your interface	£14.00
Atom connector £4.00, Dragon connector	£6.00
Cable: Printer port to VIA (state m/c)	£7.00
TEVLINK Board to Board cable	£4.50
TEVLINK software: Dragon/Atom cassette	£7.75
Blank cassettes (cased): 10 x C10 for	£5.75

OTHER SOFTWARE:
CAVE QUEST: Underground quest for the ring of power Dragon/Atom/Oric cassette £2.30
LASER INVADERS: Dragon joystick game £2.30
TEVROG'S KINGDOM: A real-time quest for magic powers (and survival): Dragon/Oric £5.75

Other software and hardware available soon.
WANTED!! Good software (games & serious) for royalties or outright purchase. Send for details.

MAIL ORDER ONLY.

SEND FOR LISTS/DETAILS

All prices fully inclusive of VAT, P/P etc.

**Tevward Microtech Ltd. (Dept)
403 Dallow Road, Luton, LU1 1UL.
Tel. (0582) 418906**

● Circle No. 200



POSEIDON COMPUTER SERVICES LTD.

Of Hampton S.W. London Dealer
FOR SIRIUS 1

DEMONSTRATION BY APPOINTMENT

MOST TYPES OF PRINTERS
SUPPLIED

BESPOKE SOFTWARE A SPECIALITY

COMPETITIVE PRICES
FULL UK DELIVERY



TELEPHONE: 01-941 1447/5986;
TELEX 8954665 GITS

● Circle No. 201

SCIENTIFIC SUBROUTINE LIBRARY

VOLUME 1 - STATISTICS AND FITTING FUNCTIONS

Mean, SD, normal distribution, partial expectation, Chauvenet's criterion, least squares fit to polynomial and arbitrary function, repetitive least squares fits, covariance matrix, chi-squared statistic, matrix inversion, solution of simultaneous equations.

VOLUME 2 - LINEAR PROGRAMMING

Reduction of a Simplex tableau, integer programming, partial integer programming, conversational linear programming system, least cost mix problem.

VOLUME 3 - FURTHER STATISTICS

Ranking, quantiles, frequency, 2-way table, correlation coefficient, T, chi-squared and F distributions and their inverses, T test, chi-squared test, Wilcoxon test, linear and multiple regression, ANOVA 1-way and 2-way.

VOLUME 4 - TRANSFORMATIONS & SORTING ALGORITHMS

Fourier, FFT, Laplace, numerical integration and differentiation. Exchange sort, Quicksort, Shell sort, Tree sort.

Manuals including full source listings with implementation notes and documentation -

BASIC £25 per volume

PASCAL £30 per volume

Software in CP/M (8" SSSD) or DEC RT-11 (RX01) formats - £75 + VAT per volume.

CP/M TO DEC FILE TRANSFER

Software to read and write RT11 format RX01 diskettes under CP/M. Supplied on 8" SSSD diskette - £25 + VAT.

MICRO LOGIC CONSULTANTS LTD.

57, Station Rd., Southwater, Horsham,
W. Sussex.

Telephone: 0403 731818

● Circle No. 202

INSURE YOUR COMPUTER

Impact damage, Fire & Theft Insurance
for your Computer, Equipment:

£1 to £1,500 cover £8.00 p.a.
£10 (excess) x/s

£1,500 to £2,500 £16.00 p.a.
£15 x/s.


For details:

**KGJ Insurance Brokers,
6 Hagley Road, Stourbridge,
West Midlands, DY8 1QG
Tel (03843) 5333/2545**

● Circle No. 203

SHOP WINDOW

8" Floppy Drives



MICROMODS LTD.
53 ACTON RD. LONG EATON NOTTINGHAM
NG10 1FR TEL: 06076 64264

MicroMods Ltd.

● Circle No. 204

THE POWER BANK

sealed for life
batteries included

system
compatible sine
wave output

THE UNINTERRUPTABLE POWER SUPPLY WHICH WILL:

- Continue to operate your Micro Computer System when the mains electricity supply fails
- Suppress dangerous spikes and surges
- Stabilise voltage and frequency to your sensitive equipment

Operate your MicroDisk/Printer System from a Power Bank and forget about a disabling break in the electricity supply.

Please contact: **POWER TESTING (SALES) LTD**
on 0277 233188 Telex 24224 Monrel G (ref 586)
65a Shenfield Rd, Brentwood, Essex CM15 5HA

● Circle No. 205

DYNAMIC SIMULATION SYSTEM

for APPLE and CPM SYSTEMS

- * Fully Interactive
- * Powerful
- * Machine Language
- * Graphic Output

£250 Complete

FOR DETAILS CONTACT:

**PROCESS AUTOMATION &
COMPUTER SYSTEMS LTD.,**
50 Gosport Street, Lymington, Hants
SO4 9BE. Telephone 0590 73503.

● Circle No. 206

VDU DESK

TEAK
LAMINATE
FINISH

Assembly
in seconds
without tools

Other sizes

TRADE ENQUIRIES
WELCOME



£42.16

FOR 24" x 24" size
Details available

65 TREDEGAR SQ.
LONDON E3 5AE
Tel: 01-981 7301



● Circle No. 207

STOCK CLEARANCE SALE

APPLE III
Apple 128K Complete System inc Keyboard, External Disk Drive, Monitor, VisiCalc III Basic + SOS. **SALE PRICE** 1999.00

APPLE II Accessories
INTEGER CARD 49.00
ROM PLUS CARD 169
HEURISTIC SPEECH LAB (speech input) 49.00
A/C LINE CONTROLLER 99.00
ROMWRITER CARD 69.00
SUPERTALKER (Speech Output) 89.00

APPLE II Software
DESK TOP PLAN 52.50
CCA DATA MANAGEMENT 45.00
MUSE DR MEMORY (Simple Wordprocessor) 20.00
MUSE SUPERTEXT (Wordprocessor) 40.00

CMC/PET Accessories
PET IEEE-CENTRONICS INTERFACE 15.90
PETSET 1 A-D CONVERTER 123.00
PET ADA 1200 SERIAL ADAPTOR 67.50
REGENT - Multi-user system 149.00

PRINTERS and ACCESSORIES
CBM 8024 PRINTER for COMMODORE COMPUTER — 160 cps — HEAVY DUTY 499.00
NEC SPINWRITER Correspondence Quality (55cps) 1499.00
NEC SHEET FEEDER 450.00
RACAL BINDER & STAND (200cps Heavy Duty) 999.00
AMADEX DP 9501 (120cps Dot Matrix) 745.00
CX80 COLOUR PRINTER for APPLE (inc. Interface) 675.00
TTY43 KSR PINCH FEED (Dot Matrix with Keyboard) 299.00

CBM/PET Software
BUDGET CONTROLLER 149.00
PURCHASE CONTROLLER 149.00
SALES CONTROLLER 149.00
LINK 49.00
PAYMASTER 120.00
COMLEDGER SALES 99.00
COMLEDGER NOMINAL 99.00
COMLEDGER PURCHASE 99.00
MONITOR (Open Item Sales) 100.00
ITEM (Open Item Purchase) 100.00
COMBIS 49.00
BISTAM for CP/M SOFTBOX 94.50
WORDPRO 2 90.00
COMSTOCK 49.00

OTHER STOCK
4116 RAM CHIPS (PACK OF 8) 10.00

ABOVE PRICES EXCLUDE VAT

JOHNSON MICROCOMPUTERS
75/79 PARK STREET,
CAMBERLEY,
SURREY.

TELEPHONE: (0276) 20446

TELEPHONE ORDERS ACCEPTED — VISA, ACCESS, AMEX.

• Circle No. 208

WATCH OUT FOR VER-WORD

• Circle No. 209

GRUNDIG KINGSLEY

40-42 Shields Road,
Newcastle-upon-Tyne NE61DR —
Tel: (0632 650653)



R.G.B. MONITOR/TELEVISION

AS SUPPLIED TO EDUCATION AUTHORITIES
SPECIFICATION

R.G.B. Inputs (Analogue and Digital Levels) All Models.
1 Volt P.P. Composite Video (Remote Model only).
Teletext Decoder available to plug into Chassis. (Remote Model only) Remote control of Computer via Monitor.
(Remote Model Only) Sound input gives access to Audio Amp.
All Models instantly switch back to Television

12" B.W. Monitor £95 + VAT
14in. Colour Monitor/Television £227 + VAT
16in. Colour Monitor/Television £255 + VAT
16in. Colour Monitor/Remote Television £295 + VAT
20in. Colour Monitor/Remote Television £315 + VAT
22in. Colour Monitor/Remote Television £340 + VAT
26in. Colour Monitor/Remote Television £380 + VAT
Plug in Teletext Module £75 + VAT
Connecting Lead £5 + VAT
Carriage and Insurance £9.50
4 Year Guarantee Insurance £29.60

R.G. Monitor/TV (Grundig Approved)

• Circle No. 210

northern computers

THE COMPUTER CENTRE OF THE NORTH

THE showroom for all the leading micros

easy parking off the M56 (Junc 12) • VIC 20 • VIC 64
BBC micros • Newbrain • Acorn Atom • Books
Apple 11e, 111 • Dragon • Electron • Games
Sinclair Spectrum, • IBM P.C.
Secondhand computers • EASY PAYMENTS
ALL ACCESSORIES SALES AND SERVICE

northern computers Churchfield Road,
FRODSHAM Cheshire WA6 6RD

TEL: FRODSHAM (0928) 35110
* UNBEATABLE PRICES *

WE WILL PURCHASE AND PUBLISH YOUR PROGRAMS. Call Steve Rhodes for details

• Circle No. 211

GREAT LOW PRICES ON SUPPLIES AND PRINTERS

COMPUTER SUPPLIES

		PRICE PER PAC			
5.25" FLOPPY DISKS — PAC OF 10		1-3	4-7	8+	
VERBATIM SSSD	Soft/Hard Sec	19.78	19.26	18.78	
DATALIFE SSDD	Soft/Hard Sec	19.78	19.26	18.78	
SSDD	Soft/Hard Sec	28.12	27.38	26.59	
SSDD	Soft/Hard Sec	30.53	29.75	28.98	
SSDD	Soft/Hard Sec	36.92	35.96	35.05	
WABASH SSSD	Soft/Hard Sec	16.19	15.77	15.38	
SSDD	Soft/Hard Sec	18.30	17.81	17.37	
SSDD	Soft/Hard Sec	19.93	19.41	18.93	
SSDD	Soft/Hard Sec	21.62	21.06	20.53	
SSDD	Soft/Hard Sec	23.00	22.40	21.84	
8" SSDD	Soft/Hard Sec	20.68	20.14	19.63	
SSDD	Soft/Hard Sec	25.91	25.25	24.60	
DSDD	Soft/Hard Sec	28.07	27.34	26.64	

LISTING PAPER (500 SHT PAC)	1-2	3-4	5+
9.5" x 11 Side Micro Perfs	4.39	3.50	2.75
14.5" x 11" Music Ruled	5.33	4.70	4.00
MICRO LABELS (250 PAC)	1-2	3-4	5+
4.5" x 7/16" 2 wide	4.41	4.05	3.95

Fits 9.5" Tractor Feed

SUPPLIES FOR ALL MACHINES AVAILABLE IN BOTH MICRO AND NORMAL PACKS. RIBBONS, DISK BOXES, PRINTWHEELS — IN FACT ANYTHING FOR YOUR COMPUTER CALL US NOW.

PRINTERS AND PERIPHERALS

Epson FX80	415.15
Epson RX80	281.40
Epson MX100	466.94

ALL OTHER PRINTERS (DOT MATRIX AND LETTER QUALITY) AND APPLE PERIPHERALS AVAILABLE.
PRICES REALISTIC. FOR FURTHER INFORMATION CALL OUR SALES OFFICE.

REMEMBER YOU PAY THE PRICE YOU SEE. INCLUDES VAT & CARRIAGE

COMPAC LTD (Micro-Pac Division)
Commerce House, Stuart Street,
Luton LU1 5AU, Bedfordshire.
Tel: 0582 452580. (SUPPLIES). 0582 450557 (PRINTERS)

• Circle No. 212

SOFTWARE

TRS-80 & VIDEO GENIE:	
Chaos (16K)	£8.75
Dodgema (16K)	£9.75
Frogger (16K)	£9.75
General Ledger (Disk 48K)	£74.75
Kong (16K)	£9.75
Mailing List (Disk 48K)	£17.25
Muncher (16K)	£9.75
Pools (16K)	£7.95
SINCLAIR:	
ZXR1 : Grizzly	£3.95
: Pools	£4.00
Spectrum: Bermuda Triangle (48K) — 3D adventure	£5.50
COLOUR GENIE	
Chaos	£9.75
Frogger	£7.75
Pools	£7.95

(All prices include V.A.T. & P&P)

Always interested in programs for any of the above machines (25% Royalties given)

KRICON LTD

11 Medway, Hailsham, East Sussex, BN27 3HE (0323) 846110

• Circle No. 213

The University College of Wales,
ABERYSTWYTH

THE MICROCOMPUTER REVIEWED 19-23 September 1983

A residential course demonstrating the latest languages and packages available for those wishing to make serious use of microcomputers and who already have an elementary knowledge of Basic or another language.

Large element of practical work.

Tuition in the University's Microcomputer Laboratory.

Access to ACT SIRIUS I Microcomputers and others.

Beautiful location on the Cardigan Bay Coast.

Total fee (inc. tuition and accommodation): £150.

Application forms and further details from: The Dept. of Extra-Mural Studies,
9 Marine Terrace, Aberystwyth, Dyfed.

• Circle No. 214

BASIC PROGRAMMERS . . .

Are you always short of space? • Looking for variables? • Debugging programmes (other people's)? • Searching for jump sources?

YOU NEED LOWMAN: LOWMAN is LOWADD LTD's programme MANipulator. It is a suite of eight utilities used in their own program development.

THEY CONSIST OF:

1. Delete Remarks. Shrinks programmes prior to compilation.
2. Search for expressions. Will search and print locations of up to 20 expressions per pass.
3. Analyse Programme. This comprehensive programme produces a complete breakdown of addresses of all definition statements. Source and destination of all jumps. For/next and While/wend loops, and a complete list of addresses of all variables in alphabetical order.
4. Compare. Compare 2 ASCII source codes and print differences.
5. Compress. Compress source to Basic 4.51 lexical convention.
6. Expand. Expand source to Basic 5.00 lexical convention.
7. Global. Search and change within ASCII code with options.
8. Left justify. Aligns code and inserts TAB after line number.

THE WHOLE SUITE CAN BE CUSTOMISED BY USER TO MATCH ANY SCREENS. Available in CPM format on IBM standard 8" floppys. Please state density required. TANDY format available shortly. Send CHQ/PO for £39.50 to LOWADD LTD, 82 GIRTON RD, CAMBRIDGE CB3 0LN. Telephone: 0223 276243. For other formats please write.

• Circle No. 215

Datalife

5 Year Warranty by Verbatim



Boxes of 10 Datalife MiniDisks at £22.50 (plus £3.95 VAT and p+p).

* **SPECIAL OFFER** 5 boxes (50 Disks) £112.50 (plus £19.75 VAT and p+p). **FREE LOCKABLE STORAGE UNIT** with every order.

To order, phone 01-661 2060 or send your cheque to: ERAC Consultants (Southern) Ltd., Grove House, 6 Grove Road, Sutton, Surrey SM1 1BQ.

Please allow 7 days for delivery. Personal callers welcome.

• Circle No. 216

WATCH OUT FOR VER-WORD

• Circle No. 218

Good news for Wordstar users
Forget DataStar & SuperSort

FORMSTAR

GIVES YOU:—

- * Foolproof data entry & recall
- * Unique link to mailmerge
- * WordStar cursor controls
- * Standard screen forms or
- * Simply type your own
- * Any number of fields
- * Use same form for many files
- * Select or sort subfiles
- * Clear & simple instructions

FORMSTAR by available from
McMillan **COMPUTER**
Computing **FACILITY**

£80 + VAT 0734 867855
32 Redlands Road,
Reading, Berks.

• Circle No. 219

MICRO ADS

are accepted from private readers only, pre-paid and in writing, 20p per word, minimum charge £2.

Please make cheques payable to Practical Computing and send to Room L310, Quadrant House, The Quadrant, Sutton, Surrey SM2 5AS.

APPLE II 48K, Autostart, Single Disk Drive (3.3), RS232 Interface, Desktop Plan, £650. 021-705 5003 (Evenings)

SHARP SOFTWARE. Converts MZ-90A to MZ-80K, MXZ-80K to MZ-90A, all commands translated, £6.00. MZ-80A/K renumber/append £6.00. SAE for list of sensibly priced utilities, business and games cassettes. DCS, 38 South Parade, Bramhall, Stockport.

MICROLINE 83A PRINTER, serial and parallel interface 120 CPS, hardly used, with tractor and manual £400.00. 051-630 1714 daytime.

• Circle No. 217

Programming & Consultancy Service

We can help with . . .

Programming · system design · user manuals · technical training · hardware and software selection. We are at home on micros, minis and mainframes — in all major languages.

Mike Lewis Consultants Ltd
48 Willoughby Road
London NW3
tel: 01-794 3886

ATOM "ACETROIDS" — All usual features including High Score Table, Alien Ships, Hyperspace — £6.00. "Squares" — Game of skill against Computer — £5.00. Together £7.50. Cheques/P.O. Ace Computing, 65 Peartree Crescent, Shirley, Solihull, W. Midlands. BP90 1LE.

APPLE II SOFTWARE for sale or exchange — Visidex, Apple Pascal/Writer/Plot/Post and games wanted — Logo, Mountain Music Cards, Games etc. 021-744 3355.

TELETYPE 43 KSR Printer. Vgc. £375 ono. Tel. Emsworth (02434) 5740, evenings.

CLEAROUT — Northsatr format (including CP/M) software, CP/M, Worstar, M/BASIC, C/BASIC etc. Also APPLE software, strategy games, utilities — all cheap. 5 years back magazines PCW, Practical Computing, Creative Computing, other U.S. Please enquire. Crawley (0293) 515201.

OSBOURNE 1: 9 Months old, Full Software, Excellent Condition, Must be seen. Bargain at £900. Phone: HARLOW 506124.

ORIC-1 ELECTRONIC CALENDAR: £6. Details A. Newham, 29 York House, Southampton, SO1 1RS. (S.A.E.)

RAIR 3/30 5 Mgb. Hard Disk MP/M Various Software £3,500. Optional 2 Hazeltine VDU's £200. Each Weyfringe Printer £300. Tel: Northwood 29815.

"GUARANTEED "DE-BUGGING" SERVICE. Do you have a BASIC program you can't quite complete? Does your program have an error you cannot see? Send listing, details of problem and £5 to: Mr. B. Katz, 8 Astor Drive, Moseley, Birmingham B13 9QR. "Full refund if program not corrected."

007 "PET SOFTWARE TO YOUR SPECIFICATIONS. Do you have PET standing idle, waiting for the correct software? Any BASIC program written to your exact specifications — speedy guaranteed service. Phone or write with exact requirement for immediate quotation. Mr. B. Katz, 8, Astor Drive, Moseley, Birmingham B13 9QR. Tel: 021-778-2473.

SHARP MZ-80K with MZ-80P3 Dot Printer, MZ-80FB Double Disc Drive and MZ-80 I/U Interface unit. Ideal for small Business or sophisticated amateur. Offers please. Phone (0948) 3425.

BRAND NEW APPLE III System only £1,618 (inc. VAT) 128K memory, complete with Monitor III, SOS, Apple II emulation software, builtin disk drive. Boxed and unused. Tel: (09277) 68211.

FOR SALE Atari 400 + 'Typewriter' keyboard. Atari 410 Cassette, 2 Joysticks + 9 Atari games. First sensible offer for complete package secures. For details telephone 01-385-3621 Eves. Mr Campbell.

FOR SALE. APPLE [] 48K. D.O.S. 3.3. Autostart Language Card, Colour Card, Programmers Aid, Joystick, Paddles. Portable 14" Ferguson Colour TV. Selection Software. £1000 ono. Phone 01-847 0139

NEWBRAIN data file system on Cassette. Facilities include: Sort, Save, print, Append, display, search, delete, change, calculate. £8.50 inclusive. SAE for full details. David Pletts, 53 Copthorne Road, Shrewsbury SY3 8NW.

SIRIUS 128K 1.2MB hardly used, surplus to requirements, 9 months guarantee remaining, £1900 + VAT, Marlow (06284) 73074.

NUMERIC KEYPAD for BBC. Add a useful facility to your BBC computer to speed up entry of numerical data. For details send S.A.E. to P.T. Squire, 16 Priory Park, Bradford on Avon, Wilts, BA15 1QU.

PRACTICAL COMPUTING August 1983

NOMINATIONS FOR BEST PRINTER AWARDS 1983



★ NOW
ON RELEASE ★

Star

ONE YEAR GUARANTEE

Best Star — STARDP510/DP515 Matrix Printers

available for around **£289 and £399 ex VAT**

- ★ 80 Column (DP510), 136 Column (DP515)
- ★ 100 CPS, Bi-Directional Logic Seeking
- ★ Friction, Tractor and Roll Holder as standard
- ★ Full standard features including 2.3k Buffer

Best Performer — JUKI 6100 Daisywheel

available for around **£399 ex VAT**

- ★ 18CPS — Bi-Directional Logic Seeking
- ★ 10, 12, 15 CPI + Proportional Spacing
- ★ "Drop in" Daisywheel — Triumph Adler Compatible
- ★ Supports all Wordstar features
- ★ Diablo protocols — IBM Selectric ribbon
- ★ 2k Buffer as standard — 100 character Daisywheel

ONE YEAR GUARANTEE

Best Newcomer — SHINWA - CTI CP80 Matrix Printer

available for around **£289 ex VAT**

- ★ 80 CPS — Bi-Directional Logic Seeking 80 Column
- ★ Friction and Adjustable Tractor Feed
- ★ Patented Square Needles up to 9 x 13 matrix
- ★ Hi-Res Graphics and Block Graphics

ONE YEAR GUARANTEE

Best Producer — HERMES 612 WPQ Printer

available from around **£1950 ex VAT**

- ★ Up to 400CPS and Word Processing Quality at 120 CPS
- ★ 10, 12 or 15 CPI — programmable to 1/360" spacing
- ★ 132 column at 10 CPI

ONE YEAR GUARANTEE

All now on general release — see them at your local dealer

Best Distributor:-

Micro Peripherals Ltd

69 The Street, Basing, Basingstoke, Hants. RG24 0BY
TEL: (0256) 3232 (12 lines) TELEX: 859669 MICROP G




★ NOW
ON RELEASE ★

JUKI



★ NOW
ON RELEASE ★

SHINWA - CTI



★ NOW
ON RELEASE ★

HERMES

Please send technical details, printout samples and local dealer details to:- **Circle No. 231**

Name: Position:

Company:

Address:

Micro Peripherals, 69 The Street, Basing, Basingstoke, RG24 0BY

ZORBA

The Portable
Personal
with MORE



More Storage

800 KBytes on twin 5¼" floppy disks plus 64 KBytes User Memory means you can now run Integrated Ledgers.

More Software

Supplied as standard with every Zorba :-
Systems Software comprising CP/M 2.2 * inc. utilities M 80 **, L 80 **, LIB 80 **, CREF 80 **.
Applications Software comprising C BASIC **, WORDSTAR ***, MAILMERGE ***, CALCSTAR ***,

Optional Software, Spellstar, Infostar and most CP/M * packages.

More Screen

7" GREEN VDU, with full 80 columns by 25 lines, Means NO MORE SCROLLING. Also with blinking, block graphics & 2 intensities.

More Compatability

Reads and writes data disks in the format of :- IBM PC, Osborne, Superbrain, Xerox 820, DEC VT180 & Kaycomp.

More Keyboard

Fully Professional and detachable Qwerty format with 19 programmable function keys.

More Expandability

Outputs include Parallel, Serial and IEEE 488 as standard.

More Reliability

Sets New Industry Standard, Full 90 day Warranty and Nationwide maintenance available.

More Value

Only £1595.00 exc VAT

● Circle No. 232

A limited number of dealerships are available in the UK.

SUN Computing Services Ltd., Concorde House, St Anthonys Way, Feltham, Middlesex TW14 0NH. Telephone 01 890 1440 TWX 8954428 SUNCOM G.

*Registered Trademark of Digital Research Corp. **Registered Trademark of MicroSoft Corp. ***Registered Trademark of MicroPro Corp. ZORBA is a registered trademark of Telcon Industries Inc. US